## FORM A: BID (See B9)

1.	Contract Title	2015 WATERMAIN RE	NEWALS – CONTRACT NO. 2	
2.	Bidder			
		Name of Bidder		
		Usual Business Name of Bidd	der as it appears on Invoice (if different f	from above)
		Street		
		City	Province	Postal Code
		Email Address of Bidder		
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		GST Registration Number (if	applicable)	
	(Choose one)	The Bidder is:		
		a sole proprietor		
		a partnership		
		a corporation		
		carrying on business ur	ider the above name.	
3.	Contact Person	The Bidder hereby aut the Bidder for purposes	norizes the following contact pe of the Bid.	erson to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms ascribed to them in the	used in the Contract shall ha General Conditions.	ve the meanings

5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.
6.	Bid Security	In accordance with B12.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

(See B10)

### 2015 WATERMAIN RENEWALS - CONTRACT NO. 2

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A \A/o	vesta Street - Develoten Avenue E to Co		(00110	QUANTITI	FRICE	
A. wa: A. 1	yoata Street - Ravelston Avenue E to Co Watermain Renewal	CW 2110	renue			
a)	150mm	OW 2110				
•	trenchless installation, Class B sand bedding, Class 3 backfill		m	5.0		
ii)	trenchless installation, Class B sand bedding, Class 5 backfill		m	5.0		
b)	200mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	15.0		
ii)	trenchless installation, Class B sand bedding, Class 5 backfill		m	95.0		
A. 2	Hydrant Assembly	CW 2110				
a)	SD-006		each	1		
A. 3	Watermain Valve	CW 2110				
a)	150mm		each	1		
b)	200mm		each	2		
A. 4	Fittings	CW 2110				
a)	Tees					
i)	200mm x 200mm x 150mm		each	2		
b)	Bends (SD-005)					
i)	150mm - 45°		each	2		
ii)	200mm - 45°		each	4		
A. 5	Corporation Stops	CW 2110				
a)	50mm		each	1		
A. 6	Connection to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	Inline Connection - No Plug Existing					
i)	150mm		each	1		
ii)	200mm		each	3		
A. 7	Connect Existing Copper Water Services to New Watermains	CW 2110				
a)	50mm		each	1		
A. 8	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Metallic Watermains		each	3		
A. 9	Continutity Bonding	CW 2110	each	1		
A. 10	Partial Slab Patches	E5				
a)	200mm reinforced concrete pavement		$m^2$	5.0		

50mm

19mm

i) 200mm

50mm

19mm

Connection to Existing Watermains and

Large Diameter Water Services
Inline Connection - No Plug Existing

Connect Existing Copper Water

150mm reinforced concrete pavement

Miscellaneous Concrete Slab Renewal

Services to New Watermains

Continutity Bonding

Partial Slab Patches

Sidewalk (SD-228A)

a) b)

B. 6

B. 7

B. 8

B. 9

B. 10

a)

a) b)

## FORM B (R1): PRICES

(See B10)

#### 2015 WATERMAIN RENEWALS - CONTRACT NO. 2

UNIT F	PRICES					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A. 11	Miscellaneous Concrete Slab Renewal	E6				
a)	Sidewalk (SD-228A)		$m^2$	10.0		
A. 12	Concrete Curb Renewal	E9				
a)	Barrier curb (SD-203A)		m	5.0		
b)	Modified Barrier Curb (SD-203B)		m	5.0		
c)	Ramp Curb		m	5.0		
A. 13	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	2.0		
				Р	art A - Subtotal	
B. Wa	basha Street - Harold Avenue East to E	dward Avenu	ue East			
<b>B. Wa</b> l B. 1	basha Street - Harold Avenue East to E Watermain Renewal	dward Avenu CW 2110	ie East			
	1		ie East			
B. 1 a)	Watermain Renewal		m East	50.0		
B. 1 a) i)	Watermain Renewal 200mm trenchless installation, Class B sand					
B. 1 a) i) ii)	Watermain Renewal 200mm trenchless installation, Class B sand bedding, Class 3 backfill trenchless installation, Class B sand		m	50.0		
B. 1 a) i)	Watermain Renewal 200mm trenchless installation, Class B sand bedding, Class 3 backfill trenchless installation, Class B sand bedding, Class 5 backfill	CW 2110	m	50.0		
B. 1 a) i) ii)	Watermain Renewal 200mm trenchless installation, Class B sand bedding, Class 3 backfill trenchless installation, Class B sand bedding, Class 5 backfill Hydrant Assembly	CW 2110	m m	50.0 270.0		
B. 1 a) ii) B. 2 a)	Watermain Renewal 200mm trenchless installation, Class B sand bedding, Class 3 backfill trenchless installation, Class B sand bedding, Class 5 backfill Hydrant Assembly SD-007	CW 2110	m m	50.0 270.0		
B. 1 a) ii) B. 2 a) B. 3	Watermain Renewal 200mm trenchless installation, Class B sand bedding, Class 3 backfill trenchless installation, Class B sand bedding, Class 5 backfill Hydrant Assembly SD-007 Watermain Valve	CW 2110	m m each	50.0 270.0 3		
B. 1 i) ii) B. 2 a) B. 3 a)	Watermain Renewal 200mm trenchless installation, Class B sand bedding, Class 3 backfill trenchless installation, Class B sand bedding, Class 5 backfill Hydrant Assembly SD-007 Watermain Valve 200mm	CW 2110 CW 2110 CW 2110	m m each	50.0 270.0 3		
B. 1 i) ii) B. 2 a) B. 3 a) B. 4 a)	Watermain Renewal 200mm trenchless installation, Class B sand bedding, Class 3 backfill trenchless installation, Class B sand bedding, Class 5 backfill Hydrant Assembly SD-007 Watermain Valve 200mm Fittings	CW 2110 CW 2110 CW 2110	m m each	50.0 270.0 3		
B. 1 i) ii) B. 2 a) B. 3 a) B. 4 a)	Watermain Renewal 200mm trenchless installation, Class B sand bedding, Class 3 backfill trenchless installation, Class B sand bedding, Class 5 backfill Hydrant Assembly SD-007 Watermain Valve 200mm Fittings Tees	CW 2110 CW 2110 CW 2110	m m each	50.0 270.0 3 1		

each

each

each

each

each

each

 $m^2$ 

 $m^2$ 

2

1

1

2

15.0

5.0

CW 2110

CW 2110

CW 2110

E5

E6

(See B10)

### 2015 WATERMAIN RENEWALS - CONTRACT NO. 2

<u>UNIT</u> F	PRICES					
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT	AMOUNT
		REF.	0	QUANTITY	PRICE	711100111
B. 11	Concrete Curb Renewal	E9				
a)	Barrier curb (SD-203A)		m	5.0		
b)	Modified Barrier Curb (SD-203B)		m	15.0		
c)	Ramp Curb		m	5.0		
B. 12	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	3.0		
				P	art B - Subtotal	
C. Ral <sub>l</sub>	ph Avenue West - Bond Street to Day S	treet				
C. 1	Watermain Renewal	CW 2110				
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	220.0		
C. 2	Hydrant Assembly	CW 2110				
a)	SD-006		each	2		
C. 3	Watermain Valve	CW 2110				
a)	150mm		each	2		
C. 4	Fittings	CW 2110				
a)	Bends (SD-004)					
i)	150mm - 22.5°		each	2		
C. 5	Corporation Stops	CW 2110				
a)	19mm		each	27		
C. 6	Connection to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	Inline Connection - No Plug Existing					
-	150mm		each	2		
C. 7	Connect Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	27		
C. 8	Continutity Bonding	CW 2110	each	27		
C. 9	Partial Slab Patches	E5				
a)	150mm reinforced concrete pavement		m <sup>2</sup>	75.0		
C. 10	Miscellaneous Concrete Slab Renewal	E6				
a)	Sidewalk (SD-228A)		$m^2$	5.0		
C. 11	Sewer Repair - Up to 3.0 metres Long (SD-022A)	CW 2130				
a)	250mm (3.0m-4.0m Deep)					
-	Class 3 backfill		each	1		

a) Sidewalk (SD-228A)

## FORM B (R1): PRICES

(See B10)

#### 2015 WATERMAIN RENEWALS - CONTRACT NO. 2

UNIT F	PRICES					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C. 12	Concrete Curb Renewal	E9				
a)	Barrier curb (SD-203A)		m	75.0		
b)	Modified Barrier Curb (SD-203B)		m	5.0		
c)	Ramp Curb		m	3.0		
C. 13	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	15.0		
				Р	art C - Subtotal	
D. Day	/ Street - Newman Avenue to Ralph Ave	enue				
D. 1	Watermain Renewal	CW 2110				
a)	200mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	30.0		
ii)	trenchless installation, Class B sand bedding, Class 5 backfill		m	155.0		
D. 2	Watermain Valve	CW 2110				
a)	200mm		each	3		
D. 3	Fittings	CW 2110				
a)	Bends (SD-004)					
-	200mm - 22.5° Bends (SD-005)		each	2		
•	200mm - 45°		each	2		
c)	Crosses					
•	200mm x 200mm x 150mm x 150mm		each	2		
D. 4	Corporation Stops	CW 2110				
a)	19mm		each	13		
D. 5	Connection to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	Inline Connection - No Plug Existing					
,	200mm		each	2		
D. 6	Connect Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	13		
D. 7	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Metallic Watermains		each	2		
D. 8	Continutity Bonding	CW 2110	each	13		
D. 9	Partial Slab Patches	E5				
a)	200mm reinforced concrete pavement		m <sup>2</sup>	15.0		
D. 10	Miscellaneous Concrete Slab Renewal	E6	'''			
		_	١ ۾			

(See B10)

## 2015 WATERMAIN RENEWALS - CONTRACT NO. 2

#### UNIT PRICES

UNIT	PRICES		1			
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D. 11	Concrete Curb Renewal	E9				
a)	Barrier curb (SD-203A)		m	5.0		
b)	Modified Barrier Curb (SD-203B)		m	15.0		
c)	Ramp Curb		m	10.0		
D. 12	Construction of Asphaltic Concrete	CW 3410	tonne	3.0		
	Overlays Type 1A					
				Р	art D - Subtotal	
	ton Avenue West and East - Bond Stree		a Stree	et		
E. 1	Watermain Renewal	CW 2110				
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	530.0		
E. 2	Hydrant Assembly	CW 2110				
a)	SD-006		each	6		
E. 3	Watermain Valve	CW 2110				
a)	150mm		each	5		
E. 4	Corporation Stops	CW 2110				
a)	19mm		each	60		
E. 5	Connection to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	Inline Connection - No Plug Existing					
,	150mm		each	1		
E. 6	Connect Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	60		
E. 7	Continutity Bonding	CW 2110	each	60		
E. 8	Partial Slab Patches	E5				
a)	150mm reinforced concrete pavement		m <sup>2</sup>	150.0		
E. 9	Miscellaneous Concrete Slab Renewal	E6	'''			
a)	Sidewalk (SD-228A)		m <sup>2</sup>	15.0		
E. 10	Concrete Curb Renewal	E9	'''			
a)	Barrier curb (SD-203A)	-	m	200.0		
b)	Modified Barrier Curb (SD-203B)		m	25.0		
c)	Ramp Curb		m	10.0		
E. 11	Construction of Asphaltic Concrete	CW 3410	tonne	35.0		
	Overlays Type 1A					

Part E - Subtotal

(See B10)

## 2015 WATERMAIN RENEWALS - CONTRACT NO. 2

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT			
F. New	F. Newman Avenue East - 110 WWL of Wabasha Street to Wabasha Street								
F. 1	Watermain Renewal	CW 2110							
a)	150mm								
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	115.0					
F. 2	Hydrant Assembly	CW 2110							
a)	SD-006		each	1					
F. 3	Watermain Valve	CW 2110							
a)	150mm		each	1					
F. 4	Corporation Stops	CW 2110							
a)	19mm		each	16					
F. 5	Connection to Existing Watermains and Large Diameter Water Services	CW 2110							
a)	Inline Connection - No Plug Existing								
i)	150mm		each	1					
F. 6	Connect Existing Copper Water Services to New Watermains	CW 2110							
a)	19mm		each	16					
F. 7	Continutity Bonding	CW 2110	each	16					
F. 8	Partial Slab Patches	E5							
a)	150mm reinforced concrete pavement		m <sup>2</sup>	35.0					
F. 9	Miscellaneous Concrete Slab Renewal	E6							
a)	Sidewalk (SD-228A)		$m^2$	5.0					
F. 10	Concrete Curb Renewal	E9							
a)	Barrier curb (SD-203A)		m	60.0					
b)	Modified Barrier Curb (SD-203B)		m	5.0					
c)	Ramp Curb		m	5.0					
F. 11	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	10.0					
				P	art F - Subtotal	1			

(See B10)

## 2015 WATERMAIN RENEWALS - CONTRACT NO. 2

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C Ed.	yord Avenue Feet 450 WWI of Webse		Mahaak		PRICE	
G. Eav	ward Avenue East - 150 WWL of Wabas Watermain Renewal	CW 2110	wabasi	na Street		
a)	150mm	011 2110				
,	trenchless installation, Class B sand bedding, Class 3 backfill		m	5.0		
ii)	trenchless installation, Class B sand bedding, Class 5 backfill		m	150.0		
G. 2	Hydrant Assembly	CW 2110				
a)	SD-007		each	2		
G. 3	Watermain Valve	CW 2110				
a)	150mm		each	1		
G. 4	Corporation Stops	CW 2110				
a)	19mm		each	22		
G. 5	Connection to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	Inline Connection - No Plug Existing					
i)	150mm		each	1		
b)	Perpendicular Connection					
i)	200mm		each	1		
G. 6	Connect Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	22		
G. 7	Continutity Bonding	CW 2110	each	22		
G. 8	Partial Slab Patches	E5				
a)	150mm reinforced concrete pavement		$m^2$	15.0		
G. 9	Miscellaneous Concrete Slab Renewal	E6				
a)	Sidewalk (SD-228A)		$m^2$	5.0		
G. 10	Concrete Curb Renewal	E9				
a)	Barrier curb (SD-203A)		m	5.0		
b)	Modified Barrier Curb (SD-203B)		m	5.0		
c)	Ramp Curb		m	5.0		
G. 11	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	3.0		
				P	art G - Subtotal	

(See B10)

### 2015 WATERMAIN RENEWALS - CONTRACT NO. 2

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
H. Pro	ovisional Items					
H. 1	Cement Stabilized Fill	CW 2030	$m^3$	10.0		
H. 2	Fittings	CW 2110				
a)	Bends (SD-005)					
ij	150mm - 22.5°		each	2.0		
ii)	150mm - 45°		each	2.0		
iii)	200mm - 22.5°		each	2.0		
H. 3	New Watermain Valve on Existing Watermain	CW 2110				
a)	150mm		each	1.0		
b)	200mm		each	1.0		
H. 4	Water Service	CW 2110				
a)	19mm					
ij	trenchless installation, Class B sand bedding, Class 3 backfill		m	15.0		
b)	38mm					
ij	trenchless installation, Class B sand bedding, Class 3 backfill		m	15.0		
c)	50mm					
	trenchless installation, Class B sand bedding, Class 3 backfill		m	10.0		
H. 5	Corporation Stops	CW 2110				
a)	38mm		each	1		
b)	50mm		each	1		
H. 6	Curb Stops - Replace Existing	CW 2110				
a)	19mm		each	1		
b)	38mm		each	1		
c)	50mm		each	1		
H. 7	Curb Stop Boxes - Replace Existing	CW 2110				
a)	19mm		each	1		
b)	38mm		each	1		
c)	50mm		each	1		
H. 8	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	38mm		each	1		
b)	50mm		each	1		

## FORM B (R1): PRICES (See B10)

## 2015 WATERMAIN RENEWALS - CONTRACT NO. 2

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
H. 9	Regrading Existing Sewer Service – Up to 1.5 Metres Long	CW 2110				
a)	100mm - Class 3 Backfill		each	10		
b)	150mm - Class 3 Backfill		each	10		
c)	250mm - Class 3 Backfill		each	10		
H. 10	Maintaining Curb Stop Excavations	CW 2110	each/ day	15		
H. 11	Remove and Replace Existing Catch Basin	CW 2130				
a)	SD-024		each	1.0		
H. 12	Drainage Connection Pipe	CW 2130				
a)	250mm		m	5.0		
H. 13	Street Light Cable	E11				
a)	trench installation		m	50.0		
b)	trenchless installation		m	50.0		
H. 14	Adjustment of Precast Sidewalk Blocks	CW 3235	m <sup>2</sup>	10.0		
H. 15	Sodding	CW 3510	m <sup>2</sup>	100.0		
H. 16	Regrading Existing Sewer Service – Longer than 1.5 Metres	CW 2110				
a)	100mm - Class 3 Backfill		m	10		
b)	150mm - Class 3 Backfill		m	10		
c)	250mm - Class 3 Backfill		m	10		
H. 17	Remove and Replace Existing Catch Pit	CW 2130				
a)	SD-023		each	1.0		
H. 18	Regrading Existing Interlocking Paving Stone Installations	CW 3330	m <sup>2</sup>	25.0		
H. 19	Planing	CW 3450				
a)	Planing 0-50 mm depth					
i)	Asphaltic Concrete		m <sup>2</sup>	300.0		
				Р	art H - Subtotal	
ΓΟΤΑΙ	_ BID PRICE (GST extra)	(in figure	es)\$			
- · · · ·	3 = (5 2 3 2 2 ,	( 3 4 4	-/+ -			<u> </u>
in wor	ds)					

TOTAL BID PRICE (GST extra)	(in figures)\$		-
(in words)			
		Name of Bidder	

(Seal)

Template Version: C120150116- C BCivil

## FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B12)

## BID BOND

BID BOND		
KNOW ALL MEN BY THESE PRESENTS	THAT	
(hereinafter called the "Principal") and		
called the "Obligee") in the sum of ten per described, for the payment of which sum t	and firmly bound unto <b>THE CITY OF WINNIPEC</b> recent (10%) of the Total Bid Price set out in the B he Principal and Surety bind themselves, their heir intly and severally, firmly by these presents.	id hereinafter
WHEREAS the Principal has submitted a B	Bid to the Obligee for	
BID OPPORTUNITY NO. 246-2015		
2015 WATERMAIN RENEWALS - CONTR	RACT NO. 2	
as more fully set out in the Bid Opportunity.		
if said Bid is accepted and the Principal, in the said Obligee and furnishes the required	oligation is such that if the Bid of the Principal is not accordance with the terms of the Bid, enters into a d performance security for guaranteeing the faithful I, but otherwise shall remain in full force and effect.	Contract with
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the	
day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal) Per:	(Seal)
(Witness as to Principal if no seal)	Per:	(Goal)
	(Name of Surety)	

Ву:

(Attorney-in-Fact)

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B12)

#### AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on \_\_\_\_\_\_, 20\_\_\_\_ for BID OPPORTUNITY NO. 246-2015 2015 WATERMAIN RENEWALS - CONTRACT NO. 2 in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this \_\_\_\_\_\_ day of \_\_\_\_\_\_ , 20\_\_\_\_\_ . (Name of Surety) By: (Attorney-in-Fact) (Seal)

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B12)

(Date)	
Corpo Materi 185 K	ty of Winnipeg rate Finance Department als Management Division ng Street, Main Floor eg MB R3B 1J1
RE:	BID SECURITY - BID OPPORTUNITY NO. 246-2015
	2015 WATERMAIN RENEWALS – CONTRACT NO. 2
Pursu	ant to the request of and for the account of our customer,
(Name	f Bidder)
	EREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate
	Canadian dollars.
demai Letter payme	tandby Letter of Credit may be drawn on by you at any time and from time to time upon written d for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand for the inquiring whether you have a right as between yourself and our customer to make sucled and without recognizing any claim of our customer or objection by the customer to payment by use
	nount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be
Partia	drawings are permitted.
	gage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at:
(Addres	s)
and w	confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

## FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B12)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on June 8, 2015

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)			
Per:			
	(Authorized Signing Officer)		
Per:			
	(Authorized Signing Officer)		