FORM A: BID (See B8)

| 1. | Contract Title | CITY OF WINNIPEG REGIONAL STREET PROGRAM – PORTAGE AVENUE REHABILITATION, SIDEWALK STREETSCAPING AND OVERLAY FROM McGEE STREET TO MEMORIAL BOULEVARD |
|----|--------------------------------|---|
| 2. | Bidder | Name of Didder |
| | | Name of Bidder |
| | | Usual Business Name of Bidder as it appears on Invoice (if different from above) |
| | | Street |
| | | City Province Postal Code |
| | (Mailing address if different) | Email Address of Bidder |
| | | Facsimile Number |
| | | Street or P.O. Box |
| | (Choose one) | City Province Postal Code |
| | | The Bidder is: |
| | | a sole proprietor |
| | | a partnership |
| | | a corporation |
| | | carrying on business under the above name. |
| 3. | Contact Person | The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid. |
| | | Contact Person Title |
| | | Telephone Number Facsimile Number |
| 4. | Definitions | All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions. |
| 5. | Offer | The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B Prices, appended hereto. |

| 6. | Bid Security | In accordance with B12.1, the Bidder encloses bid security in the form of: |
|-----|--------------------------|---|
| | (Choose one) | a bid bond (Form G1: Bid Bond and Agreement to Bond) |
| | | an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking) |
| | | a certified cheque or draft |
| | | and agrees that it shall be held by the City in accordance with the Contract. |
| 7. | Execution of Contract | The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4. |
| 8. | Commencement of the Work | The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work. |
| 9. | Contract | The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid. |
| 10. | Addenda | The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract: |
| | | No Dated |
| | | |
| | | |
| | | |
| 11. | Time | This offer shall be open for acceptance, binding and irrevocable for a period of Sixty (60) Calendar Days following the Submission Deadline. |

| 12. | Signatures | The Bidder or the Bidder's authorized official or officials have signed this |
|-----|------------|---|
| | | , day of, 20 |
| | | Signature of Bidder or Bidder's Authorized Official or Officials |
| | | (Print here name and official capacity of individual whose signature appears above) |
| | | (Print here name and official capacity of individual whose signature appears above) |

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|--|---------------|-------|---------------------|------------|--------|
| Α | PAVEMENT REHABILITATION: EASTBOUN MARYLAND STREET TO FURBY STREET | ID PORTAGE A | VENUE | - FROM | | |
| | EARTH AND BASE WORKS | | | | | |
| A.1 | Excavation | CW 3110-R19 | m³ | 75 | | |
| A.2 | Supplying and Placing Base Course Material | CW 3110-R19 | m³ | 145 | | |
| A.3 | Removal of Existing Concrete Bases | CW 3110-R19 | | | | |
| i) | 600 mm Diameter or Less | | each | 1 | | |
| | ROADWORKS - RENEWALS | | | | | |
| A.4 | Pavement Removal | CW 3110-R19 | | | | |
| i) | Concrete Pavement | | m² | 30 | | |
| ii) | Asphalt Pavement | | m² | 30 | | |
| A.5 | Slab Replacement | CW 3230-R8 | | | | |
| i) | 200 mm Concrete Pavement (Reinforced) | | m² | 30 | | |
| A.6 | Partial Slab Patches | CW 3230-R8 | | | | |
| i) | 200 mm Concrete Pavement (Type A) | | m² | 4 | | |
| ii) | 200 mm Concrete Pavement (Type B) | | m² | 30 | | |
| iii) | 200 mm Concrete Pavement (Type C) | | m² | 20 | | |
| iv) | 200 mm Concrete Pavement (Type D) | | m² | 35 | | |
| A.7 | Slab Replacement - Early Opening (24 hour) | CW 3230-R8 | | | | |
| i) | 200 mm Concrete Pavement (Reinforced) | | m² | 25 | | |
| A.8 | Partial Slab Patches - Early Opening (24 hour) | CW 3230-R8 | | | | |
| i) | 200 mm Concrete Pavement (Type A) | | m² | 4 | | |
| ii) | 200 mm Concrete Pavement (Type B) | | m² | 30 | | |

Name of Bidder

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|---|---------------|------|---------------------|------------|--------|
| | ROADWORKS - RENEWALS (CONT'D) | | | | | |
| iii) | 200 mm Concrete Pavement (Type C) | | m² | 20 | | |
| iv) | 200 mm Concrete Pavement (Type D) | | m² | 35 | | |
| A.9 | Drilled Dowels | CW 3230-R8 | | | | |
| i) | 19.1 mm Diameter | | each | 155 | | |
| A.10 | Drilled Tie Bars | CW 3230-R8 | | | | |
| i) | 15 M Deformed Tie Bar | | each | 30 | | |
| ii) | 20 M Deformed Tie Bar | | each | 75 | | |
| iii) | 25 M Deformed Tie Bar | | each | 95 | | |
| A.11 | Miscellaneous Concrete Slab Removal | CW 3235-R9 | | | | |
| i) | 100 mm Sidewalk | | m² | 1240 | | |
| A.12 | Miscellaneous Concrete Slab Installation | CW 3235-R9 | | | | |
| i) | 100 mm Sidewalk c/w Paving Stone Band (Paving Stones Paid Separately) | SD-228A | m² | 1240 | | |
| A.13 | Miscellaneous Concrete Slab Renewal | CW 3235-R9 | | | | |
| i) | 100 mm Sidewalk | SD-228A | | | | |
| a) | Less than 5 sq.m. | | m² | 10 | | |
| b) | 5 sq.m. to 20 sq.m. | | m² | 20 | | |
| ii) | Bullnose | SD-227C | m² | 5 | | |
| A.14 | Concrete Curb Removal | CW 3240-R10 | | | | |
| i) | Barrier Separate | | m | 30 | | |
| A.15 | Concrete Curb Installation | CW 3240-R10 | | | | |
| i) | Modified Barrier (100 mm reveal ht, Dowelled) | SD-203B | m | 30 | | |
| | l . | ı | | | | l |

| ITEM | | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|----|---|--------------------|-------|---------------------|------------|--------|
| | | ROADWORKS - RENEWALS (CONT'D) | | | | | |
| A.16 | | Concrete Curb Renewal | CW 3240-R10 | | | | |
| i) | | Barrier (100 mm reveal ht, Dowelled) | SD-205, SD-206A | | | | |
| | a) | Less than 3 m | | m | 15 | | |
| | b) | 3 m to 30 m | | m | 185 | | |
| ii) | | Curb Ramp (8-12 mm reveal ht, Monolithic) | SD-229C,D | m | 35 | | |
| A.17 | | Regrading Existing Interlocking Paving Stones | CW 3330-R5 | m² | 20 | | |
| A.18 | | Construction of Asphaltic Concrete Overlay | CW 3410-R10 | | | | |
| i) | | Main Line Paving | | | | | |
| | a) | Type IA | | tonne | 650 | | |
| ii) | | Tie-ins and Approaches | | | | | |
| | a) | Type IA | | tonne | 70 | | |
| A.19 | | Planing of Pavement | CW 3450-R5 | | | | |
| i) | | 0 - 50 mm Depth (Asphalt) | | m² | 900 | | |
| ii) | | 50 - 100 mm Depth (Asphalt) | | m² | 2500 | | |
| A.20 | | Pavement Repair Fabric | E15 | m² | 100 | | |
| A.21 | | Detectable Warning Surface Tiles | CW 3326-R2 | each | 7 | | |
| A.22 | | Interlocking Paving Stones | CW 3335-R1, E11 | | | | |
| i) | | 200 x 200 Holland Stone, Charcoal (Sidewalk Paving Band) | | m² | 45 | | |
| ii) | | 100 x 200 Blue Holland Pavers | | m² | 2 | | |
| | | JOINT AND CRACK SEALING | | | | | |
| A.23 | | Reflective Crack Maintenance | CW 3250-R7 | m | 1250 | | |

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|---|---------------|---------|---------------------|------------|--------|
| | ASSOCIATED DRAINAGE AND UNDERGROUND WORKS | | | | | |
| A.24 | Catch Basin | CW 2130-R12 | | | | |
| i) | SD-024, 1800 mm deep | | each | 3 | | |
| A.25 | Catch Pit | CW 2130-R12 | | | | |
| i) | SD-023 | | each | 1 | | |
| A.26 | Drainage Connection Pipe | CW 2130-R12 | m | 10 | | |
| A.27 | Replacing Existing Manhole and Catch Basin Frames & Covers | CW 2130-R12 | | | | |
| i) | AP-004 - Standard Frame for Manhole and Catch Basin | | each | 1 | | |
| ii) | AP-005 - Standard Solid Cover for Standard Frame | | each | 1 | | |
| A.28 | Connecting to Existing Catch Basin | CW 2130-R12 | | | | |
| i) | 250 mm Drainage Connection Pipe | | each | 1 | | |
| A.29 | Connecting New Sewer Service to Existing Sewer Service | CW 2130-R12 | | | | |
| i) | 250 mm | | each | 5 | | |
| A.30 | Removal of Existing Catch Pit | CW 2130-R12 | each | 1 | | |
| A.31 | Removal of Existing Catch Basins | CW 2130-R12 | each | 3 | | |
| A.32 | Abandoning Existing Drainage Inlets | CW 2130-R12 | each | 1 | | |
| | ADJUSTMENTS | | | | | |
| A.33 | Adjustment of Catch Basins / Manholes Frames | CW 3210-R7 | each | 1 | | |
| A.34 | Replacing Existing Risers | CW 2130-R12 | | | | |
| i) | Pre-cast Concrete Risers | | vert. m | 1 | | |

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|--|---------------|---------|---------------------|------------|--------|
| | ADJUSTMENTS (CONT'D) | | | | | |
| A.35 | Lifter Rings | CW 3210-R7 | | | | |
| i) | 38 mm | | each | 1 | | |
| ii) | 51 mm | | each | 1 | | |
| A.36 | Adjustment of Valve Boxes | CW 3210-R7 | each | 11 | | |
| A.37 | Valve Box Extensions | CW 3210-R7 | each | 4 | | |
| A.38 | Adjustment of Curb Stop Boxes | CW 3210-R7 | each | 6 | | |
| A.39 | Curb Stop Extensions | CW 3210-R7 | each | 5 | | |
| A.40 | Adjustment of Traffic Signal Service Box Frames | CW 3210-R7 | each | 3 | | |
| A.41 | Adjustment of Utility Manhole Frame | E13 | each | 6 | | |
| | MISCELLANEOUS | | | | | |
| A.42 | Hydro Excavation | E15 | hours | 4 | | |
| A | PAVEMENT REHABILITATION: EASTBOUN MARYLAND STREET TO FURBY STREET | ID PORTAGE A | VENUE - | - FROM | Subtotal: | |

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|---|---------------|-------|---------------------|------------|--------|
| В | PAVEMENT REHABILITATION: WESTBOUL FURBY STREET TO McGEE STREET | ND PORTAGE A | VENUE | - FROM | | |
| | EARTH AND BASE WORKS | | | | | |
| B.1 | Excavation | CW 3110-R19 | m³ | 95 | | |
| B.2 | Supplying and Placing Base Course Material | CW 3110-R19 | m³ | 185 | | |
| 3.3 | Removal of Existing Concrete Bases | CW 3110-R19 | | | | |
| i) | 600 mm Diameter or Less | | each | 1 | | |
| | ROADWORKS - RENEWALS | | | | | |
| 3.4 | Pavement Removal | CW 3110-R19 | | | | |
| i) | Concrete Pavement | | m² | 30 | | |
| ii) | Asphalt Pavement | | m² | 30 | | |
| 3.5 | Slab Replacement | CW 3230-R8 | | | | |
| i) | 200 mm Concrete Pavement (Reinforced) | | m² | 60 | | |
| 3.6 | Partial Slab Patches | CW 3230-R8 | | | | |
| i) | 200 mm Concrete Pavement (Type A) | | m² | 5 | | |
| ii) | 200 mm Concrete Pavement (Type B) | | m² | 20 | | |
| iii) | 200 mm Concrete Pavement (Type C) | | m² | 60 | | |
| iv) | 200 mm Concrete Pavement (Type D) | | m² | 90 | | |
| 3.7 | Slab Replacement - Early Opening (24 hour) | CW 3230-R8 | | | | |
| i) | 200 mm Concrete Pavement (Reinforced) | | m² | 45 | | |
| 3.8 | Partial Slab Patches - Early Opening (24 hour) | CW 3230-R8 | | | | |
| i) | 200 mm Concrete Pavement (Type A) | | m² | 5 | | |
| ii) | 200 mm Concrete Pavement (Type B) | | m² | 15 | | |

Name of Bidder

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|---|---------------|------|---------------------|------------|--------|
| | ROADWORKS - RENEWALS (CONT'D) | | | | | |
| iii) | 200 mm Concrete Pavement (Type C) | | m² | 30 | | |
| iv) | 200 mm Concrete Pavement (Type D) | | m² | 50 | | |
| 3.9 | Drilled Dowels | CW 3230-R8 | | | | |
| i) | 19.1 mm Diameter | | each | 190 | | |
| 3.10 | Drilled Tie Bars | CW 3230-R8 | | | | |
| i) | 15 M Deformed Tie Bar | | each | 45 | | |
| ii) | 20 M Deformed Tie Bar | | each | 100 | | |
| iii) | 25 M Deformed Tie Bar | | each | 120 | | |
| 3.11 | Miscellaneous Concrete Slab Removal | CW 3235-R9 | | | | |
| i) | 100 mm Sidewalk | | m² | 1350 | | |
| ii) | Existing Paving Stones | | m² | 110 | | |
| iii) | Bullnose | | m² | 5 | | |
| 3.12 | Miscellaneous Concrete Slab Installation | CW 3235-R9 | | | | |
| i) | 100 mm Sidewalk c/w Paving Stone Band (Paving Band Paid Separately) | SD-228A | m² | 1450 | | |
| ii) | Bullnose | SD-227C | m² | 5 | | |
| 3.13 | Miscellaneous Concrete Slab Renewal | CW 3235-R9 | | | | |
| i) | 100 mm Sidewalk | SD-228A | | | | |
| á | Less than 5 sq.m. | | m² | 10 | | |
| k | 5) 5 sq.m. to 20 sq.m. | | m² | 20 | | |
| .14 | Concrete Curb Removal | CW 3240-R10 | | | | |
| i) | Barrier Separate | | m | 55 | | |

| ITEM | 1 | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|----|---|--------------------|-------|---------------------|------------|--------|
| | | ROADWORKS - RENEWALS (CONT'D) | | | | | |
| B.15 | | Concrete Curb Installation | CW 3240-R10 | | | | |
| i) | | Modified Barrier (100 mm reveal ht, Dowelled) | SD-203B | m | 55 | | |
| B.16 | | Concrete Curb Renewal | CW 3240-R10 | | | | |
| i) | | Barrier (100 mm reveal ht, Dowelled) | SD-205, SD-206A | | | | |
| | a) | Less than 3 m | | m | 10 | | |
| | b) | 3 m to 30 m | | m | 200 | | |
| ii) | | Curb Ramp (8-12 mm reveal ht, Monolithic) | SD-229C,D | m | 50 | | |
| B.17 | | Regrading Existing Interlocking Paving Stones | CW 3330-R5 | m² | 30 | | |
| B.18 | | Construction of Asphaltic Concrete Overlay | CW 3410-R10 | | | | |
| i) | | Main Line Paving | | | | | |
| | a) | Type IA | | tonne | 950 | | |
| ii) | | Tie-ins and Approaches | | | | | |
| | a) | Type IA | | tonne | 65 | | |
| B.19 | | Planing of Pavement | CW 3450-R5 | | | | |
| i) | | 0 - 50 mm Depth (Asphalt) | | m² | 1850 | | |
| ii) | | 50 - 100 mm Depth (Asphalt) | | m² | 2800 | | |
| B.20 | | Pavement Repair Fabric | E15 | m² | 100 | | |
| B.21 | | Detectable Warning Surface Tiles | CW 3326-R2 | each | 11 | | |
| B.22 | | Interlocking Paving Stones | | | | | |
| i) | | 200 x 200 Holland Stone, Charcoal (Sidewalk Paving Band) | | m² | 55 | | |
| ii) | | 200 x 100 Blue Holland Pavers | | m² | 2 | | |

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|---|---------------|--------|---------------------|------------|--------|
| | JOINT AND CRACK SEALING | | | | | |
| B.23 | Reflective Crack Maintenance | CW 3250-R7 | m | 1700 | | |
| | ASSOCIATED DRAINAGE AND UNDERGROUND WORKS | | | | | |
| B.24 | Catch Basin | CW 2130-R12 | | | | |
| i) | SD-024, 1800 mm deep | | each | 5 | | |
| ii) | SD-025, 1800 mm deep | | each | 1 | | |
| B.25 | Drainage Connection Pipe | CW 2130-R12 | m | 15 | | |
| B.26 | Sewer Service Risers | CW 2130-R12 | | | | |
| i) | 250 mm | | | | | |
| а |) SD-014 | | vert m | 4 | | |
| B.27 | Replacing Existing Manhole and Catch Basin Frames & Covers | CW 2130-R12 | | | | |
| i) | AP-004 - Standard Frame for Manhole and Catch Basin | | each | 3 | | |
| ii) | AP-005 - Standard Solid Cover for Standard Frame | | each | 3 | | |
| B.28 | Connecting to Existing Sewer | CW 2130-R12 | | | | |
| i) | 250 mm PVC Connecting Pipe | | | | | |
| а | Connecting to 1200 mm Concrete Sewer | | each | 1 | | |
| B.29 | Connecting New Sewer Service to Existing Sewer Service | CW 2130-R12 | | | | |
| i) | 250 mm | | each | 5 | | |
| B.30 | Removal of Existing Catch Basins | CW 2130-R12 | each | 6 | | |
| B.31 | Abandoning Existing Sewer Services under Pavement | CW 2130-R12 | m | 16 | | |

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|---|---------------|----------------|---------------------|------------|--------|
| | ADJUSTMENTS | | | | | |
| B.32 | Adjustment of Catch Basins / Manholes Frames | CW 3210-R7 | each | 3 | | |
| B.33 | Replacing Existing Risers | CW 2130-R12 | | | | |
| i) | Pre-cast Concrete Risers | | vert. m | 1 | | |
| B.34 | Lifter Rings | CW 3210-R7 | | | | |
| i) | 51 mm | | each | 3 | | |
| B.35 | Adjustment of Valve Boxes | CW 3210-R7 | each | 18 | | |
| B.36 | Valve Box Extensions | CW 3210-R7 | each | 10 | | |
| B.37 | Adjustment of Curb Stop Boxes | CW 3210-R7 | each | 6 | | |
| B.38 | Curb Stop Extensions | CW 3210-R7 | each | 5 | | |
| B.39 | Adjustment of Traffic Signal Service Box Frames | CW 3210-R7 | each | 3 | | |
| B.40 | Adjustment of Utility Manhole Frame | | each | 11 | | |
| | LANDSCAPING | | | | | |
| B.41 | Tree Well Curbing | E14 | m | 42 | | |
| B.42 | Supply and Install Precast Concrete Tree Covers | E14 | each | 6 | | |
| B.43 | Install Planting Medium Soil | E14 | m ³ | 15 | | |
| | MISCELLANEOUS | | | | | |
| B.44 | Remove and Reinstall Bicycle Racks | E12 | each | 3 | | |
| B.45 | Hydro Excavation | E15 | hrs | 3 | | |
| В | PAVEMENT REHABILITATION: WESTBOUNG FURBY STREET TO McGEE STREET | ND PORTAGE A | VENUE | - FROM | Subtotal: | |

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|---|---------------|--------|---------------------|------------|--------|
| С | STREETSCAPING: EASTBOUND PORTAGE TO SPENCE STREET | E AVENUE FRO | M FURB | Y STREET | | |
| | EARTH AND BASE WORKS | | | | | |
| C.1 | Excavation | CW 3110-R19 | m³ | 70 | | |
| C.2 | Supplying and Placing Base Course Material | CW 3110-R19 | m³ | 130 | | |
| C.3 | Removal of Existing Concrete Bases | CW 3110-R19 | | | | |
| i) | 600 mm Diameter or Less | | each | 2 | | |
| | ROADWORKS - RENEWALS | | | | | |
| C.4 | Partial Slab Patches - Early Opening (24 hour) | CW 3230-R8 | | | | |
| i) | 200 mm Concrete Pavement (Type A) | | m² | 3 | | |
| ii) | 200 mm Concrete Pavement (Type B) | | m² | 9 | | |
| iii) | 200 mm Concrete Pavement (Type C) | | m² | 6 | | |
| iv) | 200 mm Concrete Pavement (Type D) | | m² | 20 | | |
| C.5 | Drilled Dowels | CW 3230-R8 | | | | |
| i) | 19.1 mm Diameter | | each | 20 | | |
| C.6 | Drilled Tie Bars | CW 3230-R8 | | | | |
| i) | 15 M Deformed Tie Bar | | each | 45 | | |
| ii) | 20 M Deformed Tie Bar | | each | 20 | | |
| C.7 | Miscellaneous Concrete Slab Removal | CW 3235-R9 | | | | |
| i) | Existing Paving Stones | | m² | 925 | | |
| ii) | 100 mm Sidewalk | | m² | 290 | | |
| C.8 | Miscellaneous Concrete Slab Renewal | CW 3235-R9 | | | | |
| i) | 100 mm Sidewalk | SD-228A | | | | |

Name of Bidder

| ITEM | | DESCRIPTION . | 0077 | | 4.DDE 637 | | A. A. G— |
|------|----|---|--------------------|------|---------------------|------------|----------|
| | | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
| | | ROADWORKS - RENEWALS (CONT'D) | | | | | |
| | a) | Less than 5 sq.m. | | m² | 5 | | |
| | b) | 5 sq.m. to 20 sq.m. | | m² | 10 | | |
| C.9 | | Concrete Curb Removal | CW 3240-R10 | | | | |
| i) | | Barrier Separate | | m | 50 | | |
| C.10 | | Concrete Curb Installation | CW 3240-R10 | | | | |
| i) | | Modified Barrier (100 mm reveal ht, Dowelled) | SD-203B | m | 50 | | |
| C.11 | | Concrete Curb Renewal | CW 3240-R10 | | | | |
| i) | | Barrier (100 mm reveal ht, Dowelled) | SD-205, SD-206A | | | | |
| | a) | Less than 3 m | | m | 5 | | |
| | b) | 3 m to 30 m | | m | 10 | | |
| | c) | Greater than 30 m | | m | 200 | | |
| ii) | | Curb Ramp (8-12 mm reveal ht, Monolithic) | SD-229C,D | m | 50 | | |
| C.12 | | Regrading Existing Interlocking Paving Stones | CW 3330-R5 | m² | 50 | | |
| C.13 | | Detectable Warning Surface Tiles | CW 3326-R2 | each | 9 | | |
| | | ROADWORKS - NEW CONSTRUCTION | | | | | |
| C.14 | | 100 mm Concrete Sidewalk | CW 3325-R5 | m² | 630 | | |
| C.15 | | Interlocking Paving Stones | CW 3335-R1 | m² | 585 | | |
| C.16 | | Lean Concrete Base | CW 3335-R1 | m² | 585 | | |
| | | ADJUSTMENTS | | | | | |
| C.17 | | Adjustment of Catch Basins / Manholes Frames | CW 3210-R7 | each | 3 | | |

| OIVII I IXI | 020 | 1 | | 1 | | |
|-------------|--|--------------------------|----------------|---------------------|------------|--------|
| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
| | ADJUSTMENTS (CONT'D) | | | | | |
| C.18 | Lifter Rings | CW 3210-R7 | | | | |
| i) | 51 mm | | each | 2 | | |
| C.19 | Adjustment of Valve Boxes | CW 3210-R7 | each | 6 | | |
| C.20 | Valve Box Extensions | CW 3210-R7 | each | 6 | | |
| C.21 | Adjustment of Curb Stop Boxes | CW 3210-R7 | each | 10 | | |
| C.22 | Supply of Curb Inlet Frames | CW 3210-R7 | each | 3 | | |
| C.23 | Adjustment of Curb and Gutter Inlet Frames | CW 3210-R7 | each | 3 | | |
| C.24 | Curb Stop Extensions | CW 3210-R7 | each | 10 | | |
| C.25 | Adjustment of Traffic Signal Service Box Frames | CW 3210-R7 | each | 3 | | |
| | LANDSCAPING | | | | | |
| C.26 | Tree Well Curbing | E14 | m | 35 | | |
| C.27 | Supply and Install Precast Concrete Tree Covers | E14 | each | 5 | | |
| C.28 | Install Planting Medium Soil | E14 | m ³ | 13 | | |
| | MISCELLANEOUS | | | | | |
| C.29 | Remove and Reinstall Bicycle Racks | E12 | each | 1 | | |
| C.30 | Remove and Reinstall Concrete Planters | E14 | each | 1 | | |
| C.31 | Hydro Excavation | E15 | hrs | 3 | | |
| С | STREETSCAPING: EASTBOUND PORTAGE TO SPENCE STREET | I E <u>AVENUE FRO</u> | M FURB | Y STREET | Subtotal: | |

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|--|---------------|--------|---------------------|------------|--------|
| D | STREETSCAPING: WESTBOUND PORTAG TO FURBY STREET | E AVENUE FRO | M YOUN | NG STREET | | |
| | EARTH AND BASE WORKS | | | | | |
| D.1 | Excavation | CW 3110-R19 | m² | 50 | | |
| 0.2 | Supplying and Placing Base Course Material | CW 3110-R19 | m³ | 90 | | |
| 0.3 | Removal of Existing Concrete Bases | CW 3110-R19 | | | | |
| i) | 600 mm Diameter or Less | | each | 2 | | |
| | ROADWORKS - RENEWALS | | | | | |
| D.4 | Partial Slab Patches - Early Opening (24 hour) | CW 3230-R8 | | | | |
| i) | 200 mm Concrete Pavement (Type A) | | m² | 2 | | |
| ii) | 200 mm Concrete Pavement (Type B) | | m² | 6 | | |
| iii) | 200 mm Concrete Pavement (Type C) | | m² | 5 | | |
| iv) | 200 mm Concrete Pavement (Type D) | | m² | 10 | | |
| D.5 | Drilled Dowels | CW 3230-R8 | | | | |
| i) | 19.1 mm Diameter | | each | 20 | | |
| D.6 | Drilled Tie Bars | CW 3230-R8 | | | | |
| i) | 15 M Deformed Tie Bar | | each | 15 | | |
| ii) | 20 M Deformed Tie Bar | | each | 20 | | |
| 0.7 | Miscellaneous Concrete Slab Removal | CW 3235-R9 | | | | |
| i) | Existing Paving Stones Removal | | m² | 770 | | |
| ii) | 100 mm Sidewalk | | m² | 110 | | |

| ITEM | | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|----|---|--------------------|------|---------------------|------------|--------|
| | | ROADWORKS - RENEWALS (CONT'D) | | | | | |
| D.8 | | Miscellaneous Concrete Slab Renewal | CW 3235-R9 | | | | |
| i) | | 100 mm Sidewalk | SD-228A | | | | |
| | a) | Less than 5 sq.m. | | m² | 10 | | |
| | b) | 5 sq.m. to 20 sq.m. | | m² | 10 | | |
| 0.9 | | Concrete Curb Removal | CW 3240-R10 | | | | |
| i) | | Barrier Separate | | m | 30 | | |
| D.10 | | Concrete Curb Installation | CW 3240-R10 | | | | |
| i) | | Modified Barrier (100 mm reveal ht, Dowelled) | SD-203B | m | 40 | | |
| D.11 | | Concrete Curb Renewal | CW 3240-R10 | | | | |
| i) | | Barrier (100 mm reveal ht, Dowelled) | SD-205, SD-206A | | | | |
| | a) | Less than 3 m | | m | 5 | | |
| | b) | 3 m to 30 m | | m | 5 | | |
| | c) | Greater than 30 m | | m | 150 | | |
| ii) | | Curb Ramp (8-12 mm reveal ht, Monolithic) | SD-229C,D | m | 30 | | |
| D.12 | | Regrading Existing Interlocking Paving Stones | CW 3330-R5 | m² | 20 | | |
| D.13 | | Detectable Warning Surface Tiles | CW 3326-R2 | each | 5 | | |
| | | ROADWORKS - NEW CONSTRUCTION | | | | | |
| D.14 | | 100 mm Concrete Sidewalk | CW 3325-R5 | m² | 460 | | |
| D.15 | | Interlocking Paving Stones | CW 3335-R1 | m² | 420 | | |
| 0.16 | | Lean Concrete Base | CW 3335-R1 | m² | 420 | | |

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|--|---------------|----------------|---------------------|------------|--------|
| | ADJUSTMENTS | | | | | |
| D.17 | Adjustment of Catch Basins / Manholes Frames | CW 3210-R7 | each | 2 | | |
| D.18 | Lifter Rings | CW 3210-R7 | | | | |
| i) | 51 mm | | each | 5 | | |
| D.19 | Adjustment of Valve Boxes | CW 3210-R7 | each | 5 | | |
| D.20 | Valve Box Extensions | CW 3210-R7 | each | 5 | | |
| D.21 | Adjustment of Curb Stop Boxes | CW 3210-R7 | each | 6 | | |
| D.22 | Supply of Curb Inlet Frames | CW 3210-R7 | each | 2 | | |
| D.23 | Adjustment of Curb and Gutter Inlet Frames | CW 3210-R7 | each | 2 | | |
| D.24 | Curb Stop Extensions | CW 3210-R7 | each | 6 | | |
| D.25 | Adjustment of Traffic Signal Service Box Frames | CW 3210-R7 | each | 3 | | |
| | LANDSCAPING | | | | | |
| D.26 | Tree Well Curbing | E14 | m | 7 | | |
| D.27 | Supply and Install Precast Concrete Tree Covers | E14 | each | 1 | | |
| D.28 | Install Planting Medium Soil | E14 | m ³ | 3 | | |
| | MISCELLANEOUS | | | | | |
| D.29 | Remove and Reinstall Bicycle Racks | E12 | each | 1 | | |
| D.30 | Remove and Reinstall Concrete Planters | | each | 11 | | |
| D.31 | Hydro Excavation | E15 | hrs | 3 | | |
| D.32 | High Density Polyethylene Pipe - Install | CW 3610-R4 | | | | |
| i) | (250 mm) | | m | 280 | | |
| D | STREETSCAPING: WESTBOUND PORTAG TO FURBY STREET | E AVENUE FRO | OM YOU! | NG STREET | Subtotal: | |

| Name | ٥f | Ric | del |
|---------|-----|-----|------|
| INAILIE | OI. | אוט | JUEI |

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|---|---------------------|---------|---------------------|------------|--------|
| E | OVERLAY: EASTBOUND PORTAGE AVEN MEMORIAL BOULEVARD | <u>UE FROM FURE</u> | BY STRE | <u>ET TO</u> | | |
| | ROADWORKS - RENEWALS | | | | | |
| E.1 | Pavement Removal | CW 3110-R19 | | | | |
| i) | Asphalt Pavement | | m² | 20 | | |
| ≣.2 | Partial Slab Patches - Early Opening (24 hour) | CW 3230-R8 | | | | |
| i) | 200 mm Concrete Pavement (Type A) | | m² | 4 | | |
| ii) | 200 mm Concrete Pavement (Type B) | | m² | 10 | | |
| iii) | 200 mm Concrete Pavement (Type C) | | m² | 10 | | |
| iv) | 200 mm Concrete Pavement (Type D) | | m² | 20 | | |
| ≣.3 | Drilled Dowels | CW 3230-R8 | | | | |
| i) | 19.1 mm Diameter | | each | 10 | | |
| Ē.4 | Drilled Tie Bars | CW 3230-R8 | | | | |
| i) | 15 M Deformed Tie Bar | | each | 30 | | |
| ii) | 20 M Deformed Tie Bar | | each | 10 | | |
| iii) | 25 M Deformed Tie Bar | | each | 10 | | |
| Ē.5 | Miscellaneous Concrete Slab Renewal | CW 3235-R9 | | | | |
| i) | Monolithic Median Slab | SD-226A | m² | 3 | | |
| ii) | 100 mm Sidewalk | SD-228A | | | | |
| | Less than 5 sq.m. | | m² | 50 | | |
| | 5 sq.m. to 20 sq.m. | | m² | 10 | | |
| iii) | Bullnose | SD-227C | m² | 5 | | |

UNIT PRICES

| ITEM | | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|----|---|--------------------|-------|---------------------|------------|--------|
| | | ROADWORKS - RENEWALS (CONT'D) | | | | | |
| E.6 | | Concrete Curb Renewal | CW 3240-R10 | | | | |
| i) | | Barrier (100 mm reveal ht, Dowelled) | SD-205, SD-206A | | | | |
| | a) | Less than 3 m | | m | 5 | | |
| | b) | 3 m to 30 m | | m | 10 | | |
| ii) | | Modified Barrier (100 mm reveal ht, Dowelled) | SD-203B | m | 10 | | |
| iii) | | Curb Ramp (8-12 mm reveal ht, Monolithic) | SD-229C,D | m | 35 | | |
| E.7 | | Regrading Existing Interlocking Paving Stones | CW 3330-R5 | m² | 20 | | |
| E.8 | | Construction of Asphaltic Concrete Overlay | CW 3410-R10 | | | | |
| i) | | Main Line Paving | | | | | |
| | a) | Туре ІА | | tonne | 1375 | | |
| ii) | | Tie-ins and Approaches | | | | | |
| | a) | Type IA | | tonne | 150 | | |
| ≣.9 | | Planing of Pavement | CW 3450-R5 | | | | |
| i) | | 0 - 50 mm Depth (Asphalt) | | m² | 20 | | |
| ii) | | 50 - 100 mm Depth (Asphalt) | | m² | 20 | | |
| ≣.10 | | Pavement Repair Fabric | E15 | m² | 50 | | |
| ≣.11 | | Detectable Warning Surface Tiles | CW 3326-R2 | each | 9 | | |
| | | JOINT AND CRACK SEALING | | | | | |
| ≣.12 | | Reflective Crack Maintenance | CW 3250-R7 | m | 2900 | | |
| | | ADJUSTMENTS | | | | | |
| ≣.13 | | Adjustment of Catch Basins / Manholes Frames | CW 3210-R7 | each | 2 | | |

Name of Bidder

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|---|---------------|------|---------------------|------------|--------|
| | ADJUSTMENTS (CONT'D) | | | | | |
| E.14 | Lifter Rings | CW 3210-R7 | | | | |
| i) | 51 mm | | each | 6 | | |
| E.15 | Adjustment of Valve Boxes | CW 3210-R7 | each | 8 | | |
| E.16 | Valve Box Extensions | CW 3210-R7 | each | 5 | | |
| E.17 | Barrier Curb and Gutter Frame Riser and Grated Cover (38 mm) | CW 3210-R7 | each | 4 | | |
| Е | OVERLAY: EASTBOUND PORTAGE AVENU MEMORIAL BOULEVARD | Subtotal: | | | | |

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|-----------------|--|---------------|---------|---------------------|------------|--------|
| F | OVERLAY: WESTBOUND PORTAGE AVEN TO FURBY STREET | IUE FROM MEM | ORIAL E | BOULEVARD | | |
| | ROADWORKS - RENEWALS | | | | | |
| ⁷ .1 | Pavement Removal | CW 3110-R19 | | | | |
| i) | Asphalt Pavement | | m² | 20 | | |
| .2 | Partial Slab Patches - Early Opening (24 hour) | CW 3230-R8 | | | | |
| i) | 200 mm Concrete Pavement (Type A) | | m² | 4 | | |
| ii) | 200 mm Concrete Pavement (Type B) | | m² | 10 | | |
| iii) | 200 mm Concrete Pavement (Type C) | | m² | 10 | | |
| iv) | 200 mm Concrete Pavement (Type D) | | m² | 20 | | |
| .3 | Drilled Dowels | CW 3230-R8 | | | | |
| i) | 19.1 mm Diameter | | each | 10 | | |
| .4 | Drilled Tie Bars | CW 3230-R8 | | | | |
| i) | 15 M Deformed Tie Bar | | each | 30 | | |
| ii) | 20 M Deformed Tie Bar | | each | 10 | | |
| iii) | 25 M Deformed Tie Bar | | each | 10 | | |
| .5 | Miscellaneous Concrete Slab Renewal | CW 3235-R9 | | | | |
| i) | Monolithic Median Slab | SD-226A | m² | 3 | | |
| ii) | 100 mm Sidewalk | SD-228A | | | | |
| | a) Less than 5 sq.m. | | m² | 50 | | |
| | 5 sq.m. to 20 sq.m. | | m² | 10 | | |
| iii) | Bullnose | SD-227C | m² | 5 | | |

| ITEM | 1 | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|-----------------|----|---|--------------------|-------|---------------------|------------|--------|
| | | ROADWORKS - RENEWALS (CONT'D) | | | | | |
| F.6 | | Concrete Curb Renewal | CW 3240-R10 | | | | |
| i) | | Barrier (100 mm reveal ht, Dowelled) | SD-205, SD-206A | | | | |
| | a) | Less than 3 m | | m | 6 | | |
| | b) | 3 m to 30 m | | m | 10 | | |
| ii) | | Modified Barrier (100 mm reveal ht, Dowelled) | SD-203B | m | 4 | | |
| iii) | | Curb Ramp (8-12 mm reveal ht, Monolithic) | SD-229C,D | m | 35 | | |
| F.7 | | Regrading Existing Interlocking Paving Stones | CW 3330-R5 | m² | 20 | | |
| F.8 | | Construction of Asphaltic Concrete Overlay | CW 3410-R10 | | | | |
| i) | | Main Line Paving | | | | | |
| | a) | Type IA | | tonne | 1375 | | |
| ii) | | Tie-ins and Approaches | | | | | |
| | a) | Туре ІА | | tonne | 150 | | |
| - .9 | | Planing of Pavement | CW 3450-R5 | | | | |
| i) | | 0 - 50 mm Depth (Asphalt) | | m² | 20 | | |
| ii) | | 50 - 100 mm Depth (Asphalt) | | m² | 20 | | |
| F.10 | | Pavement Repair Fabric | E15 | m² | 50 | | |
| F.11 | | Detectable Warning Surface Tiles | CW 3326-R2 | each | 8 | | |
| | | JOINT AND CRACK SEALING | | | | | |
| F.12 | | Reflective Crack Maintenance | CW 3250-R7 | m | 2900 | | |
| | | ADJUSTMENTS | | | | | |
| ₹.13 | | Adjustment of Catch Basins / Manholes Frames | CW 3210-R7 | each | 2 | | |

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|---|---------------|------|---------------------|------------|--------|
| | ADJUSTMENTS (CONT'D) | | | | | |
| F.14 | Lifter Rings | CW 3210-R7 | | | | |
| i) | 51 mm | | each | 6 | | |
| F.15 | Adjustment of Valve Boxes | CW 3210-R7 | each | 8 | | |
| F.16 | Valve Box Extensions | CW 3210-R7 | each | 5 | | |
| F.17 | Barrier Curb and Gutter Frame Riser and Grated Cover (38 mm) | CW 3210-R7 | each | 4 | | |
| F | OVERLAY: WESTBOUND PORTAGE AVENUE FROM MEMORIAL BOULEVARD TO FURBY STREET | | | Subtotal: | | |

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|--|--|---------------|------|---------------------|------------|--------|
| SUMMARY | | | | | | |
| A | PAVEMENT REHABILITATION: EASTBOUND PORTAGE AVENUE - FROM MARYLAND STREET TO FURBY STREET | | | | | |
| В | PAVEMENT REHABILITATION: WESTBOUND PORTAGE AVENUE - FROM FURBY STREET TO McGEE STREET | | | | Subtotal: | |
| С | STREETSCAPING: EASTBOUND PORTAGE AVENUE FROM FURBY STREET TO SPENCE STREET | | | | Subtotal: | |
| D | STREETSCAPING: WESTBOUND PORTAGE AVENUE FROM YOUNG STREET TO FURBY STREET | | | Subtotal: | | |
| E | OVERLAY: EASTBOUND PORTAGE AVENUE FROM FURBY STREET TO MEMORIAL BOULEVARD | | | Subtotal: | | |
| F | OVERLAY: WESTBOUND PORTAGE AVENUE FROM MEMORIAL BOULEVARD TO FURBY STREET | | | Subtotal: | | |
| TOTAL BID PRICE (GST extra) (in figures) | | | | | | |

(Seal)

Template Version: C420150116 - RW

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B12)

BID BOND

| | RID ROND | |
|---|---|---------------------------|
| KNOW ALL MEN BY THESE PRESENTS T | THAT | |
| (hereinafter called the "Principal") and | | |
| called the "Obligee") in the sum of ten per | and firmly bound unto THE CITY OF WINNIPE cent (10%) of the Total Bid Price set out in the Bine Principal and Surety bind themselves, their heintly and severally, firmly by these presents. | Bid hereinafte |
| WHEREAS the Principal has submitted a Bi | d to the Obligee for | |
| BID OPPORTUNITY NO. 681-2015 – ADDE | ENDUM 1 | |
| | PROGRAM – PORTAGE AVENUE REHABILITAT LAY FROM McGEE STREET TO MEMORIAL BO | • |
| as more fully set out in the Bid Opportunity. | | |
| if said Bid is accepted and the Principal, in a the said Obligee and furnishes the required | ligation is such that if the Bid of the Principal is no accordance with the terms of the Bid, enters into a performance security for guaranteeing the faithful but otherwise shall remain in full force and effect. | Contract with performance |
| IN WITNESS WHEREOF the Principal and | Surety have signed and sealed this bond the | |
| day of | | |
| SIGNED AND SEALED in the presence of: | (Name of Principal) | |
| (Witness as to Principal if no seal) | Per: | |
| | (Name of Surety) | |

By:

(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B12)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 681-2015 - ADDENDUM 1 CITY OF WINNIPEG REGIONAL STREET PROGRAM - PORTAGE AVENUE REHABILITATION, SIDEWALK STREETSCAPING AND OVERLAY FROM McGEE STREET TO MEMORIAL BOULEVARD in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______ day of ______, 20_____. (Name of Surety) (Seal)

(Attorney-in-Fact)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B12)

| (Date) | |
|-------------------------|--|
| Corpo Mater 185 K | City of Winnipeg prate Finance Department praise Management Division processing Street, Main Floor processing R3B 1J1 |
| RE: | BID SECURITY – BID OPPORTUNITY NO. 681-2015 – ADDENDUM 1 |
| | CITY OF WINNIPEG REGIONAL STREET PROGRAM – PORTAGE AVENUE REHABILITATION, SIDEWALK STREETSCAPING AND OVERLAY FROM McGEE STREET TO MEMORIAL BOULEVARD |
| Pursu | ant to the request of and for the account of our customer, |
| (Name | of Bidder) |
| WE H | es of Bidder) IEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate |
| | Canadian dollars. |
| dema Letter payme | Standby Letter of Credit may be drawn on by you at any time and from time to time upon written nd for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand for ent without inquiring whether you have a right as between yourself and our customer to make such and without recognizing any claim of our customer or objection by the customer to payment by us. |
| | mount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon rou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be |
| Partia | l drawings are permitted. |
| | ngage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at: |
| (Addres | es) |
| and w | ve confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us. |

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B12)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on October 12, 2015

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

| (Name of bank or financial institution) | | | | |
|---|------------------------------|--|--|--|
| Per: | | | | |
| | (Authorized Signing Officer) | | | |
| Per: | | | | |
| | (Authorized Signing Officer) | | | |