



5. Offer The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security In accordance with B13.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.

8. Commencement of the Work The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No. \_\_\_\_\_ Dated \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

11. Time This offer shall be open for acceptance, binding and irrevocable for a period of Sixty (60) Calendar Days following the Submission Deadline.

12. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_ .

Signature of Bidder or  
Bidder's Authorized Official or Officials

\_\_\_\_\_

(Print here name and official capacity of individual whose signature appears above)

\_\_\_\_\_

(Print here name and official capacity of individual whose signature appears above)

**FORM B(R2): PRICES**

(See B10)

**WAVERLEY STREET UNDERPASS AT CN MILE 3.89 RIVERS SUB: CONTRACT 1- PRELIMINARY UNDERGROUND WORKS AND SECURITY FENCING**

**UNIT PRICES**

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>A</b>	<b><u>CN SERVICE ROADS-UNDERGROUNDS WORKS</u></b>					
	<b>WATERMAINS</b>					
A.1	Watermains	CW 2110, E25				
	i) 200mm Trenchless		m	320		
	ii) 150mm		m	5		
A.2	Watermain Valve	CW 2110, E25				
	i) 200 mm		each	2		
A.3	Fittings					
	i) Horizontal Bends (SD-004)	CW 2110, E25				
	a) 200 mm - 45°		each	2		
	ii) Vertical Bends (SD-005)	CW 2110, E25				
	a) 200 mm - 45°		each	8		
	iii) Reducers	CW 2110, E25				
	a) 250 mm to 200 mm		each	1		
	iv) Plugs	CW 2110, E25				
	a) 200 mm		each	1		
	b) 150 mm		each	3		
	v) Tees	CW 2110, E25				
	a) 200 mm x 200 mm x 150 mm		each	3		
A.4	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110, E25				
	i) In-line Connection - Plug Existing					
	a) 250 mm		each	1		
	<b>LAND DRAINAGE SEWERS</b>					
A.5	Land Drainage Sewers	CW 2130, E22, E23, E24, E25				
	i) 300 mm C76-III or SDR 35 PVC					
	a) Trenchless Installation		m	110		
	ii) 375 mm C76-III or SDR 35 PVC					
	a) Trenchless Installation		m	150		

**FORM B(R2): PRICES**

(See B10)

**WAVERLEY STREET UNDERPASS AT CN MILE 3.89 RIVERS SUB: CONTRACT 1- PRELIMINARY UNDERGROUND WORKS AND SECURITY FENCING**

**UNIT PRICES**

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
iii)	450 mm C76-III or SDR 35 PVC					
a)	Trenchless Installation		m	305		
iv)	525 mm C76-III or SDR 35 PVC					
a)	Trenchless Installation		m	50		
v)	600 mm C76-III or SDR 35 PVC					
a)	Trenchless Installation		m	60		
vi)	450 mm C76-V					
a)	Trenchless Installation		m	25		
A.6	Manholes					
i)	SD-010	CW 2130, E25				
a)	1200 mm base		v.m.	30.0		
b)	1500 mm base		v.m.	11.0		
A.7	Catch Basin	CW 2130, E25				
i)	SD-025, 1200 mm deep, AP-006 Frame and AP-008 Cover, Fibreroll stop log		each	1		
A.8	Sewer Service Pipe	CW 2130, E25				
i)	300 mm SDR 35 PVC		m	6		
A.9	Connecting to Existing Sewer	CW 2130, CW 2160, E25, E26, E27				
i)	600mm to 1350 mm Monolithic Concrete		L.S.	1		
A.10	CCTV Sewer Inspection	CW 2145				
i)	300 mm		m	110		
ii)	375 mm		m	150		
iii)	450 mm		m	330		
iv)	525 mm		m	50		
iv)	600 mm		m	60		
A.11	Concrete Pipe Three-Edge Bearing Test	CW 2130				
i)	375 mm		each	1		
ii)	450 mm		each	1		
iii)	525 mm		each	1		

**FORM B(R2): PRICES**

(See B10)

**WAVERLEY STREET UNDERPASS AT CN MILE 3.89 RIVERS SUB: CONTRACT 1- PRELIMINARY UNDERGROUND WORKS AND SECURITY FENCING**

**UNIT PRICES**

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
iv)	600 mm		each	1		
<b>A</b>	<b><u>CN SERVICE ROADS-UNDERGROUNDS WORKS</u></b>				Subtotal:	
<b>B</b>	<b><u>TAYLOR OUTLET-UNDERGROUND WORKS</u></b>					
	<b>EARTH AND BASE WORKS</b>					
B.1	Temporary Cofferdam	E30	L.S.	1		
B.2	Excavation of Pond Bottom - Unsuitable Material	CW 3170	m <sup>3</sup>	100		
B.3	Supply and Install Class 350 Random Stone Riprap	CW 3615, E28	m <sup>3</sup>	50		
	<b>LAND DRAINAGE SEWERS</b>					
B.4	Land Drainage Sewers	CW 2130, E22, E23, E24, E25				
i)	1200 mm C76-V					
a)	Trenchless Installation		m	140		
ii)	1500 mm C76-V					
a)	Trenchless Installation, or in a Trench Installation		m	87		
B.5	Manholes					
i)	MH. L11	CW 2130, E25	L.S.	1		
ii)	MH. L15	CW 2130, E25	L.S.	1		
B.6	Supply and Install 1600 mm, 3.5 mm Wall Thickness, 125 x 25 mm Corrugation Profile, Aluminized Type 2, Corrugated Steel Pipe Culvert	CW 3610, E32, E25				
i)	In a Trench		L.S.	1		
B.7	CCTV Sewer Inspection	CW 2145				
i)	1200 mm		m	140		
ii)	1500 mm		m	87		
iii)	1600 mm		m	18		
B.8	Concrete Pipe Three-Edge Bearing Test	CW 2130				
i)	1200mm C76-V		each	1		
ii)	1500mm C76-V		each	1		
B.9	Concrete Collar Connection between the 1500 mm RCP and 1600 mm CSP	E33	each	1		
	<b>MISCELLANEOUS</b>					

**FORM B(R2): PRICES**

(See B10)

**WAVERLEY STREET UNDERPASS AT CN MILE 3.89 RIVERS SUB: CONTRACT 1- PRELIMINARY UNDERGROUND WORKS AND SECURITY FENCING**

**UNIT PRICES**

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.10	Topsoil Excavation	CW 3170	m <sup>3</sup>	500		
B.11	Sodding	CW 3510, CW 3540	m <sup>2</sup>	3,000		
B.12	Excavation of Unsuitable Material	CW 2030 4.3	m <sup>3</sup>	200		
B.13	Backfill Material	CW 2030 4.5				
i)	Type 2		m <sup>3</sup>	200		
B.14	Warning Signs	E21	each	2		
B.15	Preparation of Revetment Sub-Grade	CW2165	m <sup>2</sup>	425		
B.16	Geotextile for Revetment	CW2165	m <sup>2</sup>	425		
B.17	Revetment Surface Course	CW2165	m <sup>2</sup>	425		
<b>B</b>	<b><u>TAYLOR OUTLET-UNDERGROUND WORKS</u></b>				Subtotal:	
<b>C</b>	<b><u>SECURITY FENCE</u></b>					
	<b>MISCELLANEOUS</b>					
C.1	Chain Link Fencing 1.83 m Height	CW 3550-R3, E19	m	410		
C.2	Gate 1.22 m Wide	CW 3550-R3, E19	each	1		
C.3	Chain Link Fence Removal	E20	m	310		
C.4	Backstop Removal	E20	each	2		
<b>C</b>	<b><u>SECURITY FENCE</u></b>				Subtotal:	
<b>SUMMARY</b>						
<b>A</b>	<b><u>CN SERVICE ROADS-UNDERGROUNDS WORKS</u></b>				Subtotal:	
<b>B</b>	<b><u>TAYLOR OUTLET-UNDERGROUND WORKS</u></b>				Subtotal:	
<b>C</b>	<b><u>SECURITY FENCE</u></b>				Subtotal:	
TOTAL BID PRICE (GST extra) (in figures) \$ _____						
_____						
Name of Bidder _____						

**FORM G1: BID BOND AND AGREEMENT TO BOND**

(Page 1 of 2)  
(See B13)

**BID BOND**

KNOW ALL MEN BY THESE PRESENTS THAT

\_\_\_\_\_ (hereinafter called the "Principal") and

\_\_\_\_\_ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 472-2016

WAVERLEY STREET UNDERPASS AT CN MILE 3.89 RIVERS SUB: CONTRACT 1- PRELIMINARY UNDERGROUND WORKS AND SECURITY FENCING

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_.

SIGNED AND SEALED  
in the presence of:

\_\_\_\_\_  
(Witness as to Principal if no seal)

\_\_\_\_\_  
(Name of Principal)

Per: \_\_\_\_\_ (Seal)

Per: \_\_\_\_\_

\_\_\_\_\_  
(Name of Surety)

By: \_\_\_\_\_ (Seal)  
(Attorney-in-Fact)



**FORM G1: BID BOND AND AGREEMENT TO BOND**

(Page 2 of 2)  
(See B13)

**AGREEMENT TO BOND**

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

\_\_\_\_\_ of  
(Name of Bidder)

\_\_\_\_\_  
(Place)

the Bidder to you on \_\_\_\_\_, 20\_\_\_\_ for

BID OPPORTUNITY NO.472-2016

WAVERLEY STREET UNDERPASS AT CN MILE 3.89 RIVERS SUB: CONTRACT 1- PRELIMINARY UNDERGROUND WORKS AND SECURITY FENCING

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within Sixtyin (60in) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_ .

\_\_\_\_\_  
(Name of Surety)

By: \_\_\_\_\_ (Seal)  
(Attorney-in-Fact)



**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING  
(BID SECURITY)**

(Page 2 of 2)  
(See B13)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on January 1, 2017.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

\_\_\_\_\_  
(Name of bank or financial institution)

Per: \_\_\_\_\_  
(Authorized Signing Officer)

Per: \_\_\_\_\_  
(Authorized Signing Officer)