FORM A: BID (See B9)

1.	Contract Title	2017 Northeast Exchange District Street Renewal, Pacific Avenue and 1919 General Strike Monument
2.	Bidder	Name of Bidder
		Usual Business Name of Bidder as it appears on Invoice (if different from above)
		Street
		City Province Postal Code
		Email Address of Bidder
		Facsimile Number
	(Mailing address if different)	Street or P.O. Box
		City Province Postal Code
	(Choose one)	The Bidder is:
		a partnership
		a corporation carrying on business under the above name.
3.	Contact Person	The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.
		Contact Person Title
		Telephone Number Facsimile Number
4.	Definitions	All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions and D2.
5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

Template Version: C420160226 - RW

6. **Bid Security** In accordance with B13.1, the Bidder encloses bid security in the form of: a bid bond (Form G1: Bid Bond and Agreement to Bond) (Choose one) an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking) a certified cheque or draft and agrees that it shall be held by the City in accordance with the Contract. 7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4. 8. The Bidder agrees that no Work shall commence until he/she is in Commencement of the Work receipt of a letter of intent from the Award Authority authorizing the commencement of the Work. 9. The Bidder agrees that the Bid Opportunity in its entirety shall be Contract deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid. 10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract: No. Dated 11. Time This offer shall be open for acceptance, binding and irrevocable for a

period of Sixty (60) Calendar Days following the Submission Deadline.

12. Signatures The Bidder or the Bidder's authorized official or officials have signed this

_____ day of ______ , 20_____ .

Signature of Bidder or Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

JNIT PRI	CES	(SEE B10)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Α	ROADWORKS: PACIFIC AVENUE FROM N	IAIN STREET T	OLILY	STREET,		
~	REHABILITATION	1				
	EARTH AND BASE WORKS					
A.1	Supplying and Placing Base Course Material	CW 3110-R19	m³	55		
	ROADWORKS - RENEWALS					
A.2	Pavement Removal	CW 3110-R19, E35				
i)	Concrete Pavement		m²	80		
4.3	Slab Replacement - Early Opening (72 hour)	CW 3230-R8, E35				
i)	200 mm Concrete Pavement (Reinforced)		m²	190		
4.4	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8, E35				
i)	200 mm Concrete Pavement (Type A)		m²	10		
ii)	200 mm Concrete Pavement (Type B)		m²	30		
4.5	Partial Depth Planing of Existing Joints	E9	m²	145		
4.6	Asphalt Patching of Partial Depth Joints	E9	m²	145		
4.7	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	150		
4.8	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	200		
4.9	Miscellaneous Concrete Slab Removal	CW 3235-R9, E35				
i)	100 mm Sidewalk		m²	560		
ii)	150 mm Reinforced Sidewalk		m²	90		
4.10	Concrete Curb Removal	CW 3240-R10				
i)	Lip Curb	SD-202C	m	20		
A.11	Concrete Curb Installation	CW 3240-R10				
i)	Barrier (100 mm reveal ht, Dowelled)	SD-205	m	130		

UNIT P			(SEE B10)				
ITEN	1	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
.12		Concrete Curb Renewal	CW 3240-R10				
i)		Barrier (100 mm reveal ht, Dowelled)	SD-205, SD-206A				
	a)	3 m to 30 m		m	30		
	b)	Greater than 30 m		m	60		
ii)		Modified Barrier (100 mm reveal ht, Dowelled)	SD-203B	m	60		
iii)		Modified Lip Curb (75 mm reveal ht, Dowelled)	SD-202C	m	20		
iv)		Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	40		
A.13		Construction of Asphaltic Concrete Overlay	CW 3410-R11				
i)		Main Line Paving					
	a)	Туре ІА		tonne	400		
ii)		Tie-ins and Approaches					
	a)	Туре IA		tonne	45		
A.14		Full Depth Saw-Cutting	E38	m	185		
		ROADWORKS - NEW CONSTRUCTION					
A.15		Concrete Pavements for Early Opening	CW 3310-R17				
i)		Construction of 200 mm Concrete Pavement with Concrete Blockouts for Early Opening 24 Hour (Reinforced)		M²	100		
		JOINT AND CRACK SEALING					
A.16		Reflective Crack Maintenance	CW 3250-R7	m	350		
		ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.17		Catch Basin	CW 2130-R12				
i)		SD-024, 1800 mm deep		each	2		
A.18		Sewer Service	CW 2130-R12				
i)		250 mm, PVC					
		In a Trench, Class B Sand Bedding, Class 3 Backfill		m	14		

UNIT PRIC	CES	(SEE B10)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.19	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	3		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	3		
,	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	1		
iv)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	1		
A.20	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm (PVC) Connecting Pipe					
a)	Connecting to 300 mm PVC Sewer		each	1		
b)	Connecting to 300 mm Concrete Sewer		each	1		
A.21	Removal of Existing Catch Basins	CW 2130-R12	each	2		
A.22	Installation of Subdrains	CW 3120-R4	m	24		
	ADJUSTMENTS					
A.23	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	3		
A.24	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1.0		
A.25	Lifter Rings	CW 3210-R7				
i)	38 mm		each	2		
ii)	51 mm		each	2		
iii)	64 mm		each	1		
A.26	Adjustment of Valve Boxes	CW 3210-R7	each	2		
A.27	Valve Box Extensions	CW 3210-R7	each	2		
A.28	Adjustment of Curb Stop Boxes	CW 3210-R7	each	4		
A.29	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	4		
A.30	Curb Stop Extensions	CW 3210-R7	each	2		
Α	ROADWORKS: PACIFIC AVENUE FROM N REHABILITATION	IAIN STREET T	O LILY :	STREET,	Subtotal:	

UNIT PRI	CES	(SEE B10)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
в	STREETSCAPING: PACIFIC AVENUE FRO REHABILITATION	M MAIN STREE	<u>ET TO LI</u>	<u>LY STREET,</u>		
	ROADWORKS - RENEWALS					
B.1	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	20		
b)	5 sq.m. to 20 sq.m.		m²	140		
B.2	Detectable Warning Surface Tiles	CW 3326-R3	each	2		
	ROADWORKS - NEW CONSTRUCTION					
B.3	100 mm Concrete Sidewalk with Concrete Blockouts	CW 3325-R5, E25	m²	600		
	UNIT PAVING					
B.4	300 x 151 x 100 Broadway Paver, Mahogony Colour - pedestrian crossings	E25	m²	12		
B.5	194 x 93 x 57 Endicott Paver, Dark Ironspot - indicator strips	E25	m²	116		
	CONCRETE & ACCESSORIES					
B.6	CIP Reinforced Concrete Pile for Pedestrian Light	E36	each	10		
B.7	1245 x 1242 x 150mm Precast Conc. Vault Cover	E24	each	24		
	TREE VAULTS					
B.8	Construction of Tree Vaults	E24	m³	55		
B.9	Perf. Drainage Pipe	E24	m	65		
	SITE FURNISHINGS					
B.10	1219 x 1219mm Metropolitan Tree Grate R8706-1A, Grey Iron Finish	E26, E27	each	4		
B.11	Steel Tube Frame incl. Lip & Tube Support, Galvanized Finish	E26, E27	each	4		
B.12	Hoop Style Bike Rack	E27	each	6		
B.13	Bollard with Plastic Sleeve	E27	each	12		
	SOFT LANDSCAPE					
B.14	Planting Medium	E28	m ³	43		

	CES	(SEE B10)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.15	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	10		
B.16	Brandon Elm	E30	each	4		
	LANDSCAPE MAINTENANCE					
B.17	Year One Maintenance	E31	l.s.	1		
B.18	Year Two Maintenance	E31	l.s.	1		
В	STREETSCAPING: PACIFIC AVENUE FRO	M MAIN STREE	T TO LI	LY STREET,	Subtotal:	
				TOFFT	Subtotal.	
С	ELECTRICAL: PACIFIC AVENUE FROM M/ REHABILITATION	AINSTREETTO	JLILYS	IREEI,		
	PEDESTRIAN LIGHTING					
C.1	Sidewalk Lighting	Appenidx E				
i)	Washington Kline Luminaire - Type '1' (2 extra for stockpile)		each	12		
ii)	Valmont Pole - Drawing DR9748 c/w anchor bolts and accessories (2 extra for stockpile)		each	12		
iii)	#6 AWG RW90 Cu. Wire		m	891		
iv)	#12 AWG RW90 Cu. Wire		m	130		
V)	2" red DB2 conduit		m	240		
vi)	2" flexible pvc conduit c/w couplings		m	44		
vii)	concrete pull boxes (2 spare)		each	5		
с	ELECTRICAL: PACIFIC AVENUE FROM MA REHABILITATION	Subtotal:				
D	LILY/GALT GATE CHAMBER UPGRADES					
D.1	Cast- In-Place Concrete Gate Chamber Upgrades	E18	l.s.	1		
D.2	Pre-Construction Inspection	E17	l.s.	1		
D	LILY/GALT GATE CHAMBER UPGRADES			l	Subtotal:	

UNIT PRI	CES	(SEE B10)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Е	<u>1919 GENERAL STRIKE MONUMENT</u>					
	1919 MONUMENT WORK					
E.1	1919 Foundation Work	E36, Dwg S-1, Dwg S-2	l.s.	1		
E.2	1919 Superstructure Work	Dwg S-2	l.s.	1		
E.3	CIP Concrete for Bench and Platform	E36, Dwg S-1, Dwg S-2	l.s.	1		
E.4	Wood Bench (Including Seat, Bench Arm and Bench Back) and Platform	E29	l.s.	1		
E.5	CIP Piles for Interpretive Map/Panels	E36, Dwg S-1, Dwg S-2	l.s.	1		
E.6	Interpretive Map/Panels	E26, Dwg S-2	l.s.	1		
	SURFACE WORK					
E.7	Excavation	CW 3110-R19	m³	30		
E.8	Supplying and Placing Base Course Material	CW 3110-R19	m³	15		
E.9	100 mm Concrete Sidewalk with Concrete Blockouts	CW 3325-R5, E25	m²	245		
E.10	100 mm Colour Concrete Sidewalk (Artevia Standard Slate)	CW 3325-R5, E25	M²	20		
E.11	194 x 93 x 57 Endicott Paver, Dark Ironspot	E25	m²	90		
E.12	194 x 93 x 57 Endicott Paver, Dark Ironspot - indicator strips	E25	m²	30		
E.13	Miscellaneous Asphalt Removal	E37				
i)	50 mm Sidewalk		m²	130		
E.14	Construction of Asphalt Patches	CW 3410-R11	m²	3		
	ELECTRICAL WORK					
E.15	Electrical Work	Appenidx E	l.s.	1		
E.16	Provisional: Electrical Work - Alternate # 1	Appenidx E, E39	l.s.	1		
E.17	Provisional: Electrical Work - Alternate # 2	Appenidx E, E39	l.s.	1		
Е	1919 GENERAL STRIKE MONUMENT				Subtotal:	

UNIT PRICES ITEM DESCRIPTION SPEC. UNIT APPROX. UNIT REF. QUANTITY	PRICE AMOUNT
	PRICE AMOUNT
REF. QUANTITY	
SUMMARY	
ROADWORKS: PACIFIC AVENUE FROM MAIN STREET TO LILY STREET,	
Δ	Subtotal:
B STREETSCAPING: PACIFIC AVENUE FROM MAIN STREET TO LILY STREET,	
REHABILITATION	Subtotal:
C ELECTRICAL: PACIFIC AVENUE FROM MAIN STREET TO LILY STREET,	
REHABILITATION State	Subtotal:
D LILY/GALT GATE CHAMBER UPGRADES	
	Subtotal:
E 1919 GENERAL STRIKE MONUMENT	Subtotal:
	Sublotal.
TOTAL BID PRICE (GST extra) (in figures)	

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B13)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 27-2017

2017 Northeast Exchange District Street Renewal, Pacific Avenue and 1919 General Strike Monument

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
	Per:	(Seal)
(Witness as to Principal if no seal)	Per:	
	(Name of Surety)	
	By: (Attorney-in-Fact)	(Seal)

of

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B13)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on , 20 for

BID OPPORTUNITY NO. 27-2017

2017 Northeast Exchange District Street Renewal, Pacific Avenue and 1919 General Strike Monument

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within Sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20____.

(Name of Surety)

By: (Seal) (Attorney-in-Fact)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B13)

(Date)

The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 27-2017

2017 Northeast Exchange District Street Renewal, Pacific Avenue and 1919 General Strike Monument

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B13)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on April 29, 2017.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)

Per:

(Authorized Signing Officer)

Per:

(Authorized Signing Officer)