

## 376-2017 ADDENDUM 1

### PAINTING OF POOL TANK CONCRETE FLOOR & RELATED WORKS AT HAPPYLAND OUTDOOR POOL – 520 MARION STREET

#### **URGENT**

**PLEASE FORWARD THIS DOCUMENT TO  
WHOEVER IS IN POSSESSION OF THE BID  
OPPORTUNITY**

ISSUED: April 25, 2017  
BY: Lou Chubenko  
TELEPHONE NO. 204 986-2727

**THIS ADDENDUM SHALL BE INCORPORATED  
INTO THE BID OPPORTUNITY AND SHALL  
FORM A PART OF THE CONTRACT  
DOCUMENTS**

Template Version: A20160708

---

**Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 8 of Form A: Bid may render your Bid non-responsive.**

---

#### **PART B – BIDDING PROCEDURES**

Delete: B12.3(d) upon request of the Contract Administrator, provide the Security Clearances in accordance with PART F – SECURITY CLEARANCE.

#### **PART D – SUPPLEMENTAL CONDITIONS**

Revise: D2.2(d) to read: Repair all exposed concrete substrate surfaces that are uneven, damaged and rough with polymer-modified thin coat mortar/binder with migrating corrosion inhibitor.

#### **PART E – SPECIFICATIONS**

Revise: E4.4 to read: Inject SIKADUR 52 resin to seal cracks for approximately 300 linear feet in area, but does not require high pressure injection.

Add: E4.8 Trowel SIKA TOP 121 PLUS polymer-modified cementitious, two-component thin coat mortar for concrete patches, skin coats, filling bug holes and feather edging for approximately 100 square feet in area.

Add: E4.9 Follow all manufacturer's recommendations and written instructions for proper surface preparation, mixing, application, curing cleanup for SIKA TOP 121 PLUS.

#### **DRAWINGS**

Add: 376-2017\_Addendum\_1-Drawing\_S1-R1

376-2017\_Addendum\_1-Drawing\_S1-R1

376-2017\_Addendum\_1-Drawing\_S3-R1

#### **PART F – SECURITY CLEARANCE**

Delete: F1. SECURITY CLEARANCE