FORM A: BID (See B8)

1.	Contract Title	Downtown & Regional Sidewall Tile Installation, and Associated		ng Surface
2.	Bidder	Name of Bidder		
		Usual Business Name of Bidder as it a	ppears on Invoice (if different from abo	ve)
		Street		
		City	Province	Postal Code
		Email Address of Bidder		
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
	(Choose one)	The Bidder is: a sole proprietor a partnership a corporation carrying on business under the	above name.	
3.	Contact Person	The Bidder hereby authorizes the Bidder for purposes of the B		o represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms used in ascribed to them in the Genera		meanings
5.	Offer	The Bidder hereby offers to p Contract for the Total Bid Price Prices, appended hereto.		

6.	Bid Security	In accordance with B12.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.
12.	Indigenous Self- Declaration	The City is requesting that Bidders identify if their business is at least 51% owned by one or more Indigenous persons of Canada.
		YES, 51% Indigenous ownership
		NO, it is not
		This information is being gathered for statistical purposes only and will not be used for purposes of evaluation.

13. Signatures The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____ , 20_____ .

Signature of Bidder or Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

UNIT PRI		(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A	Arlington Street from St. Matthews Avenue	•	enue	QUANTIT		
	EARTH AND BASE WORKS					
A.1	Supplying and Placing Base Course Material	CW 3110-R19	m³	80		
A.2	Grading of Boulevards	CW 3110-R19	m²	770		
	ROADWORKS - RENEWALS					
A.3	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	25		
A.4	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
а) Greater than 20 sq.m.		m²	1490		
ii)	Monolithic Curb and Sidewalk	SD-228B	m²	35		
A.5	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	11		
A.6	Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	10		
A.7	Removal of Precast Sidewalk Blocks	CW 3235-R9	m²	10		
A.8	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
а) 3 m to 30 m		m	25		
ii)	Modified Barrier (150 mm reveal ht,	SD-203B	m	8		
iii)	Dowelled) Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	35		
A.9	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	12		
A.10	Construction of Asphalt Patches	CW 3410-R12	m²	25		
A.11	Detectable Warning Surface Tiles	CW 3326-R3	each	4		
	ADJUSTMENTS					
A.12	Adjustment of Curb Stop Boxes	CW 3210-R8	each	40		
A.13	Curb Stop Extensions	CW 3210-R8	each	28		

UNIT	PRICES
------	--------

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	LANDSCAPING					
A.14	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	530		
ii)	width > or = 600 mm		m²	270		
Α	Arlington Street from St. Matthews Avenue	Subtotal:				

	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В	Academy Road (South Side) from Waterloo	Street to Wave	erley Str	<u>eet</u>		
	EARTH AND BASE WORKS					
3.1	Supplying and Placing Base Course Material	CW 3110-R19	m³	95		
3.2	Grading of Boulevards	CW 3110-R19	m²	150		
	ROADWORKS - RENEWALS					
B.3	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	140		
3.4	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Greater than 20 sq.m.		m²	205		
ii)	Monolithic Curb and Sidewalk	SD-228B	m²	1065		
B.5	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205,				
a)	3 m to 30 m	SD-206A	m	6		
ii)	Modified Barrier (150 mm reveal ht,	SD-203B	m	50		
iii)	Dowelled) Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	95		
B.6	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	6		
3.7	Construction of Asphalt Patches	CW 3410-R12	m²	105		
B.8	Detectable Warning Surface Tiles	CW 3326-R3	each	14		
B.9	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS Frames & Covers	CW 3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	3		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	3		

	050	(SEE D9)				
UNIT PRI						
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	ADJUSTMENTS					
B.10	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	3		
B.11	Adjustment of Curb Stop Boxes	CW 3210-R8	each	8		
B.12	Curb Inlet Box Covers (AP-020)	CW 3210-R8	each	6		
B.13	Curb Inlet Frames	CW 3210-R8	each	6		
B.14	Adjustment of Curb Inlet with New Inlet Box	CW 3210-R8	each	6		
B.15	Curb Stop Extensions	CW 3210-R8	each	3		
	LANDSCAPING					
B.16	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	85		
ii)	width > or = 600 mm		m²	65		
	MISCELLANEOUS					
B.17	Tree Stump Grinding (Diameter 0.2m-1.5m)	E15	each	9		
В	Academy Road (South Side) from Waterloo	Street to Wave	erley Str	eet	Subtotal:	

ITEM	ICES DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С	Taylor Avenue (North Side) from Nathaniel		h Street			
	EARTH AND BASE WORKS					
C.1	Supplying and Placing Base Course Material	CW 3110-R19	m³	110		
C.2	Grading of Boulevards	CW 3110-R19	m²	350		
-	ROADWORKS - RENEWALS					
C.3	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar	000 0200-110	each	90		
.4	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
а) Greater than 20 sq.m.		m²	1045		
ii)	Monolithic Curb and Sidewalk	SD-228B	m²	55		
C.5	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	2		
C.6	Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	2		
C.7	Removal of Precast Sidewalk Blocks	CW 3235-R9	m²	2		
C.8	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
а) 3 m to 30 m	3D-200A	m	95		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	50		
iii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	65		
C.9	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	8		
C.10	Construction of Asphalt Patches	CW 3410-R12	m²	70		
C.11	Detectable Warning Surface Tiles	CW 3326-R3	each	7		

UNIT PRI	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
C.12	Frames & Covers	CW 3210-R8				
i)	AP-011 - Barrier Curb and Gutter Frame		each	1		
ii)	AP-012 - Barrier Curb and Gutter Cover		each	1		
	ADJUSTMENTS					
C.13	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	2		
C.14	Adjustment of Valve Boxes	CW 3210-R8	each	13		
C.15	Valve Box Extensions	CW 3210-R8	each	4		
C.16	Adjustment of Curb Stop Boxes	CW 3210-R8	each	11		
C.17	Adjustment of Curb and Gutter Frames	CW 3210-R8	each	1		
C.18	Curb Stop Extensions	CW 3210-R8	each	4		
	LANDSCAPING					
C.19	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	410		
ii)	width > or = 600 mm		m²	140		
C.20	Salt Tolerant Grass Seeding	E9	m²	200		
С	Taylor Avenue (North Side) from Nathanie	Street to Guelr	oh Street	<u>t</u>	Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D	Carlton Street from Assiniboine Avenue to	Broadway				
	EARTH AND BASE WORKS					
D.1	Supplying and Placing Base Course Material	CW 3110-R19	m³	60		
D.2	Grading of Boulevards	CW 3110-R19	m²	570		
	ROADWORKS - RENEWALS					
D.3	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	20		
D.4	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Greater than 20 sq.m.		m²	1175		
ii)	150 mm Reinforced Sidewalk					
a)	5 sq.m. to 20 sq.m.		m²	20		
D.5	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	10		
D.6	Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	2		
D.7	Removal of Precast Sidewalk Blocks	CW 3235-R9	m²	2		
D.8	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	3 m to 30 m		m	5		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	5		
iii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	15		
D.9	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	45		
D.10	Construction of Asphalt Patches	CW 3410-R12	m²	50		

	CES	(SEE D3)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ADJUSTMENTS					
D.11	Adjustment of Valve Boxes	CW 3210-R8	each	7		
D.12	Valve Box Extensions	CW 3210-R8	each	2		
D.13	Adjustment of Curb Stop Boxes	CW 3210-R8	each	16		
D.14	Curb Stop Extensions	CW 3210-R8	each	4		
	LANDSCAPING					
D.15	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	320		
ii)	width > or = 600 mm		m²	250		
D	Carlton Street from Assiniboine Avenue to	Broadway	<u> </u>	I		

INIT PRI	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.	ONIT	QUANTITY		
Е	Carlton Street (East Side) from Graham Av					
	EARTH AND BASE WORKS					
.1	Supplying and Placing Base Course Material	CW 3110-R19	m³	24		
.2	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	21		
.3	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	Removal of Paving Stones	E12	m²	190		
ii)	100 mm Sidewalk		m²	15		
iii)	Monolithic Curb and Sidewalk		m²	120		
.4	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	Monolithic Curb and 100 mm Concrete Sidewalk with Blockouts for Paving Stones	E10	M2	330		
.5	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Separate		m	70		
.6	Concrete Curb Installation	CW 3240-R10				
i)	Safety Curb (330 mm reveal ht)	SD-206B	m	20		
.7	Concrete Curb Renewal	CW 3240-R10				
i)	Modified Barrier (150 mm reveal ht,	SD-203B	m	13		
ii)	Dowelled) Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	15		
.8	Regrading Existing Interlocking Paving Stones	CW 3330-R5	M²	5		
.9	Construction of Asphalt Patches	CW 3410-R12	m²	5		
	ROADWORKS - NEW CONSTRUCTION					
.10	Interlocking Paving Stones	CW 3330-R5				
i)	Endicott Clay Paver - Dark Ironspot	E11	m²	40		
E	Carlton Street (East Side) from Graham Av	enue to Portage	e Avenue	9	Subtotal:	

	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	Edmonton Street (West Side) from Assinib		50m So			
F	Broadway					
	EARTH AND BASE WORKS					
F.1	Supplying and Placing Base Course Material	CW 3110-R19	M3	30		
2	Grading of Boulevards	CW 3110-R19	m²	275		
	ROADWORKS - RENEWALS					
=.3	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	6		
F.4	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Greater than 20 sq.m.		m²	605		
=.5	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	5		
F.6	Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	2		
F.7	Removal of Precast Sidewalk Blocks	CW 3235-R9	m²	2		
=.8	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	3 m to 30 m	0D-200A	m	5		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	2		
iii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	10		
F.9	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	12		
	ADJUSTMENTS					
=.10	Adjustment of Valve Boxes	CW 3210-R8	each	4		
11	Valve Box Extensions	CW 3210-R8	each	2		
12	Adjustment of Curb Stop Boxes	CW 3210-R8	each	8		
- .13	Curb Stop Extensions	CW 3210-R8	each	2		

-						
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	LANDSCAPING					
F.14	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	175		
ii)	width > or = 600 mm		m²	100		
F	Edmonton Street (West Side) from Assiniboine Avenue to 50m South of Broadway					

UNIT PI	RICES	(SEE B9)				
ITEM		SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G	Kennedy Street from St. Mary Avenue to G	raham Avenue				
	EARTH AND BASE WORKS					
G.1	Supplying and Placing Base Course Material	CW 3110-R19	m³	80		
G.2	Grading of Boulevards	CW 3110-R19	m²	50		
	ROADWORKS - RENEWALS					
G.3	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type B)		m²	5		
G.4	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	10		
G.5	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	110		
G.6	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	Removal of Paving Stones	E12	m²	85		
ii)	Monolithic Curb and Sidewalk		m²	950		
G.7	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	Monolithic Curb and 100 mm Concrete Sidewalk with Blockouts for Paving Stones	E10	m²	1140		
G.8	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	1		
G.9	Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	2		
G.10	Removal of Precast Sidewalk Blocks	CW 3235-R9	m²	2		
G.11	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205,				
	a) 3 m to 30 m	SD-206A	m	3		
ii)	Modified Barrier (150 mm reveal ht,	SD-203B	m	20		
iii)	Dowelled) Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	65		

	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G.12	Regrading Existing Interlocking Paving Stones	CW 3330-R5	M2	15		
G.13	Construction of Asphalt Patches	CW 3410-R12	m²	160		
G.14	Detectable Warning Surface Tiles	CW 3326-R3	each	8		
	ROADWORKS - NEW CONSTRUCTION					
G.15	Interlocking Paving Stones	CW 3330-R5				
i)	Endicott Clay Paver - Dark Ironspot	E11	m²	130		
ii)	Holland Paver - Blue	E11	m²	2		
G.16	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS Frames & Covers	CW 3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	2		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	2		
	ADJUSTMENTS					
G.17	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	2		
G.18	Adjustment of Valve Boxes	CW 3210-R8	each	6		
G.19	Valve Box Extensions	CW 3210-R8	each	2		
G.20	Adjustment of Curb Stop Boxes	CW 3210-R8	each	3		
G.21	Curb Inlet Frames	CW 3210-R8	each	1		
G.22	Adjustment of Curb and Gutter Frames	CW 3210-R8	each	1		
G.23	Curb Stop Extensions	CW 3210-R8	each	2		
	LANDSCAPING					
G.24	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m²	50		
G	Kennedy Street from St. Mary Avenue to G	raham Avenue			Subtotal:	

UNIT PRI	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Н	St. Mary Avenue (South Side) from Memori	al Boulevard to	Vaugha	n Street		
	EARTH AND BASE WORKS					
H.1	Supplying and Placing Base Course Material	CW 3110-R19	M3	15		
H.2	Grading of Boulevards	CW 3110-R19	m²	15		
	ROADWORKS - RENEWALS					
H.3	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	Removal of Paving Stones	E12	m²	170		
H.4	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	Monolithic Curb and 100 mm Concrete Sidewalk with Blockouts for Paving Stones	E10	m²	205		
H.5	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Separate		m	60		
H.6	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	21		
H.7	Construction of Asphalt Patches	CW 3410-R12	m²	30		
	ROADWORKS - NEW CONSTRUCTION					
H.8	Interlocking Paving Stones	CW 3330-R5				
i)	Endicott Clay Paver - Dark Ironspot	E11	m²	28		
	ADJUSTMENTS					
H.9	Curb Inlet Box Covers (AP-020)	CW 3210-R8	each	1		
H.10	Curb Inlet Frames	CW 3210-R8	each	1		
H.11	Adjustment of Curb Inlet with New Inlet Box	CW 3210-R8	each	1		
	LANDSCAPING					
H.12	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m²	15		
н	St. Mary Avenue (South Side) from Memori	al Boulevard to	Vauaha	n Street	Subtotal:	

ITEM	ICES DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
I	York Avenue (South Side) from Kennedy S	treet to Edmon	ton Stree	<u>et</u>		
	EARTH AND BASE WORKS					
.1	Supplying and Placing Base Course Material	CW 3110-R19	m³	20		
	ROADWORKS - RENEWALS					
.2	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	10		
.3	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	Removal of Paving Stones	E12	m²	182		
ii)	100 mm Sidewalk		m²	80		
.4	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	Monolithic Curb and 100 mm Concrete Sidewalk with Blockouts for Paving Stones	E10	m²	265		
.5	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Separate		m	80		
.6	Concrete Curb Renewal	CW 3240-R10				
i)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	4		
ii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	8		
.7	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	3		
.8	Construction of Asphalt Patches	CW 3410-R12	m²	30		
	ROADWORKS - NEW CONSTRUCTION					
.9	Interlocking Paving Stones	CW 3330-R5				
i)	Endicott Clay Paver - Dark Ironspot	E11	m²	33		

UNIT PRIC	CES					
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	ADJUSTMENTS					
I.10	Adjustment of Valve Boxes	CW 3210-R8	each	1		
l.11	Valve Box Extensions	CW 3210-R8	each	1		
	MISCELLANEOUS					
l.12	Tree Removal (Diameter 90mm-160mm)	E14	m	5		
					Subtotal:	
I	York Avenue (South Side) from Kennedy Street to Edmonton Street					

UNIT PRI	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
J	Detectable Warning Surface Tile Installation	n				
	EARTH AND BASE WORKS					
J.1	Supplying and Placing Base Course Material	CW 3110-R19	M3	6		
J.2	Grading of Boulevards	CW 3110-R19	m²	25		
	ROADWORKS - RENEWALS					
J.3	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	110		
J.4	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a) 5 sq.m. to 20 sq.m.		m²	105		
b) Greater than 20 sq.m.		m²	25		
J.5	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a) 3 m to 30 m	00 200/1	m	5		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	15		
iii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	65		
J.6	Construction of Asphalt Patches	CW 3410-R12	m²	20		
J.7	Detectable Warning Surface Tiles	CW 3326-R3	each	14		
	ADJUSTMENTS					
J.8	Adjustment of Valve Boxes	CW 3210-R8	each	2		
	LANDSCAPING					
J.9	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	10		
ii)	width > or = 600 mm		m²	15		
J	Detectable Warning Surface Tile Installatio	<u>n</u>		<u>.</u>	Subtotal:	

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	SUMMARY					
Α	Arlington Street from St. Matthews Avenue	to Sargent Av	<u>enue</u>		Subtotal:	
В	Academy Road (South Side) from Waterloo	Street to Way	erley Stre	eet	Subtotal:	
С	Taylor Avenue (North Side) from Nathaniel	Street to Guel	ph Street		Subtotal:	
D	Carlton Street from Assiniboine Avenue to	<u>Broadway</u>			Subtotal:	
Е	Carlton Street (East Side) from Graham Avenue to Portage Avenue				Subtotal:	
F	Edmonton Street (West Side) from Assinibo	bine Avenue to	o 50m Sou	uth of	Subtotal:	
G	Kennedy Street from St. Mary Avenue to Gr	aham Avenue			Subtotal:	
н	St. Mary Avenue (South Side) from Memoria	al Boulevard t	o Vaugha	n Street	Subtotal:	
I	York Avenue (South Side) from Kennedy St	reet to Edmor	nton Stree	<u>et</u>	Subtotal:	
J	Detectable Warning Surface Tile Installation	<u>n</u>			Subtotal:	
OTAL B	ID PRICE (GST extra)		(i	n figures)		

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B12)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 31-2018

Downtown & Regional Sidewalk Renewals, Detectable Warning Surface Tile Installation, and Associated Works

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness as to Principal if no seal)	_ Per: Per:	
	(Name of Surety) By:(Attorney-in-Fact)	(Seal)

___ of

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B12)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on ______, 20_____, for

BID OPPORTUNITY NO. 31-2018

Downtown & Regional Sidewalk Renewals, Detectable Warning Surface Tile Installation, and Associated Works

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this ______ day of ______, 20_____,

(Name of Surety)

By: _

(Attorney-in-Fact) (Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2)

(See B12)

(Date)

The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1

RE: BID SECURITY - BID OPPORTUNITY NO. 31-2018

Downtown & Regional Sidewalk Renewals, Detectable Warning Surface Tile Installation, and Associated Works

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

_ Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B12)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on May 7, 2018.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name	(Name of bank or financial institution)				
Per:	(Authorized Signing Officer)				
Per:					

(Authorized Signing Officer)