

FORM A: BID
(See B8)

1. Contract Title 2019 Regional Street Renewal Program – Northbound Main Street Rehabilitation – McAdam Ave to Kildonan Park Golf Course

2. Bidder

Name of Bidder

Usual Business Name of Bidder as it appears on Invoice (if different from above)

Street

City

Province

Postal Code

Email Address of Bidder

Facsimile Number

(Mailing address if different)

Street or P.O. Box

City

Province

Postal Code

The Bidder is:

(Choose one)

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person

Title

Telephone Number

Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.

5. Offer

The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security In accordance with B13.1, the Bidder encloses bid security in the form of a bid bond (Form G1: Bid Bond and Agreement to Bond) and agrees that it shall be held by the City in accordance with the Contract.
7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8. Commencement of the Work The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9. Contract By submitting a bid in response to this Tender, the Bidder certifies that it has read, understands, and agrees to the terms and conditions of this Tender and that the Tender, in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	_____	Dated	_____
	_____		_____
	_____		_____

11. Time This offer shall be open for acceptance, binding and irrevocable for a period of Seventy-Five (75) Calendar Days following the Submission Deadline.
12. Indigenous Self-Declaration The City is requesting that Bidders identify if their business is at least 51% owned by one or more Indigenous persons of Canada.

YES, 51% or more Indigenous ownership

NO, it is not

This information is being gathered for statistical purposes only and will not be used for purposes of evaluation.

13. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____.

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B(R2): PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A	<u>MAIN STREET PAVEMENT REHABILITATION - NORTHBOUND LANES FROM MCADAM AVENUE TO THE KILDONAN PARK GOLF COURSE</u>					
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R19	m ³	470		
A.2	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	550		
A.3	Supplying and Placing Base Course Material	CW 3110-R19	m ³	60		
A.4	Grading of Boulevards	CW 3110-R19	m ²	3100		
A.5	Removal of Existing Concrete Bases	CW 3110-R19				
i)	600 mm Diameter or Less		each	1		
A.6	Separation Geotextile Fabric	CW 3130-R4	m ²	830		
	ROADWORK - REMOVALS/RENEWALS					
A.7	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m ²	600		
ii)	Asphalt Pavement		m ²	500		
A.8	Slab Replacement - Early Opening (24 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Reinforced)		m ²	360		
A.9	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		m ²	20		
ii)	200 mm Concrete Pavement (Type B)		m ²	525		
iii)	200 mm Concrete Pavement (Type D)		m ²	150		
A.10	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Reinforced)		m ²	1870		
A.11	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		m ²	20		
ii)	200 mm Concrete Pavement (Type B)		m ²	2120		
iii)	200 mm Concrete Pavement (Type C)		m ²	20		

FORM B(R2): PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
iv)	200 mm Concrete Pavement (Type D)		m ²	240		
A.12	Drilled Dowels	CW 3230-R8, E.18				
i)	19.1 mm Diameter		each	3150		
A.13	Drilled Tie Bars	CW 3230-R8, E.18				
i)	20 M Deformed Tie Bar		each	4350		
A.14	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m ²	15		
ii)	Existing Bus Stop	E19	m ²	14		
A.15	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A	m ²	120		
ii)	100 mm Sidewalk with Blockouts for Paving Stones	E17	m ²	2		
iii)	100 mm Sidewalk with Blockouts for 50mm Asphalt Overlay	E17	m ²	195		
iv)	150mm Reinforced Concrete Bus Stop	E19	m ²	14		
A.16	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	Safety Median	SD-226B	m ²	35		
ii)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m ²	300		
b)	5 sq.m. to 20 sq.m.		m ²	1105		
c)	Greater than 20 sq.m.		m ²	2880		
iii)	Bullnose	SD-227C	m ²	50		
A.17	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Integral		m	185		
A.18	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	190		
b)	3 m to 30 m		m	1020		
c)	Greater than 30 m		m	810		

FORM B(R2): PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	600		
iii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	500		
A.19	Supply and Installation of Dowel Assemblies	CW 3310-R17	m	140		
A.20	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Main Line Paving					
a)	Type IA		tonne	4495		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	1790		
A.21	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m ²	900		
ii)	50 - 100 mm Depth (Asphalt)		m ²	300		
iii)	1 - 50 mm Depth (Concrete)		m ²	850		
A.22	Pavement Repair Fabric	E11	m ²	2100		
A.23	Detectable Warning Surface Tiles	CW 3326-R3	each	148		
ROADWORK - NEW CONSTRUCTION						
A.24	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R17				
i)	Construction of 200 mm Concrete Pavement (Reinforced)		m ²	640		
ii)	Construction of Monolithic Concrete Bull-noses	SD-227C	m ²	20		
A.25	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Barrier (150 mm ht, Dowelled)	SD-205	m	150		
ii)	Construction of Barrier (150 mm ht, Integral)	SD-204	m	80		
iii)	Construction of Modified Barrier (150 mm ht, Dowelled)	SD-203B	m	30		
iv)	Construction of Curb Ramp (8-12 mm ht, Monolithic)	SD-229C	m	10		

FORM B(R2): PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.26	Interlocking Paving Stones	E16				
i)	Holland Stone - Blue Transit Stop Pavers (210mm x 105mm x 60mm)		m ²	2		
A.27	Supply and Install Green Paint	E15	m ²	260		
JOINT AND CRACK SEALING						
A.28	Longitudinal Joint & Crack Filling (> 25 mm in width)	CW 3250-R7	m	1500		
A.29	Reflective Crack Maintenance	CW 3250-R7	m	3000		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
A.30	Catch Pit	CW 2130-R12				
i)	SD-023		each	2		
A.31	Drainage Connection Pipe	CW 2130-R12	m	3		
A.32	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
i)	250 mm Catch Basin Lead					
a)	Class 3 Backfill		each	1		
A.33	Sewer Inspection (following repair)	CW 2145-R4				
i)	250 mm, CS		m	2		
A.34	Frames & Covers	CW 3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	2		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	2		
iii)	AP-011 - Barrier Curb and Gutter Frame		each	1		
iv)	AP-012 - Barrier Curb and Gutter Cover		each	1		
A.35	Connecting to Existing Catch Basin	CW 2130-R12				
i)	150 mm Drainage Connection Pipe		each	4		
ii)	250 mm Drainage Connection Pipe		each	3		

FORM B(R2): PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.36	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm (Type PVC SDR 35) Connecting Pipe					
a)	Connecting to 600 mm Sewer		each	1		
A.37	Abandoning Existing Drainage Inlets	CW 2130-R12	each	2		
A.38	Installation of Subdrains	CW 3120-R4	m	24		
A.39	Patching Existing Manholes	CW 2130-R12	vert. m	0.8		
A.40	Replacing Existing Manhole or Catch Basin Rungs	CW 2130-R12	each	15		
A.41	Replacing Existing Catch Basin Hoods, Pins or Wall Hooks	CW 2130-R12	each	6		
A.42	Watermain and Water Service Insulation	E22	m ²	30		
A.43	Valve Cleaning	E21	each	10		
ADJUSTMENTS						
A.44	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	13		
A.45	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1.5		
A.46	Lifter Rings (AP-010)	CW 3210-R8				
i)	51 mm		each	4		
ii)	76 mm		each	15		
A.47	Adjustment of Valve Boxes	CW 3210-R8	each	7		
A.48	Valve Box Extensions	CW 3210-R8	each	30		
A.49	Adjustment of Curb Stop Boxes	CW 3210-R8	each	10		
A.50	Curb Stop Extensions	CW 3210-R8	each	4		
A.51	Replacing Existing Flat Top Reducer	CW 2110-R11	each	1		
LANDSCAPING						
A.52	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m ²	600		

 Name of Bidder

FORM B(R2): PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.53	Salt Tolerant Grass Seeding	E12	m ²	2500		
A.54	Tree Removal	E14	each	2		
MISCELLANEOUS						
A.55	Relocate Existing Bus Shelter	E19	each	1		
A.56	Relocate Existing Bus Stop Flag	E19	each	1		
A.57	Install Bus Stop Flag Concrete Base	E19	each	1		
A	<u>MAIN STREET PAVEMENT REHABILITATION - NORTHBOUND LANES FROM MCADAM AVENUE TO THE KILDONAN PARK GOLF COURSE</u>				Subtotal:	

 Name of Bidder

FORM B(R2): PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B	<u>WATER AND WASTE WORK</u>					
	MAIN STREET - MANHOLE REPAIR (MH00011194)					
B.1	Patching Existing Manholes	CW 2130-R12	vert. m	2.1		
B.2	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	0.9		
	MAIN STREET - SEWER REPAIR (MA00012530)					
B.3	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
i)	300 mm					
a)	Class 3 Backfill		each	1		
B.4	Sewer Inspection (following repair)	CW 2145-R4				
i)	300 mm, CS		m	110		
B.5	Connecting Existing Sewer Service to New Sewer	CW 2130-R12				
i)	150 mm		each	1		
	MAIN STREET - MANHOLE REPAIR (MH00000824)					
B.6	Patching Existing Manholes	CW 2130-R12	vert. m	1.0		
	MAIN STREET - SEWER REPAIR (MA00000953)					
B.7	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
i)	450 mm					
a)	Class 3 Backfill		each	1		
B.8	Sewer Inspection (following repair)	CW 2145-R4				
i)	450 mm, CS		m	90		
B.9	Connecting Existing Sewer Service to New Sewer	CW 2130-R12				
i)	150 mm		each	1		

 Name of Bidder

FORM B(R2): PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
MAIN STREET - SEWER REPAIR (MA00017005)						
B.10	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
i)	450 mm					
a)	Class 3 Backfill		each	1		
B.11	Sewer Inspection (following repair)	CW 2145-R4				
i)	450 mm, CS		m	65		
B.12	Connecting Existing Sewer Service to New Sewer	CW 2130-R12				
i)	150 mm		each	1		
MAIN STREET - SEWER REPAIR (MA00001053)						
B.13	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
i)	300 mm					
a)	Class 3 Backfill		each	1		
B.14	Sewer Inspection (following repair)	CW 2145-R4				
i)	300 mm, CS		m	90		
B.15	Connecting to Existing Manhole	CW 2130-R12				
i)	300 mm Sewer		each	1		
MAIN STREET - MANHOLE REPAIR (MH00000915)						
B.16	Patching Existing Manholes	CW 2130-R12	vert. m	1.1		

 Name of Bidder

FORM B(R2): PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
MAIN STREET - SEWER REPAIR (MA00001057)						
B.17	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
i)	450 mm					
a)	Class 3 Backfill		each	3		
B.18	Sewer Repair - In Addition to First 3.0 Meters	CW 2130-R12				
i)	450 mm					
a)	Class 3 Backfill		m	1		
B.19	Sewer Inspection (following repair)	CW 2145-R4				
i)	450 mm, CS		m	90		
B.20	Connecting to Existing Manhole	CW 2130-R12				
i)	450 mm Sewer		each	1		
B.21	Connecting Existing Sewer Service to New Sewer	CW 2130-R12				
i)	150 mm		each	2		
MAIN STREET - SEWER REPAIR (MA00001084)						
B.22	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
i)	375mm					
a)	Class 3 Backfill		each	2		
B.23	Sewer Inspection (following repair)	CW 2145-R4				
i)	375 mm, CS		m	90		
B.24	Connecting to Existing Manhole	CW 2130-R12				
i)	375 mm Sewer		each	1		
B.25	Connecting Existing Sewer Service to New Sewer	CW 2130-R12				
i)	150 mm		each	1		

FORM B(R2): PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
MAIN STREET - MANHOLE INSTALLATION (MA00001084 & MA00017588)						
B.26	New Manhole on Existing Sewer	CW 2130-R12				
i)	SD-010					
a)	1200mm diameter base		vert. m	4.4		
B.27	Sewer Inspection (following repair)	CW 2145-R4				
i)	250 mm, CS		m	13		
MAIN STREET - SEWER REPAIR (MA00001089)						
B.28	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
i)	375mm					
a)	Class 3 Backfill		each	2		
B.29	Sewer Repair - In Addition to First 3.0 Meters	CW 2130-R12				
i)	375 mm					
a)	Class 3 Backfill		m	1		
B.30	Sewer Inspection (following repair)	CW 2145-R4				
i)	375 mm, CS		m	25		
B.31	Connecting Existing Sewer Service to New Sewer	CW 2130-R12				
i)	150 mm		each	2		
MAIN STREET - SEWER REPAIR (MA00017598)						
B.32	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
i)	300 mm					
a)	Class 3 Backfill		each	1		
B.33	Sewer Inspection (following repair)	CW 2145-R4				
i)	300 mm, CS		m	90		
B.34	Connecting to Existing Manhole	CW 2130-R12				
i)	300 mm Sewer		each	1		

 Name of Bidder

FORM B(R2): PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
MAIN STREET - SEWER REPAIR (MA00017596)						
B.35	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
i)	300 mm					
a)	Class 3 Backfill		each	2		
B.36	Sewer Repair - In Addition to First 3.0 Meters	CW 2130-R12				
i)	300 mm					
a)	Class 3 Backfill		m	1		
B.37	Sewer Inspection (following repair)	CW 2145-R4				
i)	300 mm, CS		m	90		
B.38	Connecting to Existing Manhole	CW 2130-R12				
i)	300 mm Sewer		each	1		
MAIN STREET - MANHOLE REPAIR (MH00001020)						
B.39	Remove & Replace Benching of Existing Manhole	E20	each	1		
MAIN STREET - SEWER REPAIR (MA00001081)						
B.40	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
i)	375mm					
a)	Class 3 Backfill		each	1		
B.41	Sewer Repair - In Addition to First 3.0 Meters	CW 2130-R12				
i)	375 mm					
a)	Class 3 Backfill		m	1		
B.42	Sewer Inspection (following repair)	CW 2145-R4				
i)	375 mm, CS		m	30		
B.43	Connecting to Existing Manhole	CW 2130-R12				
i)	375 mm Sewer		each	1		

 Name of Bidder

FORM B(R2): PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
MAIN STREET - MANHOLE REPAIR (MH00000678)						
B.44	Frames & Covers	CW 3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	1		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	1		
B.45	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	0.9		
B.46	Replacing Existing Flat Top Reducer	CW 2110-R11	each	1		
B	<u>WATER AND WASTE WORK</u>				Subtotal:	

 Name of Bidder

FORM B(R2): PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
SUMMARY						
A	<u>MAIN STREET PAVEMENT REHABILITATION - NORTHBOUND LANES FROM MCADAM AVENUE TO THE KILDONAN PARK GOLF COURSE</u>				Subtotal:	
B	<u>WATER AND WASTE WORK</u>				Subtotal:	
TOTAL BID PRICE (GST extra)			(in figures)		_____	

 Name of Bidder

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B13)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

TENDER NO. 690-2018 Addendum 2

2019 Regional Street Renewal Program – Northbound Main Street Rehabilitation – McAdam Ave to Kildonan Park Golf Course

as more fully set out in the Tender.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance and labour and material payment bonds, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____.

SIGNED AND SEALED
in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B13)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

TENDER NO. 690-2018 Addendum 2

2019 REGIONAL STREET RENEWAL PROGRAM – NORTHBOUND MAIN STREET REHABILITATION –
MCADAM AVE TO KILDONAN PARK GOLF COURSE

The Surety agrees to issue for the Principal:

1. a Performance Bond in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Tender; and
2. a Labour and Material Payment Bond in an amount equal to fifty percent (50%) of the Contract Price for the payment for all labour, service and material used or reasonably required for use in the performance of the Work shown and described in the Tender;

If our Principal's Bid is accepted by you, such Performance Bond and Labour and Material Payment Bond (the Bonds) to be maintained and continue in full force and effect until the expiration of the warranty period. The Bonds shall be in the form specified in the Tender.

It is a condition that this Agreement to Bond shall become null and void if the Bonds mentioned above are not required from our Principal within Seventy-Five (75) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____ .

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)