


## **GENERAL NOTES:**

- 1. CONTACTOR CLOSED WHEN TRANSFER SWITCH IS IN NORMAL MODE.
- 2. WIRE AND CONNECT POWER AND CONTROLS IN ACCORDANCE WITH MANUFACTURER RECOMMENDATIONS. REVIEW REQUIREMENTS ON SHOP DRAWING. CONTRACTOR IS TO VERIFY ALL CONNECTIONS WITH MANUFACTURER AND PROVIDE ALL REQUIRED EQUIPMENT, INCLUDING EQUIPMENT NOT SHOWN ON DRAWING.
- 3. ALL EQUIPMENT AND CABLING SHOWN ARE NEW AND SHALL BE PROVIDED BY THE CONTRACTOR.

## CONSTRUCTION NOTES:

- AS PER MANUFACTURER RECOMMENDATION, PROVIDE BELDEN 9841 SHIELDED PAIR CABLE OR EQUIVALENT.
- (2) CABLE TO BE RUN IN CONDUIT. REFER TO DWG. 1-0640B-E0008 FOR TRENCH DETAIL.
- PROVIDE 1P 15A SQUARE D BREAKER IN PNL-B21 (LAMACOID ON PANEL: HTG. PANEL)
  LOCATED IN COLLECTION BUILDING ELECTRICAL ROOM. PROVIDE BREAKER MOUNTING
  ACCESSORIES. PROVIDE 2C, 12AWG CABLING IN CONDUIT.



1-0640B-E0003

1-0640M-E0039

1-0640M-E0025


1-0640B-E0008

1-0640B-E0007

DRAWING NUMBER

Certificate of Authorization
SNC-Lavalin Inc.
No. 4489

					<b>4))</b>	SNC-LAVALIN INC. 148 Nature Park Way Winnipeg, MB, Canada R3P 0X7
					SNC+LAVALIN	204-786-8080
				-	DESIGNED BY: V. ELIMBAN	CHECKED BY: K. SAPIAK
					DRAWN BY: J. GRAGASIN	APPROVED BY: D. BECKER
			-		SCALE: NTS	ISSUED FOR CONSTRUCTION BY: A. WEISS
					DATE: 2019/06/19	DATE: 2019/10/18
00	ISSUED FOR TENDER AND CONSTRUCTION	2019/10/18	VE	KS	CONSULTANT NO.:	
NO.	REVISIONS	DATE	DESIGN	CHECK		



Winnipeg THE CITY OF WINNIPEG WATER AND WASTE DEPARTMENT

MCPHILLIPS PUMPING STATION

CONNECTION DIAGRAM LOAD BANK LDB-G767

CITY DRAWING NUMBER SHEET REV. SIZE 1-0640B-E0013 001 00 A1

40B-E0013-001-00