



132-2020 ADDENDUM 2

BLUE BIRD AND LISMORE PARK AND PLAYGROUND IMPROVEMENTS

URGENT

**PLEASE FORWARD THIS DOCUMENT TO
WHOEVER IS IN POSSESSION OF THE
TENDER**

ISSUED: April 17, 2020.
BY: Ian Macdonald
TELEPHONE NO. 204 451-3069

**THIS ADDENDUM SHALL BE INCORPORATED
INTO THE TENDER AND SHALL FORM A PART
OF THE CONTRACT DOCUMENTS**

Template Version: A20190115

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Tender, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 10 of Form A: Bid may render your Bid non-responsive.

PART E – SPECIFICATIONS

Revise: E23.2.1. to read:

E23.2.1 Topbeam

- (a) All topbeams shall be fabricated from min. **3.5" O.D.** one piece welded construction of galvanized steel tubing and 8 gauge galvanized steel plate or 6005-T5 aluminium alloy tube. All fabrication cuts, drill holes and weld joints shall be sprayed with a corrosion resistant coating.

NOTE: Pertains to minimum allowable size of swing topbeam.