



420-2020 ADDENDUM 2

ROOF REPLACEMENT - ST JOHNS LEISURE CENTER - 601 AIKINS

URGENT

**PLEASE FORWARD THIS DOCUMENT TO
WHOEVER IS IN POSSESSION OF THE
TENDER**

ISSUED: June 29, 2020
BY: David Firth
TELEPHONE NO. 204 451-4098

**THIS ADDENDUM SHALL BE INCORPORATED
INTO THE TENDER AND SHALL FORM A PART
OF THE CONTRACT DOCUMENTS**

Template Version: A20190115

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Tender, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 10 of Form A: Bid may render your Bid non-responsive.

PART B – BIDDING PROCEDURES

Revise: B2.1 to read: The Submission Deadline is 4:00 p.m. Winnipeg time, July 3, 2020

PART E – SPECIFICATIONS

Add: E1.5.26 **COVER BOARD**

This shall be 3/8" CGC Securock® Brand Gypsum-Fiber Roof Board or approved equal in accordance with B7. SHEETS OF SECUROCK MUST BE PRE-PRIMED TO ALLOW PRIMER TO DRY BEFORE INSTALLTION.

Revise: E2.48 to read: Fit drain sumps into layer of polyisocyanurate insulation and install cover board over entire roof. Adhere both using specified adhesive.