PART A

TENDER SUBMISSION

FORM A: TENDER (See B8)

1. Project Title FAIRFIELD PARK LOCAL IMPROVEMENT DISTRICT STORMWATER RETENTION BASIN EXCAVATION, OUTFALLS & ASSOCIATED WORKS

2.	Bidder	Name of Bidder					
		Street					
		City	Province	Postal Code			
	(Mailing address if different)	Street or P.O. Box					
		City	Province	Postal Code			
	(Choose one)	The Bidder is:					
		□ a sole proprietor					
		☐ a partnership					
		☐ a corporation					
		carrying on business	under the above name.				
3.	Contact Person	The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.					
		Contact Person	Title				
		Telephone Number	Facsimile Number				
4.	Definitions		used in the Contract shall h he General Conditions and D3				

	y of Winnipeg 0900-TS-C0001-00	Tender No. 579-2003 Tender Submission Page 2 of 10
5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.
6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		□ a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Tender Package in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Tender Submission.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
4.4	Time	This offer shall be even for eccentric birding and improve the f
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of forty-five (45) Calendar Days following the Submission Deadline.

12.	Signatures	In witness whereof the Bidder or the Bidder's authorized official or officials have signed this
		day of , 20
	Signed and sealed in the presence of:	Signature of Bidder or Bidder's Authorized Official or Officials
	(Witness)	(Print here name and official capacity of individual whose signature appears above)
	(Witness)	(Print here name and official capacity of individual whose signature appears above)

SEAL

FORM B: PRICES (See B9) FAIRFIELD PARK LOCAL IMPROVEMENT DISTRICT

STORMWATER RETENTION BASIN EXCAVATION,

OUTFALLS & ASSOCIATED WORKS

UNIT PRICES

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT	AMOUNT
NO.		REF.	_	QUANTITY	PRICE	
1.	Clearing and Grubbing	CW 3010-R4	Ha.	5.5		
2.	Excavation and Disposal of Earth	CW 3170-R3	Cu.m.	130,000		
3.	Supply and Install Land Drainage Sewer	CW 2130-R7				
	a) 300mm pipe C76-V, class 2		Lin.m	5.0		
	 backfill, 5-6 m deep. b) 375mm pipe C76-V, class 2 		Lin.m	5.0		
	backfill, 4-5 m deep c) 525mm pipe C76-V, class 2		Lin.m	5.0		
	backfill, 4-5 m deep					
4.	Supply and Install Land Drainage Sewer	CW 2130-R7				
	a) 750mm pipe C76-V, class 2 backfill, 4-5m deep.		Lin.m	10.0		
	 b) 750mm pipe C76-V, 4-5m deep in a cored hole. 		Lin.m	15.0		
5.	Supply and Install Land Drainage Sewer	CW 2130-R7				
	a) 900mm pipe C76-V, class 2		Lin.m	10.0		
	backfill, 6-7 m deep. b) 900mm pipe C76-V, class 4		Lin.m	25.0		
	backfill, 5-6 m deep.c) 900mm pipe C76-V, class 4 backfill, 6-7 m deep.		Lin.m	40.0		
6.	Supply and Install Land Drainage Sewer	CW 2130-R7				
	a) 1050mm pipe C76-V, class 2 backfill, 4-5m deep.		Lin.m	100.0		
	b) 1050mm pipe C76-V, 4-5m deep in a cored hole.		Lin.m	15.0		
7.	Supply and Install Land Drainage Sewer	CW 2130-R7				
	a) 1350mm pipe C76-V, class		Lin.m	5.0		
	2 backfill, 5-6m deep. b) 1350mm pipe C76-V, class		Lin.m	60.0		
	4 backfill, 5-6m deep. c) 1350mm pipe C76-V, 5-6m		Lin.m	15.0		
	deep in a cored hole.					

FORM B: PRICES (See B9) FAIRFIELD PARK LOCAL IMPROVEMENT DISTRICT

STORMWATER RETENTION BASIN EXCAVATION,

OUTFALLS & ASSOCIATED WORKS

UNIT PRICES

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT	AMOUNT
NO.		REF.		QUANTITY	PRICE	
8.	Supply and Install Land	CW 2130-R7				
	Drainage Sewer					
	a) 1500mm pipe C76-V, class		Lin.m	3.0		
	2 backfill, 5-6m deep.					
	b) 1350mm pipe C76-V, class		Lin.m	55.0		
	4 backfill, 5-6m deep.					
9.	Manholes	CW 2130-R7				
	a) 1500mm base		Each	4		
	b) 2100mm base		Each	1		
	c) 2400mm base d) Frame and Cover		Each	1		
	d) Frame and Covere) Inlet Grate Structure		Each each	4 2		
10.	Riser	CW 2130-R7	each	2		
10.	a) 1200mm	000 2130-107	Vt.m	17.0		
	b) 1500mm		Vt.m	4.0		
11.	Catch Basins (SD-025)	CW 2130-R7	Each	4		
	, ,					
12.	Catch Basin Leads	CW 2130-R7	Linm	5.0		
	a) 250mm CB Lead Class 2 Backfill		Lin.m	5.0		
	b) 250mm Lead in a Cored		Lin.m	15.0		
	hole			10.0		
	c) 250mm vertical Riser		Vt.m	6.0		
	d) Connect to Existing		each	2.0		
	1050mm LDS					
	e) 250 plugs on risers		each	2		
13.	LDS Plugs	CW 2130-R7				
	a) 300		Each	1		
	b) 375		Each	1		
	c) 525		Each	1		
	d) 1050		each	1		
14.	Outfalls	CW 2130-R7				
	a) 1350mm CSP		Lin.m	20.0		
	b) 1500mm CSP		Lin.m	20.0		
4-	c) 1650mm CSP		Lin.m	20.0		
15.	Concrete Collar	CW 2130-R7	Each	3.0		
16.	450mm CSP Culvert	CW 2130-R7	Lin.m	15.0		
17.	Lower Existing 900mm CSP on	CW 2130-R7	Lin.m	1.0		
	lee Boulevard approximately					
4.6	150m West of Raphael street.			1.0		
18.	Abandon 1200mm CSP under	CW 2130-R7	Lin.m	1.0		
10	Lee	000 0400 07	Fach	2.0		
19.	Abandon Existing Manholes	CW 2130-R7	Each	2.0		

FORM B: PRICES (See B9) FAIRFIELD PARK LOCAL IMPROVEMENT DISTRICT

STORMWATER RETENTION BASIN EXCAVATION,

OUTFALLS & ASSOCIATED WORKS

UNIT PRICES

DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Abandon & Plug 250mm LDS East of Control Structures	CW 2130-R7	Each	1.0		
Abandon & Plug 600mm LDS on Raphael Street at Fairfield Avenue	CW 2130-R7	Each	1.0		
Abandon Existing Culverts	CW 2130-R7	Lin.m	4.0		
Regrade Existing Ditch	Section E17	Lin.m	270.0		
Control Structure	Section E4	Each	1.0		
Revetment	CW 2165	Sq.m.	3650.0		
Random Stone Riprap	CW 3615-R2	Cu.m.	75.0		
Vehicle Access to the Lake a) Turfstone b) Equipment Maintenance Pads	Section E12	Sq.m. Sq.m.	500.0 120.0		
			I	I 	
	Abandon & Plug 250mm LDS East of Control Structures Abandon & Plug 600mm LDS on Raphael Street at Fairfield Avenue Abandon Existing Culverts Regrade Existing Ditch Control Structure Revetment Random Stone Riprap Vehicle Access to the Lake a) Turfstone b) Equipment Maintenance Pads	REF.Abandon & Plug 250mm LDS East of Control Structures Abandon & Plug 600mm LDS on Raphael Street at Fairfield Avenue Abandon Existing CulvertsCW 2130-R7 CW 2130-R7Regrade Existing CulvertsCW 2130-R7Regrade Existing DitchSection E17 Section E17Control StructureSection E4 CW 2165Random Stone RiprapCW 3615-R2Vehicle Access to the Lake a) Turfstone b) Equipment Maintenance PadsSection E12L BID PRICE (GST extra) (in figures) \$	REF.Abandon & Plug 250mm LDS East of Control Structures Abandon & Plug 600mm LDS on Raphael Street at Fairfield Avenue Abandon Existing CulvertsCW 2130-R7EachRegrade Existing CulvertsCW 2130-R7Lin.mRegrade Existing DitchSection E17Lin.mControl StructureSection E4EachRevetmentCW 2165Sq.m.Random Stone RiprapCW 3615-R2Cu.m.Vehicle Access to the Lake a) Turfstone b) Equipment Maintenance PadsSection E12Sq.m.	REF.QUANTITYAbandon & Plug 250mm LDS East of Control Structures Abandon & Plug 600mm LDS on Raphael Street at Fairfield Avenue Abandon Existing CulvertsCW 2130-R7Each1.0CW 2130-R7Each1.0CW 2130-R7Each1.0Regrade Existing Ditch Control StructureSection E17Lin.m4.0Revetment Random Stone RiprapCW 2165Sq.m.3650.0Vehicle Access to the Lake a) Turfstone b) Equipment Maintenance PadsSection E12Sq.m.500.0 Sq.m.LBID PRICE (GST extra) (in figures) \$	REF.QUANTITYPRICEAbandon & Plug 250mm LDS East of Control Structures Abandon & Plug 600mm LDS on Raphael Street at Fairfield Avenue Abandon Existing CulvertsCW 2130-R7Each1.0CW 2130-R7Each1.0CW 2130-R7Each1.0Regrade Existing DitchSection E17Lin.m4.0Control StructureSection E4Each1.0RevetmentCW 2165Sq.m.3650.0Random Stone RiprapCW 3615-R2Cu.m.75.0Vehicle Access to the Lake a) Turfstone b) Equipment Maintenance PadsSection E12Sq.m.500.0 120.0L BID PRICE (GST extra) (in figures) \$

Name of Bidder

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Tender Submission hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee dated the

_____ day of _____ , 20_____ for

TENDER NO. 579-2003

FAIRFIELD PARK LOCAL IMPROVEMENT DISTRICT STORMWATER RETENTION BASIN EXCAVATION, OUTFALLS & ASSOCIATED WORKS

As more fully set out in the Tender Package.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____ , 20_____ .

SIGNED AND SEALED In the presence of:	(Name of Principal)	
(Witness)	Per:	(Seal)
、 <i>、</i> /	Per:	
	(Name of Surety)	
	By: (Attorney-in-Fact)	(Seal)

_____ of

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on ______, 20_____ , 20_____ for

TENDER NO. 579-2003

FAIRFIELD PARK LOCAL IMPROVEMENT DISTRICT STORMWATER RETENTION BASIN EXCAVATION OUTFALLS & ASSOCIATED WORKS

In an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Tender Package, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Tender Package.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within forty-five (45) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this ______ day of ______, 20_____, 20_____.

By:

(Name of Surety)

_____ (Seal)

(Attorney -in-Fact)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING

(BID SECURITY) (Page 1 of 2) (See B11)

(Date)

The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1

RE: BID SECURITY - TENDER NO. 579-2003

FAIRFIELD PARK LOCAL IMPROVEMENT DISTRICT STORMWATER RETENTION BASIN EXCAVATION, OUTFALLS AND ASSOCIATED WORKS

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

_ Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING

(BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on February 22, 2004.

If our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Tender Package, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Tender Package.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)

Per:

(Authorized Signing Officer)

Per:

(Authorized Signing Officer)