PART A TENDER SUBMISSION

FORM A: TENDER (See B8)

1.	Project Title		NG AND INSPECTION FOR R FO BE REHABILITATED IN 200	
2.	Bidder	Name of Bidder		
		Street		
		City	Province	Postal Code
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor a partnership a corporation carrying on business ur	der the above name.	
3.	Contact Person	The Bidder hereby authe Bidder for purposes	horizes the following contact pof the Bid.	person to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions		used in the Contract shall he General Conditions unless the	
5.	Offer		ers to perform the Work in a Bid Price, in Canadian funds, s o.	

6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Tender Package in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Tender Submission.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

The City of Winnipeg

(Witness)

SEAL

(Print here name and official capacity of individual whose signature appears above)

FORM B: PRICES

(See B9)

CITY OF WINNIPEG PUBLIC WORKS DEPARTMENT

2004 SEWER CLEANING AND INSPECTION -STREETS TO BE REHABILITATED IN 2004 Tender No. 601-2004

A MISCELLANEOUS SEWERS ON STREETS TO BE REHABILITATED IN 2004 A1 Sewer Cleaning a) Combined Sewers i) 200 mm iii) 300 mm iii) 300 mm iii) 300 mm iv) 350 mm iv) 350 mm lm 224.8 v) 375 mm lm 1326.6 vi) 400 mm lm 581.6 viii) 750 mm lm 493.2 ix) 1050 mm lm 99.4 b) Land Drainage Sewers i) 600 mm (Catchbasin leads) ii) 300 mm lm 577.6 iii) 375 mm lm 380.4 iv) 450 mm lm 785.1 v) 525 mm lm 650.3 vii) 750 mm lm 650.3 vii) 750 mm lm 650.3 vii) 900 mm lm 67.7 ix) 1050 mm lm 167.7 ix) 1050 mm lm 3721.2 ii) 250 mm lm 375 mn lm 3721.2 iii) 250 mm lm 1961.0 iiii) 300 mm lm 1964.0 iiii) 300 mm lm 1965.9 v) 450 mm lm 365.9 v) 450 mm lm 365.9 v) 450 mm lm 365.9 v) 450 mm lm 848.9 vi) 525 mm lm 848.9	
a) Combined Sewers i) 200 mm ii) 250 mm iii) 300 mm lm 854.9 iii) 300 mm lm 3554.3 iv) 350 mm lm 1326.6 vi) 400 mm lm 97.8 vii) 450 mm lm 493.2 ix) 1050 mm lm 99.4 b) Land Drainage Sewers i) 600 mm (Catchbasin leads) ii) 375 mm lm 380.4 iv) 450 mm lm 77.6 iii) 375 mm lm 380.4 iv) 450 mm lm 650.3 vi) 600 mm lm 650.3 vi) 600 mm lm 650.3 vii) 750 mm lm 650.3 vii) 750 mm lm 67.7 ix) 1050 mm lm 79.6 c) Wastewater Sewers i) 200 mm lm 1961.0 iii) 300 mm lm 1354.1 iv) 375 mm lm 385.9 v) 450 mm lm 1354.1 lm 365.9 v) 450 mm	
ii) 200 mm iii) 250 mm iii) 300 mm iii) 300 mm iii) 3554.3 iv) 350 mm lm 224.8 v) 375 mm lm 1326.6 vi) 400 mm vii) 450 mm lm 581.6 viii) 750 mm lm 493.2 ix) 1050 mm lm 99.4 b) Land Drainage Sewers i) 600 mm (Catchbasin leads) ii) 300 mm lm 517.6 iii) 375 mm lm 380.4 iv) 450 mm lm 785.1 v) 525 mm lm 650.3 vi) 600 mm lm 650.3 vi) 750 mm lm 650.3 vii) 750 mm lm 650.3 vii) 750 mm lm 67.7 ix) 1050 mm lm 167.7 ix) 1050 mm lm 3721.2 ii) 250 mm lm 1354.1 iv) 375 mm lm 1365.9 v) 450 mm lm 365.9 lm 365.9 lm 365.9	
ii) 250 mm Im 854.9 iii) 300 mm Im 3554.3 iv) 350 mm Im 224.8 v) 375 mm Im 1326.6 vi) 400 mm Im 97.8 vii) 450 mm Im 581.6 viii) 750 mm Im 493.2 ix) 1050 mm Im 99.4 b) Land Drainage Sewers Im 99.4 i) 600 mm (Catchbasin leads) Im 77.6 ii) 300 mm Im 517.6 iii) 375 mm Im 380.4 iv) 450 mm Im 785.1 v) 525 mm Im 539.3 vii) 750 mm Im 650.3 viii) 900 mm Im 167.7 ix) 1050 mm Im 79.6 c) Wastewater Sewers Im 1961.0 ii) 250 mm Im 1354.1 iv) 375 mm Im 365.9 v) 450 mm Im 848.9	
III	
iv) 350 mm v) 375 mm v) 375 mm lm 1326.6 vi) 400 mm lm 97.8 vii) 450 mm lm 493.2 ix) 1050 mm lm 99.4 b) Land Drainage Sewers i) 600 mm (Catchbasin leads) ii) 375 mm lm 380.4 iv) 450 mm lm 77.6 iii) 375 mm lm 380.4 iv) 450 mm lm 650.3 vi) 600 mm lm 650.3 vii) 750 mm lm 892.3 viii) 900 mm lm 167.7 ix) 1050 mm lm 79.6 c) Wastewater Sewers i) 200 mm lm 1961.0 iii) 300 mm lm 3721.2 ii) 250 mm lm 1354.1 iv) 375 mm lm 365.9 v) 450 mm	
v) 375 mm Im 1326.6 vi) 400 mm Im 97.8 vii) 450 mm Im 581.6 viii) 750 mm Im 493.2 ix) 1050 mm Im 99.4 b) Land Drainage Sewers Im 77.6 ii) 300 mm (Catchbasin leads) Im 517.6 iii) 375 mm Im 380.4 iv) 450 mm Im 785.1 v) 525 mm Im 539.3 vi) 600 mm Im 650.3 viii) 750 mm Im 892.3 viiii) 900 mm Im 167.7 ix) 1050 mm Im 79.6 c) Wastewater Sewers Im 1961.0 ii) 250 mm Im 1354.1 iv) 375 mm Im 365.9 v) 450 mm Im 848.9	
vi) 400 mm Im 97.8 vii) 450 mm Im 581.6 viii) 750 mm Im 493.2 ix) 1050 mm Im 99.4 b) Land Drainage Sewers Im 99.4 i) 600 mm (Catchbasin leads) Im 517.6 ii) 300 mm Im 517.6 iii) 375 mm Im 380.4 iv) 450 mm Im 785.1 v) 525 mm Im 539.3 vi) 600 mm Im 650.3 vii) 750 mm Im 892.3 viii) 900 mm Im 167.7 ix) 1050 mm Im 79.6 c) Wastewater Sewers Im 1961.0 ii) 250 mm Im 1354.1 iv) 375 mm Im 365.9 v) 450 mm Im 848.9	
vii) 450 mm Im 581.6 viii) 750 mm Im 493.2 ix) 1050 mm Im 99.4 b) Land Drainage Sewers Im 77.6 i) 600 mm (Catchbasin leads) Im 517.6 ii) 300 mm Im 517.6 iii) 375 mm Im 380.4 iv) 450 mm Im 785.1 v) 525 mm Im 539.3 vi) 600 mm Im 650.3 vii) 750 mm Im 892.3 viii) 900 mm Im 167.7 ix) 1050 mm Im 79.6 c) Wastewater Sewers Im 3721.2 ii) 250 mm Im 1961.0 iii) 300 mm Im 1354.1 iv) 375 mm Im 848.9	
viii) 750 mm Im 493.2 ix) 1050 mm Im 99.4 b) Land Drainage Sewers Im 99.4 i) 600 mm (Catchbasin leads) Im 77.6 ii) 300 mm Im 517.6 iii) 375 mm Im 380.4 iv) 450 mm Im 785.1 v) 525 mm Im 539.3 vi) 600 mm Im 650.3 vii) 750 mm Im 892.3 viii) 900 mm Im 167.7 ix) 1050 mm Im 79.6 c) Wastewater Sewers Im 3721.2 ii) 250 mm Im 1961.0 iii) 300 mm Im 1354.1 iv) 375 mm Im 848.9	
ix) 1050 mm b) Land Drainage Sewers i) 600 mm (Catchbasin leads) ii) 300 mm lm 517.6 iii) 375 mm lm 380.4 iv) 450 mm lm 539.3 vi) 600 mm lm 650.3 vii) 750 mm lm 892.3 viii) 900 mm lm 167.7 ix) 1050 mm lm 79.6 c) Wastewater Sewers i) 200 mm lm 1961.0 iii) 300 mm lm 1354.1 iv) 375 mm lm 365.9 v) 450 mm	
b) Land Drainage Sewers i) 600 mm (Catchbasin leads) ii) 300 mm lm 517.6 iii) 375 mm lm 380.4 iv) 450 mm lm 785.1 v) 525 mm lm 650.3 vi) 600 mm lm 650.3 vii) 750 mm lm 892.3 viii) 900 mm lm 167.7 ix) 1050 mm lm 79.6 c) Wastewater Sewers i) 200 mm lm 3721.2 ii) 250 mm lm 1961.0 iii) 300 mm lm 1354.1 iv) 375 mm lm 365.9 v) 450 mm	
i) 600 mm (Catchbasin leads) ii) 300 mm iii) 375 mm im 517.6 iii) 375 mm lm 380.4 iv) 450 mm lm 539.3 vi) 600 mm lm 650.3 vii) 750 mm lm 892.3 viii) 900 mm lm 167.7 ix) 1050 mm lm 79.6 c) Wastewater Sewers i) 200 mm iii) 300 mm lm 1961.0 iii) 375 mm lm 365.9 v) 450 mm	
ii) 300 mm Im 517.6 iii) 375 mm Im 380.4 iv) 450 mm Im 785.1 v) 525 mm Im 539.3 vi) 600 mm Im 650.3 vii) 750 mm Im 892.3 viii) 900 mm Im 167.7 ix) 1050 mm Im 79.6 c) Wastewater Sewers Im 3721.2 ii) 250 mm Im 1961.0 iii) 300 mm Im 1354.1 iv) 375 mm Im 365.9 v) 450 mm Im 848.9	
iii) 375 mm Im 380.4 iv) 450 mm Im 785.1 v) 525 mm Im 539.3 vi) 600 mm Im 650.3 vii) 750 mm Im 892.3 viii) 900 mm Im 167.7 ix) 1050 mm Im 79.6 c) Wastewater Sewers Im 3721.2 ii) 250 mm Im 1961.0 iii) 300 mm Im 1354.1 iv) 375 mm Im 365.9 v) 450 mm Im 848.9	
iv) 450 mm Im 785.1 v) 525 mm Im 539.3 vi) 600 mm Im 650.3 vii) 750 mm Im 892.3 viii) 900 mm Im 167.7 ix) 1050 mm Im 79.6 c) Wastewater Sewers Im 3721.2 ii) 250 mm Im 1961.0 iii) 300 mm Im 1354.1 iv) 375 mm Im 365.9 v) 450 mm Im 848.9	
v) 525 mm Im 539.3 vi) 600 mm Im 650.3 vii) 750 mm Im 892.3 viii) 900 mm Im 167.7 ix) 1050 mm Im 79.6 c) Wastewater Sewers Im 3721.2 ii) 250 mm Im 1961.0 iii) 300 mm Im 1354.1 iv) 375 mm Im 365.9 v) 450 mm Im 848.9	
vi) 600 mm Im 650.3 vii) 750 mm Im 892.3 viii) 900 mm Im 167.7 ix) 1050 mm Im 79.6 c) Wastewater Sewers Im 3721.2 ii) 250 mm Im 1961.0 iii) 300 mm Im 1354.1 iv) 375 mm Im 365.9 v) 450 mm Im 848.9	
vii) 750 mm Im 892.3 viii) 900 mm Im 167.7 ix) 1050 mm Im 79.6 c) Wastewater Sewers Im 3721.2 ii) 250 mm Im 1961.0 iii) 300 mm Im 1354.1 iv) 375 mm Im 365.9 v) 450 mm Im 848.9	
viii) 900 mm Im 167.7 ix) 1050 mm Im 79.6 c) Wastewater Sewers Im 3721.2 ii) 250 mm Im 1961.0 iii) 300 mm Im 1354.1 iv) 375 mm Im 365.9 v) 450 mm Im 848.9	
ix) 1050 mm c) Wastewater Sewers i) 200 mm ii) 250 mm lm 3721.2 ii) 250 mm lm 1961.0 iii) 300 mm lm 1354.1 iv) 375 mm lm 365.9 v) 450 mm	
c) Wastewater Sewers i) 200 mm lm 3721.2 ii) 250 mm lm 1961.0 iii) 300 mm lm 1354.1 iv) 375 mm lm 365.9 v) 450 mm	
i) 200 mm	
ii) 250 mm iii) 300 mm iv) 375 mm v) 450 mm lm 1961.0 lm 1354.1 lm 365.9 lm 848.9	
iii) 300 mm iv) 375 mm v) 450 mm lm 1354.1 lm 365.9 lm 848.9	
iv) 375 mm v) 450 mm Im 365.9 Im 848.9	
v) 450 mm lm 848.9	
VI) 525 IIIII	
vii) 600 mm Im 867.8	
VII) 600 IIIII	
A2 Reverse Set-Up Cleaning CW 2140 each 5	
A3 Catch Basin Cleaning CW 2140 each 375	
A4 Solid Debris Cutting – First 3 Metres CW 2140 each 15	
A5 Additional Solid Debris Cutting CW 2140 Im 60.0	
A6 Removal of Intruding Services CW 2140	
a) 100 mm each 7	
b) 150 mm each 7	
c) 200 mm each 6	
d) 250 mm each 6	

FORM B: PRICES (See B9)

CITY OF WINNIPEG PUBLIC WORKS DEPARTMENT

2004 SEWER CLEANING AND INSPECTION -STREETS TO BE REHABILITATED IN 2004 Tender No. 601-2004

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A7	Sewer Inspection	CW 2145				
	a) Combined Sewers					
	i) 200 mm		lm	98.4		
	ii) 250 mm		lm	854.9		
	iii) 300 mm		lm	3554.3		
	iv) 350 mm		lm	224.8		
	v) 375 mm		lm	1326.6		
	vi) 400 mm		lm	97.8		
	vii) 450 mm		lm	581.6		
	viii) 750 mm		lm	493.2		
	ix) 1050 mm		lm	99.4		
	b) Land Drainage Sewers			331.		
	i) 150 mm (Catchbasin leads)		lm	1496.1		
	ii) 200 mm (Catchbasin leads)		lm	591.2		
	iii) 250 mm (Catchbasin leads)		lm	1034.2		
	iv) 300 mm (Catchbasin leads)		lm	940.2		
	v) 375 mm (Catchbasin leads)		lm	365.0		
	vi) 600 mm (Catchbasin leads)		lm	77.6		
	vii) 300 mm		lm	517.6		
	viii) 375 mm		lm	380.4		
	ix) 450 mm		lm	785.1		
	x) 525 mm		lm	539.3		
	xi) 600 mm		lm	650.3		
	xii) 750 mm		lm	892.3		
	xiii) 900 mm		lm	167.7		
	xiv) 1050 mm		lm	79.6		
	c) Wastewater Sewers			70.0		
	i) 200 mm		lm	3721.2		
	ii) 250 mm		lm	1961.0		
	iii) 300 mm		lm	1354.1		
	iv) 375 mm		lm	365.9		
	v) 450 mm		lm	848.9		
	vi) 525 mm		lm	250.9		
	vii) 600 mm		lm	867.8		
	VII) 000 IIIIII		1111	007.0		
48	Manhole Inspection	CW 2145	each	331		
49	Reverse Set-Up Inspection	CW 2145	each	60		

FORM B: PRICES

(See B9)

CITY OF WINNIPEG PUBLIC WORKS DEPARTMENT

2004 SEWER CLEANING AND INSPECTION -STREETS TO BE REHABILITATED IN 2004 Tender No. 601-2004

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	SUMMARY SUBTOTAL PART A - MISCELLANEOUS STREETS TO BE	E REHABILI	TATEI) IN 2004	SUBTOTAL	
тот	AL BID PRICE (GST and PST extra) (in figures)					\$
(in v	vords)					
				-	Name of Bidder	

FORM G1: BID BOND AND AGREEMENT TO BOND (Page 1 of 2)

(See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS	THAT	
(hereinafter called the "Principal") and		
called the "Obligee") in the sum of tell Submission hereinafter described, for the	d and firmly bound unto THE CITY OF WII n percent (10%) of the Total Bid Price set payment of which sum the Principal and Sure successors and assigns, jointly and several	out in the Tender ety bind themselves,
WHEREAS the Principal has submitted a	Bid to the Obligee dated the	
day of	, 20 for	
TENDER NO. 601-2003		
2004 SEWER CLEANING AND INSPECTION	ON FOR RESIDENTIAL AND REGIONAL STRE	EETS TO BE
as more fully set out in the Tender Packag	e.	
if said Bid is accepted and the Principal, in the said Obligee and furnishes the require	obligation is such that if the Bid of the Principa n accordance with the terms of the Bid, enters red performance security for guaranteeing the d, but otherwise shall remain in full force and eff	into a Contract with faithful performance
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the	
day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
	Per:	(Seal)
(Witness)	Per:	
	(Name of Surety)	
	By:(Attorney-in-Fact)	(Seal)

FORM G1: BID BOND AND AGREEMENT TO BOND

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby unbecome bound as Surety for the Principal,	ndertakes and agrees with THE CITY OF	WINNIPEG to
		of
(Name of Bidder)		
(Place)		
the Bidder to you on	, 20 for	
TENDER NO. 601-2003		
2004 SEWER CLEANING AND INSPECTION FOR REHABILITATED IN 2004	RESIDENTIAL AND REGIONAL STREETS	TO BE
in an amount equal to fifty percent (50%) of the Work shown and described in the Tender Pace Performance Bond to be maintained and continue period. The Performance Bond shall be in the form It is a condition that this Agreement to Bond mentioned above is not required from our Pr Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED	ckage, if our Principal's Bid is accepted in full force and effect until the expiration of specified in the Tender Package. I shall become null and void if the Performing within sixty (60) Calendar Days	by you, such of the warranty ormance Bond following the
nothing of any kind or matter whatsoever that will or release of liability of the Surety, any law or unotwithstanding.	not discharge the Principal shall operate a	s a discharge
SIGNED AND SEALED this day of	, 20	·
7)	Name of Surety)	
В	By:(Attorney-in-Fact)	_ (Seal)
	(milothoy-iii-i aci)	

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2)

(See B11)

(Date)
The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1
RE: BID SECURITY - TENDER NO. 601-2003
2004 SEWER CLEANING AND INSPECTION FOR RESIDENTIAL AND REGIONAL STREETS TO BE REHABILITATED IN 2004
Pursuant to the request of and for the account of our customer,
(Name of Bidder)
WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate
Canadian dollars.
This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standb Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.
The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upo it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it b made.
Partial drawings are permitted.
We engage with you that all demands for payment made within the terms and currency of this Standb Letter of Credit will be duly honoured if presented to us at:
(Address)
and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2)

(See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on February 17, 2004.

If our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Tender Package, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Tender Package. This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)		
Per:		
	(Authorized Signing Officer)	
Per:		
	(Authorized Signing Officer)	