# PART A BID SUBMISSION

#### FORM A: BID (See B7)

١.	Project Title	PROVINCE OF MANITOBA/CITY OF WINNIPEG, 2004 RESIDENTIAL
		STREET RENEWAL PROGRAM, PART 1 - ASHBURN STREET
		SPRUCE STREET AND VARIOUS OTHER LOCATIONS, PART 2 -
		FURBY STREET, PART 3 - COMBINED SEWER RENEWAL -
		ASHRURN STREET

		FURBY STREET, PART : ASHBURN STREET	3 – COMBINED SEWER	RENEWAL –		
2.	Bidder	Name of Bidder				
		Street				
		City	Province	Postal Code		
	(Mailing address if different)	Street or P.O. Box				
		City	Province	Postal Code		
		The Bidder is:				
	(Choose one)	a sole proprietor				
		a partnership				
		a corporation				
		carrying on business under the	ne above name.			
3.	Contact Person	The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.				
		Contact Person	Title			
		Telephone Number	Facsimile Number			
4.	Definitions	All capitalized terms used ascribed to them in the General requires.				
5.	Offer	The Bidder hereby offers to Contract for the Total Bid Pr Prices, appended hereto.				

6.	Bid Security	In accordance with B10.1, the Bidder encloses bid security in the form of:				
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)				
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)				
		a certified cheque or draft				
		and agrees that it shall be held by the City in accordance with the Contract.				
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4.				
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.				
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission.				
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:				
		No Dated				
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.				

12.	Signatures	In witness whereof the Bidder or the Bidder's authorized official of officials have signed this					
		day of , 20					
	Signed and sealed in the presence of:	Signature of Bidder or Bidder's Authorized Official or Officials					
	(Witness)	(Print here name and official capacity of individual whose signature appears above					
	(Witness)						
		(Print here name and official capacity of individual whose signature appears above					

SEAL

(SEE B:8)

JNIT PRI ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 1	- CITY OF WINNIPEG, PUBLIC WORKS DEP	ARTMENT - FU	NDED W	ORK (SECTIO	NS A, B, C AND	D)
PART 1 A	Pavement Reconstruction: Ashburn Street	- Ellico Avenue	to St. N	latthows Avon	110	
	ravement Reconstruction. Ashbum Street	- Ellice Avenue	; 10 St. IV	lattilews Aveil	ue	
A.1 i)	Pavement Removal Concrete Pavement	CW 3110-R7	m²	2700		
A.2	Excavation	CW 3110-R7	m³	1500		
A.3	Sub-Grade Compaction	CW 3110-R7	m²	3000		
A.4	Installation of Subdrains	CW 3120-R1	m	100		
A.5	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m²	3000		
A.6 i)	Crushed Sub-base Material 50mm - Limestone	CW 3110-R7	tonne	2100		
A.7	Supplying and Placing Base Course Material	CW 3110-R7	m³	260		
A.8 i)	Miscellaneous Concrete Slab Renewal Sidewalk a) Less than or equal to 5 sq.m.	CW 3235-R4 SD-228A	m²	35		
	b) Greater than 5 and less than 20 sq.m. c) Greater than 20 sq.m.		m² m²	70 380		
A.9	100mm Concrete Sidewalk	CW 3325-R2	m²	20		
A.10	Regrading Existing Interlocking Paving Stones	CW 3330-R3	m²	10		
A.11	Concrete Curb Renewal Barrier (150mm Ht, Separate)	CW 3240-R4 SD-203A				
1)	a) 3m and Less	3D-203A	m	10		
A.12	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R8				
i)	Construction of Barrier Curb (180mm ht, Dowelled) Slip Form Paving	SD-205	m	665		
ii)	Construction of Ramp Curb (15mm ht, Integral)	SD-229E	m	30		
iii)	Construction of Modified Barrier Curb (150mm ht, Integral)	SD-203B	m	10		
A.13	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R8	m-2	0.570		
i)	Construction of 150mm Concrete Pavement (Reinforced)		m²	2570		

(SEE B:8)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 1 A	Pavement Reconstruction: Ashburn Street	- Ellice Avenue	e to St. N		ue	
A.14	Installation of Cast Iron Lifter Ring Inserts 51mm	CW 3210-R5	each	3		
A.15	Installation of Precast Concrete Ring Sections	CW 3210-R5	vert. m	1.5		
A.16	Removal of Existing Catchbasins	CW 2130-R8	each	4		
A.17	Abandonment of Existing Drainage Inlets	CW 3210-R5	each	5		
A.18	Adjustment of Existing Catchbasins/ Manholes	CW 3210-R5	each	3		
A.19 i)	Catchbasin SD-024	CW 2130-R8	each	2		
A.20 i)	Sewer Service 250mm PVC SDR-35 a) in a Trench, Class B Sand Bedding, Class 3 Backfill	CW 2130-R8	m	10		
	Replacing Existing Manhole Frames and Covers AP-004 - Manhole Frame AP-005 - Manhole Cover (Solid)	CW 2130-R8	each each	1 1		
A.22	Connecting new Sewer Service to Existing Sewer Service 250mm PVC SDR-35	CW 2130-R8	each	2		
A.23	Adjustment of Existing Watermain Valve Boxes	CW 3210-R5	each	3		
A.24	Adjustment of Existing Curb Stop Boxes	CW 3210-R5	each	10		
A.25	Supply of Curb Stop Box Extendible Sections	CW 3210-R5	each	5		
A.26	Grading of Boulevards	CW 3110-R7	m²	2200		
A.27 i) ii)		CW 3510-R7	m² m²	100 2100		
A.28	Construction of Asphalt Patches	CW 3410-R5	m²	5		
PART 1 A	Pavement Reconstruction: Ashburn Street Avenue	- Ellice Avenue	to St. M	latthews	Sub-Total:	<u> </u>

(SEE B:8)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 1		KEF.		QUANTITY		
В	Pavement Reconstruction: Spruce Street -	St. Matthews A	venue to	o Wolever Ave	nue	
D.4	D	OM 0440 D7				
B.1	Pavement Removal Concrete Pavement	CW 3110-R7	m²	3200		
''	Consider avenient			0200		
B.2	Excavation	CW 3110-R7	m³	1900		
B.3	Sub-Grade Compaction	CW 3110-R7	m²	3550		
B.4	Installation of Subdrains	CW 3120-R1	m	100		
B.5	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m²	3550		
B.6 i)	Crushed Sub-base Material 50mm - Limestone	CW 3110-R7	tonne	2500		
B.7	Supplying and Placing Base Course Material	CW 3110-R7	m³	300		
B.8 i)	Miscellaneous Concrete Slab Renewal Sidewalk a) Greater than 20 sq.m.	CW 3235-R4 SD-228A	m²	700		
B.9	100mm Concrete Sidewalk	CW 3325-R2	m²	15		
B.10	Regrading Existing Interlocking Paving Stones	CW 3330-R3	m²	10		
B.11	Adjustment of Precast Sidewalk Blocks	CW 3235-R4	m²	20		
B.12	Supply of Precast Sidewalk Blocks	CW 3235-R4	m²	5		
B.13	Concrete Curb Renewal	CW 3240-R4				
i)	Barrier (150mm ht, Separate)	SD-203A	m	10		
ii)	a) 3m and Less Ramp Curb (15mm ht, Integral)	SD-229A	m m	10		
B.14	Concrete Curb Removal	CW 3240-R4				
	Barrier (Separate)	011 02 10 111	m	10		
B.15	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R8				
i)	Construction of Barrier Curb (180mm ht, Dowelled) Slip Form Paving	SD-205	m	770		
ii)	Construction of Mountable Curb (40mm ht, Integral)	SD-201	m	10		
iii)	Construction of Modified Barrier Curb	SD-203B	m	20		
iv)	(150mm ht, Integral) Construction of Ramp Curb (15mm ht, (Integral)	SD-229E	m	40		

(SEE B:8)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 1						
В	Pavement Reconstruction: Spruce Street -	St. Matthews A	venue to	o Wolever Ave	nue	
B.16	Planing of Pavement 0 - 50mm Depth (Asphalt)	CW 3450-R3	m²	80		
B.17	Drilled Dowels 19.1mm Diameter	CW 3230-R4	each	40		
B.18	Drilled Tie Bars 20 M Deformed Tie Bar	CW 3230-R4	each	40		
B.19	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians Construction of 150mm Concrete Pavement (Reinforced)	CW 3310-R8	m²	3065		
B.20 i)	Concrete Pavements for Early Opening Construction of 150mm Concrete Pavement for Early Opening 72 hr. (Reinforced)	CW 3310-R8	m²	105		
B.21	Installation of Cast Iron Lifter Ring Inserts 51mm	CW 3210-R5	each	7		
B.22	Installation of Precast Concrete Ring Sections	CW 3210-R5	vert. m	1.5		
B.23	Abandonment of Existing Drainage Inlets	CW 3210-R5	each	8		
B.24	Adjustment of Existing Catchbasins/ Manholes	CW 3210-R5	each	15		
B.25	Plugging Existing Sewer and Sewer Services Smaller Than 300mm 250mm	CW 2130-R8	each	8		
B.26	Catchbasin SD-024	CW 2130-R8	each	8		
B.27	Sewer Service 250mm PVC SDR-35 a) in a Trench, Class B Sand Bedding, Class 3 Backfill	CW 2130-R8	m	30		
B.28	Connecting New Sewer Service to Existing Sewer Service 250mm PVC SDR-35	CW 2130-R8	each	8		

(SEE B:8)

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
PART 1						
В	Pavement Reconstruction: Spruce Street -	St. Matthews A	venue to	o Wolever Ave	nue	
,	Replacing Existing Manhole Frames and Covers AP-004 - Manhole Frame	CW 2130-R8	each	1		
ii)	AP-005 - Manhole Cover (Solid)		each	1		
B.30	Adjustment of Existing Watermain Valve Boxes	CW 3210-R5	each	5		
B.31	Adjustment of Existing Curb Stop Boxes	CW 3210-R5	each	41		
B.32	Supply of Curb Stop Box Extendible Sections	CW 3210-R5	each	20		
B.33	Grading of Boulevards	CW 3110-R7	m²	3250		
B.34 i) ii)		CW 3510-R7	m² m²	200 3250		
B.35	Construction of Asphalt Patches	CW 3410-R5	m²	10		
PART 1	Pavement Reconstruction: Spruce Street -	St Matthows A	venue to	Wolever		
В	Avenue	Sub-Total:				

(SEE B:8)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 1					1	
С	Pavement Reconstruction: Harmon Avenue	e - Mount Roya	Road to	Lodge Avenu	Je	
	Pavement Removal Concrete Pavement	CW 3110-R7	m²	2700		
C.2	Excavation	CW 3110-R7	m³	1500		
C.3	Sub-Grade Compaction	CW 3110-R7	m²	3000		
C.4	Installation of Subdrains	CW 3120-R1	m	50		
	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m²	2500		
1	Crushed Sub-base Material 50mm - Limestone	CW 3110-R7	tonne	1700		
	Supplying and Placing Base Course Material	CW 3110-R7	m³	300		
i)	Miscellaneous Concrete Slab Renewal Sidewalk a) Less than or equal to 5 sq.m.	CW 3235-R4 SD-228A	m²	15		
	Regrading Existing Interlocking Paving Stones	CW 3330-R3	m²	80		
C.10	Interlocking Paving Stones	CW 3330-R3	m²	20		
C.11	Adjustment of Precast Sidewalk Blocks	CW 3235-R4	m²	10		
C.12	Supply of Precast Sidewalk Blocks	CW 3235-R4	m²	5		
	Concrete Curb Renewal Barrier (150mm ht, Separate)	CW 3240-R4 SD-203A		40		
ii)	a) 3 m and Less Ramp Curb (15mm ht, Integral)	SD-229A	m m	10 10		
	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R8				
	Construction of Curb and Gutter (180mm ht, Barrier, Integral, 600mm width, Slip Formed, 150mm Plain Concrete Pavement)	SD-200	m	470		
ĺ	Construction of Curb and Gutter (40mm ht, Lip Curb, Integral, 600mm width, 150mm Plain Concrete Pavement)	SD-200 SD-202B	m	110		
	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians Construction of 150 mm Concrete Pavement (Reinforced)	CW 3310-R8	m²	520		

(SEE B:8)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 1						
С	Pavement Reconstruction: Harmon Avenue	e - Mount Roya	Road to	Lodge Avenu	ıe	
	Concrete Pavements for Early Opening Construction of 150mm Concrete Pavement for Early Opening 72 hr. (Reinforced)	CW 3310-R8	m²	200		
	Construction of Asphaltic Concrete Pavements Main Line Paving	CW 3410-R5				
	a) Type IA		tonne	700		
11)	Tie-ins and Approaches a) Type I		tonne	80		
	Installation of Cast Iron Lifter Ring Inserts 51mm	CW 3210-R5	each	3		
C.19	Installation of Precast Concrete Ring Sections	CW 3210-R5	vert. m	1		
C.20	Adjustment of Existing Catchbasins/ Manholes	CW 3210-R5	each	3		
C.21	Catchbasin SD-024	CW 2130-R8	each	4		
	Sewer Service 250mm PVC SDR-35 a) in a Trench, Class B Sand Bedding, Class 3 Backfill	CW 2130-R8	m	25		
,	Replacing Existing Manhole Frames and Covers AP-004 - Manhole Frame AP-005 - Manhole Cover (Solid)	CW 2130-R8	each each	2 2		
C.24 i)	Connecting to Existing Sewer 250mm PVC SDR-35 a) Connecting to 300mm Concrete Combined Sewer	CW 2130-R8	each	2		
C.25	Adjustment of Existing Curb Stop Boxes	CW 3210-R5	each	5		
C.26	Supply of Curb Stop Box Extendible Sections	CW 3210-R5	each	1		
C.27	Grading of Boulevards	CW 3110-R7	m²	2350		

(SEE B:8)

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
PART 1						
С	Pavement Reconstruction: Harmon Avenue	e - Mount Roya	Road to	Lodge Avenu	ıe	
C.28 ii) iii)	Sodding width < 600mm width > or = 600mm  Reflective Crack Maintenance	CW 3510-R7	m² m² m	100 2250 400		
PART 1	Pavement Reconstruction: Harmond Aven Avenue	Sub-Total:				

(SEE B:8)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 1 D	Concrete Sidewalk: River Road - Parkville	Drive to St. Vita	ıl Road			
		Drive to St. Vita	Noau			
D.1	Pavement Removal Concrete Pavement	CW 3110-R7	m²	100		
D.2	Excavation	CW 3110-R7	m³	300		
D.3	Sub-Grade Compaction	CW 3110-R7	m²	1000		
D.4	Supplying and Placing Base Course Material	CW 3110-R7	m³	150		
D.5	Grading of Boulevards	CW 3110-R7	m²	900		
D.6	Adjustment of Existing Catchbasins/ Manholes	CW 3210-R5	each	3		
D.7	Adjustment of Existing Watermain Valve Boxes	CW 3210-R5	each	1		
D.8	Adjustment of Existing Curb Stop Boxes	CW 3210-R5	each	1		
D.9	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians Construction of 150mm Concrete	CW 3310-R8	m²	100		
ii)	Pavement (Reinforced) Construction of Monolithic Curb and Sidewalk	SD-228B	m²	1150		
D.10	Miscellaneous Concrete Slab Renewal a) Less than or equal to 5 sq.m.	CW 3235-R4	m²	20		
D.11 i)	Drilled Tie Bars 20 M Deformed Tie Bar	CW 3230-R4	each	40		
i)	Concrete Curb Removal Barrier (Separate) Ramp Curb	CW 3240-R4	m m	500 10		
D.13	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R8				
i)	Construction of Barrier (150mm ht, Dowelled)	SD-205	m	10		
ii)	Construction of Ramp Curb (20mm ht, (Integral)	SD-229E	m	170		
D.14	Regrading Existing Interlocking Paving Stones	CW 3330-R3	m²	10		

(SEE B:8)

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
PART 1						
D	Concrete Sidewalk: River Road - Parkville	Drive to St. Vita	l Road			
,	Construction of Asphaltic Concrete Pavements Main Line Paving a) Type IA Tie-ins and Approaches a) Type I	CW 3410-R5	tonne	80		
D.17	Sodding	CW 3510-R7	m² m² m²	100 800 900		
PART 1 D	Concrete Sidewalk: River Road - Parkville	Sub-Total:				

(SEE B:8)

UNIT PR ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
PART 2 - PROVINCIALLY FUNDED WORK (SECTION E)							
PART 2 E	Asphalt Resurfacing: Furby Street - Sarge	nt Avenue to Fl	lice Aver	1116			
E.1	Patching of Existing Pavement	E9	m²	600			
			""	000			
E.2 i)	Miscellaneous Concrete Slab Renewal Sidewalk a) Less than or equal to 5 sq.m. b) Greater than 5 and less than 20 sq.m.	CW 3235-R4 SD-228A	m² m²	100 120			
E.3 i)	Concrete Curb Renewal Barrier (125mm ht, Separate), Slip Formed a) 3m and less b) Greater than 30m	CW 3240-R4 SD-203A	m m	60 700			
E.4	Planing of Pavement 0 - 50mm Depth (Asphalt)	CW 3450-R3 & E11	m²	3100			
	Construction of Asphaltic Concrete Overlay Main Line Paving a) Type IA Tie-ins and Approaches	CW 3410-R5	tonne	650			
,	a) Type I		tonne	10			
E.6	Installation of Cast Iron Lifter Ring Inserts 51mm	CW 3210-R5	each	4			
E.7	Installation of Precast Concrete Ring Sections	CW 3210-R5	vert. m	1			
E.8	Adjustment of Existing Catchbasins/ Manholes	CW 3210-R5	each	5			
E.9	Abandonment of Existing Drainage Inlets	CW 3210-R5	each	2			
E.10 i)	Catchbasin SD-024	CW 2130-R8	each	2			
E.11 i)	Sewer Service 250mm PVC SDR-35 a) in a Trench, Class B Sand Bedding, Class 3 Backfill	CW 2130-R8	m	15			
E.12	Connecting New Sewer Service to Existing Sewer Service 250mm PVC SDR-35	CW 2130-R8	each	1			
E.13 i)	Catch Pit SD-023	CW 2130-R8	each	1			

(SEE B:8)

UNII PRI						
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 2						
	Asphalt Resurfacing: Furby Street - Sarger	nt Avenue to FII	ice Avei	nue		
_	riophant recountaining. I alsoy career cange.		100 7 110.			
E.14	Connecting to Existing Catchbasin	CW 2130-R8				
	250mm Catch Pit Lead	OVV 2130-110	oach	10		
')	250mm Calcii Pil Leau		each	10		
E.15	Depleying Eviating Manhala France	CW 2130-R8				
	Replacing Existing Manhole Frames	CVV 2130-R6				
	and Covers			4		
	AP-004 - Manhole Frame		each	]		
	AP-005 - Manhole Cover (Solid)		each	1		
	AP-008 - Barrier Curb and Gutter Inlet		each	4		
	Frame					
iv)	AP-009 - Barrier Curb and Gutter Inlet		each	4		
	Cover					
E.16	Adjustment of Existing Curb Stop Boxes	CW 3210-R5	each	6		
E.17	Supply of Curb Stop Box Extendible	CW 3210-R5	each	2		
	Sections					
E.18	Adjustment of Existing Watermain Valve	CW 3210-R5	each	3		
	Boxes					
E.19	Grading of Boulevards	CW 3110-R7	m²	1700		
	erading of Bodiovardo	011 0110111		1700		
E.20	Sodding	CW 3510-R7				
	_	OVV 3310-K7	m²	200		
,						
ii)	width > or = 600mm		m²	1500		
F 04	Deflective Creek Mainter	OW 2050 D5		500		
E.21	Reflective Crack Maintenance	CW 3250-R5	m	500		
F 00	Decree of Breeds Felici	E40				
E.22	Pavement Repair Fabric	E10	m²	50		
PART 2						
E	Asphalt Resurfacing: Furby Street - Sarger	nt Avenue to Ell	ice Aver	nue	Sub-Total:	

(SEE B:8)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT		
PART 3	PART 3 - CITY OF WINNIPEG, WATER AND WASTE DEPARTMENT (SECTIONS F AND G)							
PART 3								
F	Combined Sewer Renewal: Ashburn Street	: 	1					
F.1	300mm Combined Sewers, PVC SDR-35 Trenchless Installation, Class B Type 2 Bedding	CW 2130-R8						
	a) Class 3 Backfill b) Class 5 Backfill		m m	10 205				
F.2	Sewer Inspection 300mm Combined Sewer	CW 2145-R1	m	215				
F.3 i)	Manholes SD-010	CW 2130-R8						
	a) 1200mm Base		vert. m	12				
F.4 i)	Catchbasins SD-024	CW 2130-R8	each	6				
F.5	Sewer Services	CW 2130-R8						
i)	a) In a Trench, Class B Sand Bedding, Class 3 Backfill		m	40				
	b) In a Trench, Class B Sand Bedding, Class 5 Backfill		m	40				
::,	c) Trenchless Installation, Class B Sand Bedding, Class 3 Backfill		m	350				
")	250mm a) In a Trench, Class B Sand Bedding, Class 3 Backfill		m	15				
	b) Trenchless Installation, Class B Sand Bedding, Class 3 Backfill		m	33				
F.6	Connecting to Existing Manhole 300mm	CW 2130-R8	each	2				
F.7 i)	Connecting to Existing Sewer 250mm PVC SDR 35 to 375mm Concrete SDR 35	CW 2130-R8	each	2				
F.8	Connecting New Sewer Service to Existing Sewer Service	CW 2130-R8						
,	150mm 250mm		each each	44 1				
F.9	Plugging Existing Sewers and Sewer Smaller Than 300 Millimetres	CW 2130-R8						
	150mm 250mm		each each	44 6				

(SEE B:8)

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
PART 3						
F	Combined Sewer Renewal: Ashburn Street	t				
F.10	Abandoning Existing Sewers With Cement- Stabilized Flowable Fill	CW 2130-R8				
i)	300mm		m <sup>3</sup>	15		
F.11	Abandoning Existing Manholes	CW 2130-R8	each	2		
F.12	Removal of Existing Catchbasins	CW 2130-R8	each	4		
F.13	Removal of Existing Catch Pits	CW 2130-R8	each	3		
PART 3						
F	Combined Sewer Renewal: Ashburn Street	Sub-Total:				

(SEE B:8)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 3		NEF.		QUANTITI		
G	Combined Sewer Repair: Harmon Avenue	and Furby Stree	et	<u> </u>		
	<u>Harmon Avenue</u>					
	Connecting Existing Sewer Service to New Sewer	CW 2130-R8				
i)	150 mm		each	2		
	Sewer Repair – Up to 3.0 Metres Long 300mm a) Class 3 Backfill	CW 2130-R8	each	1		
	Sewer Repair – In Addition to First 3.0 Metres 300mm	CW 2130-R8				
,	a) Class 3 Backfill		m	5.5		
	Sewer Inspection 300mm Combined Sewer	CW 2145-R1	m	72		
	Furby Street					
G.5 i)	Catchbasins SD-024	CW 2130-R8	each	2		
	Sewer Services 250mm	CW 2130-R8				
	a) In a Trench, Class B Sand Bedding, Class 3 Backfill		m	8		
	Sewer Service Risers 250mm	CW 2130-R8				
	a) SD-015		each	3		
	Sewer Repair – Up to 3.0 Metres Long 450mm	CW 2130-R8				
	a) Class 3 Backfill		each	1		
	Sewer Repair – In Addition to First 3.0 Metres	CW 2130-R8				
1)	450mm a) Class 3 Backfill		m	1		
	Sewer Inspection 450mm Combined Sewer	CW 2145-R1	m	100		
	Plugging Existing Sewers and Sewer Services Smaller Than 300 Millimetres 250mm	CW 2130-R8	each	2		
PART 3 G	Combined Sewer Repair: Harmon Avenue	Sub-Total:				

The City of Winnipeg Bid Opportunity No. 118-2004

#### FORM B: PRICES

(SEE B:8)

<b>UNIT PRI</b>	ICES					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
SUMMARY						
PART 1	- CITY OF WINNIPEG, PUBLIC WORKS DEP	ARTMENT - FU	NDED W	ORK (SECTIO	NS A, B, C AN	D D)
Α	Pavement Reconstruction: Ashburn Street - Ellice Avenue to St. Matthews A Avenue Sub-Total:					
В	Pavement Reconstruction: Spruce Street - St. Matthews Avenue to Wolever  Avenue  Sub-Total:					
С	Pavement Reconstruction: Harmon Avenue	e - Mount Roya	Road to	Lodge	Sub-Total:	
D	Concrete Sidewalk: River Road - Parkville I	Drive to St. Vita	l Road		Sub-Total:	
TOTAL PRICE - PART 1						
PART 2	- PROVINCIALLY FUNDED WORK (SECTION	NE)				
E	Asphalt Resurfacing: Furby Street - Sarger	nt Avenue to Ell	ice Aver	iue	Sub-Total:	
				TOTAL PR	ICE - PART 2	
PART 3	- CITY OF WINNIPEG, WATER AND WASTE	DEPARTMENT	(SECTIO	ONS F AND G)		
F	Combined Sewer Renewal: Ashburn Street				Sub-Total:	
G	Combined Sewer Repair: Harmon Avenue	and Furby Stree	et		Sub-Total:	
TOTAL PRICE - PART 3						
TOTAL B	ID PRICE (GST extra)	(in figures)	\$			
(in words)						

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B10)

#### **BID BOND**

KNOW ALL MEN BY THESE PRESENTS	THAT	
(hereinafter called the "Principal") and		
called the "Obligee") in the sum of ten perchereinafter described, for the payment of w	and firmly bound unto <b>THE CITY OF WINNIPI</b> cent (10%) of the Total Bid Price set out in the lyhich sum the Principal and Surety bind themselvassigns, jointly and severally, firmly by these presented.	Bid Submission ves, their heirs,
WHEREAS the Principal has submitted a B	id to the Obligee dated the	
day of	, 20 for	
BID OPPORTUNITY NO. 118-2004		
	NIPEG, 2004 RESIDENTIAL STREET RENEWAI STREET AND VARIOUS OTHER LOCATIONS, F EWER RENEWAL – ASHBURN STREET	
as more fully set out in the Bid Opportunity.		
if said Bid is accepted and the Principal, in the said Obligee and furnishes the required	oligation is such that if the Bid of the Principal is naccordance with the terms of the Bid, enters into a performance security for guaranteeing the faithful, but otherwise shall remain in full force and effect	a Contract with ful performance
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the	
day of	, 20	
SIGNED AND SEALED in the presence of:  (Witness)	(Name of Principal)  Per:  Per:	(Seal) 
	(Name of Surety)	(Seal)

(Attorney-in-Fact)

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B10)

#### **AGREEMENT TO BOND**

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on \_\_\_\_\_\_, 20\_\_\_\_ for BID OPPORTUNITY NO. 118-2004 PROVINCE OF MANITOBA/CITY OF WINNIPEG, 2004 RESIDENTIAL STREET RENEWAL PROGRAM, PART 1 – ASHBURN STREET, SPRUCE STREET AND VARIOUS OTHER LOCATIONS, PART 2 – FURBY STREET, PART 3 - COMBINED SEWER RENEWAL - ASHBURN STREET in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this \_\_\_\_\_\_ , 20\_\_\_\_\_ . (Name of Surety) (Attorney-in-Fact) (Seal)

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B10)

	<del></del>
(Date)	
Corpo Mater 185 K	City of Winnipeg prate Finance Department praise Management Division prace Street, Main Floor peg MB R3B 1J1
RE:	BID SECURITY – BID OPPORTUNITY NO. 118-2004
	PROVINCE OF MANITOBA/CITY OF WINNIPEG, 2004 RESIDENTIAL STREET RENEWAL PROGRAM, PART 1 – ASHBURN STREET, SPRUCE STREET AND VARIOUS OTHER LOCATIONS, PART 2 – FURBY STREET, PART 3 – COMBINED SEWER RENEWAL – ASHBURN STREET
Pursu	ant to the request of and for the account of our customer,
(Name	of Bidder)
(Addre	es of Bidder)
	IEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate
	Canadian dollars.
dema Letter paym	Standby Letter of Credit may be drawn on by you at any time and from time to time upon writter nd for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand for ent without inquiring whether you have a right as between yourself and our customer to make such and without recognizing any claim of our customer or objection by the customer to payment by us.
	mount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upor ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be
Partia	I drawings are permitted.
	ngage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at:
(Addre	es)
and w	ve confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

### FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B10)

All demands for payment shall specifically state	that th	ey are drawn under this Standby Letter of Credit.
This Standby Letter of Credit will expire on	<u>July 17</u>	<u>, 2004                                   </u>
		when our customer has entered into a Contract with urity for guaranteeing the faithful performance of the
This Standby Letter of Credit may not be revoke	d or a	mended without your prior written approval.
an amount equal to fifty percent (50%) of the owner work shown and described in the Bid Opportuni Letter of Credit shall be maintained and continu period. The Standby Letter of Credit shall be in	Contra ity, if o le in fu the for	
This credit is subject to the Uniform Customs International Chamber of Commerce Publication		Practice for Documentary Credit (1993 Revision), per 500.
	(Name	of bank or financial institution)
	Per:	(Authorized Signing Officer)
	Per:	(Authorized Signing Officer)