PART A

BID SUBMISSION

FORM A: BID (See B8)

| 1. | Project Title | | OCAL IMPROVEMENT DISTRICT WER, WATER, ROAD CONSTRUC VORKS | ΓΙΟΝ |
|----|--------------------------------|--|--|------------------------------------|
| 2. | Bidder | | | |
| | | Name of Bidder | | |
| | | Street | | |
| | | City | Province | Postal Code |
| | (Mailing address if different) | Street or P.O. Box | | |
| | | City | Province | Postal Code |
| | | The Bidder is: | | |
| | (Choose one) | □ a sole proprietor | | |
| | | ☐ a partnership | | |
| | | □ a corporation | | |
| | | carrying on business | under the above name. | |
| 3. | Contact Person | The Bidder hereby at the Bidder for purpose | uthorizes the following contact perses of the Bid. | son to represent |
| | | Contact Person | Title | |
| | | Telephone Number | Facsimile Number | |
| 4. | Definitions | All capitalized terms ascribed to them in to otherwise requires. | used in the Contract shall have the General Conditions and D3 un | e the meanings less the context |
| 5. | Offer | | ffers to perform the Work in acco I Bid Price, in Canadian funds, set eto. | |

The City of Winnipeg Bid Opportunity No. 127-2004

| Template Ver | sion: C120040525 | |
|--------------|-----------------------------|---|
| 6. | Bid Security | In accordance with B11.1, the Bidder encloses bid security in the form of: |
| | (Choose one) | a bid bond (Form G1: Bid Bond and Agreement to Bond) |
| | | an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking) |
| | | □ a certified cheque or draft |
| | | and agrees that it shall be held by the City in accordance with the Contract. |
| 7. | Execution of Contract | The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4. |
| 8. | Commencement of the Work | The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work. |
| 9. | Contract | The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission. |
| 10. | Addenda | The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract: |
| | | No Dated |
| | | |
| | | |
| 11. | Time | This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline. |

12. Signatures

In witness whereof the Bidder or the Bidder's authorized official or officials have signed this

| day of , 20 |
|---|
| Signature of Bidder or Bidder's Authorized Official or Officials |
| (Print here name and official capacity of individual whose signature appears above) |
| (Print here name and official capacity of individual whose signature appears above) |
| |

SEAL

FORM B: PRICES

(See B9)

FAIRFIELD PARK LOCAL IMPROVEMENT DISTRICT STAGE 1 – 2004 SEWER, WATER, ROAD CONSTRUCTION AND ASSOCIATED WORKS

UNIT PRICES

| ITEM NO. | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|-------------|--|---------------------|--|---|---------------|--------|
| PART | 1 – CITY FUNDED WORK – PRE-A | PPROVED | 1 | | | |
| 1. | Clearing and Grubbing | CW3010-R4 | Ha. | 4.1 | | |
| 2. | 200 mm Watermain – C900, DR18 | CW2110-R7 CW2125 | | | | |
| | a) Class 2 b) Class 4 c) In a Cored Hole | | Lin.m. Lin.m. Lin.m. | 10.0 85.0 15.0 | | |
| 3. | 150 mm Watermain – C900, CR18 | CW2110-R7 CW2125 | | | | |
| | a) Class 2 b) Class 4 c) In a Cored Hole | | Lin.m. Lin.m. Lin.m. | 20.0 545.0 20.0 | | |
| 4. | Hydrants | CW2110-R7 | Each | 6.0 | | |
| 4. 5. | Gate Valves | CW2110-R7 | Lach | 0.0 | | |
| 0. | a) 200 mm b) 150 mm | | Each Each | 2.0 5.0 | | |
| 6. | Fittings a) 200 m x 150 mm Cross b) 150 mm Tee c) 200 mm 45 Degree Bend d) 150 mm 45 Degree Bend e) 200 mm Plug f) 150 mm Plug | CW2110-R7 | Each Each Each Each Each Each Each | 1.0 2.0 2.0 2.0 1.0 2.0. | | |
| 7. | Connections to Existing Watermain a) 200 mm b) 150 mm | CW2110-R7 | Each Each | 1.0 1.0 | | |
| 8. | 250 WWS – D3034 – 3 m to 4 m Deep | CW2130-R8 | | | | |
| | a) Class 2 b) Class 4 c) In a Cored Hole | | Lin.m. Lin.m. Lin.m. | 25.0 315.0 20.0 | | |
| | | | | | | |
| | | | | | | |

FORM B: PRICES

(See B9)

FAIRFIELD PARK LOCAL IMPROVEMENT DISTRICT STAGE 1 – 2004 SEWER, WATER, ROAD CONSTRUCTION AND ASSOCIATED WORKS

UNIT PRICES

| ITEM NO. | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|-------------|--------------------------------------|---------------|--------|---------------------|---------------|--------|
| 9. | 250 WWS – D3034 – 4 m to 5 m | CW2130-R8 | | | | |
| | Deep a) Class 2 | | Lin.m. | 10.0 | | |
| | b) Class 4 | | Lin.m. | 175.0 | | |
| | c) In a Cored Hole | | Lin.m. | 20.0 | | |
| 10 | | | | | | |
| 10. | 250 LDS – D3034 – 2 m to 4 m Deep | CW2130-R8 | | | | |
| | a) Class 2 | | Lin.m. | 20.0 | | |
| | b) Class 4 | | Lin.m. | 175.0 | | |
| | c) In a Cored Hole | | Lin.m. | 10.0 | | |
| 11. | 300 LDS – D3034 – 2 m to 4 m | CW2130-R8 | | | | |
| | Deep | | | | | |
| | a) Class 2 | | Lin.m. | 6.0 | | |
| 12. | 375 LDS – D3034 – 2 m to 4 m | CW2130-R8 | | | | |
| | Deep | | | | | |
| | a) Class 2 | | Lin.m. | 10.0 | | |
| | b) Class 4 | | Lin.m. | 205.0 | | |
| | c) In a Cored Hole | | Lin.m. | 10.0 | | |
| 13. | Backfill for Parallel Pipes | CW2030-R6 | Lin.m. | 215.0 | | |
| 14. | Manholes | CW2130-R8 | | | | |
| | a) 1200 mm Diameter Base | | Vt.m. | 31.5 | | |
| 15. | Catchbasins | CW2130-R8 | Each | 8.0 | | |
| 16. | Sewer Inspection | CE2145-R1 | Lin.m. | 995.0 | | |
| 17. | Excavation | CW3110-R7 | Cu.m. | 1000.0 | | |
| 18. | Subgrade Compaction | CW3110-R7 | Sq.m. | 6500.0 | | |
| 19. | Geotextile | CW3130-R1 | Sq.m. | 5000.0 | | |
| 20. | Culverts | CW3610-R3 | | | | |
| | a) 450 mm Diameter | | Lin.m. | 40.0 | | |
| | b) 300 mm Diameter | | Lin.m. | 22.0 | | |
| 21. | Hydro Conduit Pipe | E7. | Lin.m. | 200.0 | | |
| 22. | Base Course | CW3110-R7 | Cu.m. | 400.0 | | |
| 23. | 150 mm Reinforced Concrete | CW3310-R8 | Sq.m. | 4100.0 | | |

FORM B: PRICES

(See B9)

FAIRFIELD PARK LOCAL IMPROVEMENT DISTRICT STAGE 1 – 2004 SEWER, WATER, ROAD CONSTRUCTION AND ASSOCIATED WORKS

UNIT PRICES

| ITEM NO. | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|-------------|---|---------------|--------------------------------------|--------------------------------|---------------|--------|
| 24. | 75 mm Asphaltic Concrete | CW2410-R5 | Tonne | 50.0 | | |
| 25. | Modified Barrier Curb | CW3310-R8 | Lin.m. | 90.0 | | |
| 26. | Lip Curb | CW3110-R8 | Lin.m. | 90.0 | | |
| 27. | Asphaltic Curb | CW3110-R8 | Lin.m. | 1150.0 | | |
| 28. | Surface Drainage Works a) Temporary Spillway b) Ditching | E9. E7. | Each Lin.m. | 2.0 100.0 | | |
| 29. | Site Grading | E7.2.4 | Sq.m. | 40,000.0 | | |
| PART | 2 – CITY FUNDED WORK – APPR | OVAL PENDING | 3 | | | |
| 1. | 150 mm Sewer Servicesa) Class 2b) Class 4c) In a Cored Hole | CW2130-R8 | Lin.m. Lin.m. Lin.m. | 50.0 625.0 315.0 | | |
| 2. | 200 mm Water Services a) Class 2 b) Class 4 c) In a Cored Hole d) In a Common Trench with 150 mm Sewer Services | CW2110-R7 | Lin.m. Lin.m. Lin.m. Lin.m. | 15.0 15.0 335.0 625.0 | | |
| 3. | Corporation Stops | CW2110-R7 | Each | 68.0 | | |
| 4. | Curb Stops | CW2210-R7 | Each | 68.0 | | |
| 5. | Curb Stop Boxes | CW2210-R7 | Each | 68.0 | | |
| | L BID PRICE (GST extra) (in figures | | | | | |

Name of Bidder

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid Submission hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee dated the

_____ day of _____ for

BID OPPORTUNITY NO. 127-2004

FAIRFIELD PARK LOCAL IMPROVEMENT DISTRICT STAGE 1 – 2004 SEWER, WATER, ROAD CONSTRUCTION AND ASSOCIATED WORKS

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____ , 20_____ .

| SIGNED AND SEALED in the presence of: | | |
|--|-----------------------|--------|
| | (Name of Principal) | |
| (Witness) | Per: | (Seal) |
| (((((((((((((((((((((((((((((((((((((((| Per: | |
| | | |
| | | |
| | (Name of Surety) | |
| | By:(Attorney-in-Fact) | (Seal) |

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on ______, 20_____, for

BID OPPORTUNITY NO. 127-2004

FAIRFIELD PARK LOCAK IMPROVEMENT DISTRICT STAGE 1 – 2004 SEWER, WATER, ROAD CONSTRUCTION AND ASSOCIATED WORKS

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this ______ day of ______, 20____, 20___, 20____, 20

(Name of Surety)

By: (Seal)

_____ of

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING

(BID SECURITY) (Page 1 of 2) (See B11)

(Date)

The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1

RE: BID SECURITY - BID OPPORTUNITY NO. 127-2004

FAIRFIELD PARK LOCAK IMPROVEMENT DISTRICT STAGE 1 – 2004 SEWER, WATER, ROAD CONSTRUCTION AND ASSOCIATED WORKS

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

_____ Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

Template Version: C120040525

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2)

(See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on August 16, 2004.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)
Per:

(Authorized Signing Officer)

Per:

(Authorized Signing Officer)