PART A BID SUBMISSION

FORM A: BID (See B8)

1.	Project Title	2004 WATERMAIN REN	EWALS – CONTRACT 3	
2.	Bidder			
		Name of Bidder		
		Street		
		City	Province	Postal Code
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business und	er the above name.	
3.	Contact Person	The Bidder hereby author the Bidder for purposes of	orizes the following contact pers of the Bid.	on to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions		sed in the Contract shall have General Conditions unless the co	
5.	Offer		s to perform the Work in accord Price, in Canadian funds, set	

6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of forty-five (45) Calendar Days following the Submission Deadline.

12.	Signatures	In witness whereof the Bidder or the Bidder's officials have signed this	authorized official or
		day of	, 20
	Signed and sealed in the presence of:	Signature of Bidder or Bidder's Authorized Official or Officials	
	(Witness)	(Print here name and official capacity of individual whos	se signature appears above)
	(Witness)	(Print here name and official capacity of individual whos	se signature appears above)

SEAL

FORM B: PRICES

(See B9)

2004 WATERMAIN RENEWALS - CONTRACT 3

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<u>A</u>	Bannatyne Avenue - Furby Street to Lydia Street					
A.1	Watermain Renewals	CW 2110				
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 3 Backfill		m	17.0		
b)	200mm trenchless installation, Class B sand		m	62.0		
"	bedding, Class 3 Backfill		""	02.0		
A.2	Watermain Valve	CW 2110				
a)	150mm		each	1		
A.3	Fittings	CW 2110				
a)	Bends (SD-004)					
i)	150mm – 22 1/2° bend		each	2		
ii)	150mm - 45° bend		each	2		
b)	Reducers					
i)	200mm - 150mm		each	2		
A.4	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	Inline Connection - No Plug Existing					
i)	150mm		each	2		
A.5	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	3		
A.6	Water Services	CW 2110				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3 Backfill		m	85.0		
A.7	Corporation Stops	CW 2110				
a)	19mm		each	8		
A.8	Curb Stops	CW 2110				
a)	19mm		each	5		
A.9	Curb Stop Boxes	CW 2110				
a)	19mm		each	5		

FORM B: PRICES

(See B9)

2004 WATERMAIN RENEWALS – CONTRACT 3

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.10	Continuity Bonding	CW 2110	each	3		
A.11	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110	each			
a)	On Water Services			10		
A.12	Full Depth Partial Slab Patches	CW 2110				
a)	Removal					
i)	200mm reinforced concrete pavement		m ²	20.0		
b)	Installation					
i)	200mm reinforced concrete pavement for early opening (24 hours)		m²	20.0		
A.13	Miscellaneous Concrete Slab Removal	CW 3235				
a)	Sidewalk		m^2	65.0		
A.14	Miscellaneous Concrete Slab Installation	CW 3235				
a)	Sidewalk		m ²	65.0		
A.15	Concrete Curb Renewal	CW 3240				
a)	Removal					
i)	Barrier curb		m	25.0		
ii)	Ramp curb		m	5.0		
b)	Installation					
i)	Barrier Curb		m	25.0		
ii)	Ramp curb		m	5.0		
A.16	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	5.0		
				Р	art A Subtotal:	
<u>B</u>	Banning Street - 115m S of Sargent Avenue to Sargent Avenue					
B.1	Watermain Renewals	CW 2110				
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 3 Backfill		m	7.0		
b)	200mm					
i)	trenchless installation, Class B sand bedding, Class 3 Backfill		m	142.0		

FORM B: PRICES (See B9)

2004 WATERMAIN RENEWALS – CONTRACT 3

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
c)	250mm					
i)	trenchless installation, Class B sand bedding, Class 3 Backfill		m	3.0		
B.2	Hydrant Assembly	CW 2110				
i)	SD-007		each	2		
B.3	Watermain Valve	CW 2110				
a)	200mm		each	3		
B.4	Fittings	CW 2110				
a)	Bends (SD-004)					
i)	150mm - 22 1/2° bend		each	2		
ii)	150mm - 45° bend		each	2		
b)	Crosses					
i)	200mm X 200mm X 250mm X 250mm		each	1		
c)	Reducers					
i)	200mm - 150mm		each	2		
B.5	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	Inline Connection - No Plug Existing					
i)	150mm		each	2		
ii)	250mm		each	2		
B.6	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	11		
B.7	Water Services	CW 2110				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3 Backfill		m	70.0		
b)	25mm					
i)	trenchless installation, Class B sand bedding, Class 3 Backfill		m	3.0		
B.8	Corporation Stops	CW 2110				
a)	19mm		each	18		
b)	25mm		each	1		

FORM B: PRICES (See B9)

2004 WATERMAIN RENEWALS – CONTRACT 3

ITEM	PRICES	SPEC.	UNIT	APPROX.	UNIT	AMOUNT
NO.	DESCRIPTION Court Stanza	REF.		QUANTITY	PRICE	AMOUNT
B.9	Curb Stops	CW 2110				
a)	19mm		each	8		
b)	25mm		each	1		
B.10	Curb Stop Boxes	CW 2110				
a)	19mm		each	8		
b)	25mm		each	1		
B.11	Continuity Bonding	CW 2110	each	5		
B.12	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Water Services		each	20		
b)	On Metallic Watermains		each	2		
B.13	Full Depth Partial Slab Patches	CW 2110				
a)	Removal					
i)	200mm reinforced concrete pavement		m²	20.0		
b)	Installation					
i)	200mm reinforced concrete pavement		m^2	10.0		
ii)	200mm reinforced concrete pavement for early opening (24 hours)		m²	10.0		
B.14	Miscellaneous Concrete Slab Removal	CW 3235				
a)	Sidewalk		m²	40.0		
B.15	Miscellaneous Concrete Slab Installation	CW 3235				
a)	Sidewalk		m²	40.0		
B.16	Concrete Curb Renewal	CW 3240				
a)	Removal					
i)	Barrier curb		m	15.0		
ii)	Ramp curb		m	5.0		
b)	Installation					
i)	Barrier Curb		m	15.0		
ii)	Ramp curb		m	5.0		
B.17	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	3.0		
				Р	art B Subtotal:	

FORM B: PRICES

(See B9)

2004 WATERMAIN RENEWALS - CONTRACT 3

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<u>C</u>	Clifton Street North - Richard Avenue to 265m N of Richard Avenue					
C.1	Watermain Renewals	CW 2110				
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 3 Backfill		m	5.0		
b)	200mm					
i)	trenchless installation, Class B sand bedding, Class 3 Backfill		m	26.0		
c)	300mm					
i)	trenchless installation, Class B sand bedding, Class 3 Backfill		m	300.0		
C.2	Hydrant Assembly	CW 2110				
i)	SD-006		each	4		
C.3	Watermain Valve	CW 2110				
a)	200mm		each	2		
b)	300mm		each	3		
C.4	Fittings	CW 2110				
a)	Bends (SD-004)					
i)	150mm - 45° bend		each	2		
ii)	200mm - 11 1/4° bend		each	2		
iii)	300mm - 22 1/2° bend		each	4		
b)	Crosses					
i)	300mm X 300mm X 200mm X 200mm		each	1		
c)	Reducers					
i)	200mm - 150mm		each	1		
C.5	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	Inline Connection - No Plug Existing					
i)	150mm		each	1		
ii)	200mm		each	1		
iii)	300mm		each	2		

FORM B: PRICES

(See B9)

2004 WATERMAIN RENEWALS - CONTRACT 3

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.6	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	5		
b)	25mm		each	4		
c)	38mm		each	1		
C.7	Water Services	CW 2110				
a)	25mm					
i)	trenchless installation, Class B sand bedding, Class 3 Backfill		m	41.0		
C.8	Corporation Stops	CW 2110				
a)	19mm		each	5		
b)	25mm		each	9		
c)	38mm		each	1		
C.9	Curb Stops	CW 2110				
a)	25mm		each	5		
C.10	Curb Stop Boxes	CW 2110				
a)	25mm		each	5		
C.11	Continuity Bonding	CW 2110	each	2		
C.12	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Water Services		each	10		
b)	On Metallic Watermains		each	2		
C.13	Full Depth Partial Slab Patches	CW 2110				
a)	Removal					
i)	200mm reinforced concrete pavement		m²	50.0		
b)	Installation					
i)	200mm reinforced concrete pavement		m^2	50.0		
C.14	Miscellaneous Concrete Slab Removal	CW 3235				
a)	Sidewalk		m^2	15.0		
C.15	Miscellaneous Concrete Slab Installation	CW 3235				
a)	Sidewalk		m^2	15.0		

FORM B: PRICES

(See B9)

2004 WATERMAIN RENEWALS - CONTRACT 3

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.16	Concrete Curb Renewal	CW 3240		QUANTIT !	TRIOL	
a)	Removal					
, i)	Barrier curb		m	20.0		
ii)	Ramp curb		m	20.0		
b)	Installation					
i)	Barrier Curb		m	20.0		
ii)	Ramp curb		m	20.0		
C.17	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	10.0		
				P	art C Subtotal:	
<u>D</u>	Elgin Avenue - 140m W of Xante Street to Xante Street					
D.1	Watermain Renewals	CW 2110				
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 3 Backfill		m	12.0		
,	200mm					
i)	trenchless installation, Class B sand bedding, Class 3 Backfill		m	50.0		
ii)	trenchless installation, Class B sand bedding, Class 5 Backfill		m	150.0		
D.2	Hydrant Assembly	CW 2110				
i)	SD-006		each	3		
D.3	Watermain Valve	CW 2110				
a)	150mm		each	1		
b)	200mm		each	3		
D.4	Fittings	CW 2110				
a)	Tees					
i)	200mm X 200mm X 150mm		each	1		
ii)	200mm X 200mm X 200mm		each	1		
b)	Bends (SD-004)					
i)	150mm - 22 1/2° bend		each	4		
ii)	150mm - 45° bend		each	2		

FORM B: PRICES

(See B9)

2004 WATERMAIN RENEWALS - CONTRACT 3

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
c)	Reducers					
i)	200mm - 150mm		each	3		
D.5	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	Inline Connection - No Plug Existing					
i)	150mm		each	4		
D.6	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	2		
b)	25mm		each	2		
c)	38mm		each	1		
D.7	Water Services	CW 2110				
a)	25mm					
i)	trenchless installation, Class B sand bedding, Class 3 Backfill		m	8.0		
D.8	Corporation Stops	CW 2110				
a)	25mm		each	4		
b)	38mm		each	1		
D.9	Curb Stops	CW 2110				
a)	25mm		each	2		
D.10	Curb Stop Boxes	CW 2110				
a)	25mm		each	2		
D.11	Continuity Bonding	CW 2110	each	1		
D.12	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Water Services		each	4		
D.13	Full Depth Partial Slab Patches	CW 2110				
a)	Removal					
i)	200mm reinforced concrete pavement		m^2	20.0		
b) i)	Installation 200mm reinforced concrete pavement		m²	20.0		

FORM B: PRICES

(See B9)

2004 WATERMAIN RENEWALS - CONTRACT 3

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.14	Miscellaneous Concrete Slab Removal	CW 3235				
a)	Sidewalk		m²	10.0		
D.15	Miscellaneous Concrete Slab Installation	CW 3235				
a)	Sidewalk		m^2	10.0		
D.16	Concrete Curb Renewal	CW 3240				
a)	Removal					
i)	Barrier curb		m	10.0		
ii)	Ramp curb		m	10.0		
b)	Installation					
i)	Barrier Curb		m	10.0		
ii)	Ramp curb		m	10.0		
D.17	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	5.0		
				P	art D Subtotal:	
<u>E</u>	Lincoln Avenue - Cecil Street to Flint Street					
E.1	Watermain Renewals	CW 2110				
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 5 Backfill		m	7.0		
b)	200mm					
i)	trenchless installation, Class B sand bedding, Class 5 Backfill		m	280.0		
ii)	trenchless installation, Class B sand bedding, Class 3 Backfill		m	75.0		
E.2	Hydrant Assembly	CW 2110				
a)	SD-006		each	5		
E.3	Watermain Valve	CW 2110				
a)	200mm		each	6		
E.4	Fittings	CW 2110				
a)	Bends (SD-004)					
i)	150mm - 45° bend		each	4		
ii)	200mm - 22 1/2° bend		each	4		

FORM B: PRICES

(See B9)

2004 WATERMAIN RENEWALS - CONTRACT 3

	PRICES	0050		ABBBOY		
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
b)	Crosses					
i)	200mm x 200mm X 200mm X 200mm		each	1		
c)	Reducers					
i)	200mm - 150mm		each	2		
E.5	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	Inline Connection - No Plug Existing					
i)	150mm		each	2		
ii)	200mm		each	2		
E.6	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	13mm		each	22		
b)	19mm		each	16		
E.7	Water Services	CW 2110				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3 Backfill		m	145.0		
E.8	Corporation Stops	CW 2110				
a)	13mm		each	22		
b)	19mm		each	34		
E.9	Curb Stops	CW 2110				
a)	19mm		each	18		
E.10	Curb Stop Boxes	CW 2110				
a)	19mm		each	18		
E.11	Continuity Bonding	CW 2110	each	19		
E.12	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Water Services		each	43		
b)	On Metallic Watermains		each	1		
E.13	Miscellaneous Concrete Slab Removal	CW 3235				
a)	Sidewalk		m^2	140.0		

FORM B: PRICES

(See B9)

2004 WATERMAIN RENEWALS - CONTRACT 3

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.14	Miscellaneous Concrete Slab Installation	CW 3235				
a)	Sidewalk		m²	140.0		
E.15	Concrete Curb Renewal	CW 3240				
a)	Removal					
i)	Curb and Gutter		m	20.0		
ii)	Ramp curb		m	10.0		
b)	Installation					
i)	Curb and Gutter		m	20.0		
ii)	Ramp curb		m	10.0		
E.16	Construction of Asphalt Patches	CW 3410				
a)	150mm		m^2	20		
				Р	art E Subtotal:	
<u>F</u>	Talbot Avenue - Stapleton Street to Clyde Road					
F.1	Watermain Renewals	CW 2110				
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 3 Backfill		m	5.0		
b)	250mm					
i)	trenchless installation, Class B sand bedding, Class 3 Backfill		m	205.0		
F.2	Hydrant Assembly	CW 2110				
a)	SD-006		each	2		
F.3	Watermain Valve	CW 2110				
a)	250mm		each	3		
F.4	Fittings	CW 2110				
a)	Bends (SD-004)					
i)	250mm - 22 1/2° bend		each	4		
b)	Crosses 250mm x 250mm X 150mm X 150mm		each	1		

FORM B: PRICES

(See B9)

2004 WATERMAIN RENEWALS - CONTRACT 3

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F.5	Connecting to Existing Watermains and Large Diameter Water Services			Qozuviii	THE	
a)	Inline Connection - No Plug Existing					
i)	150mm		each	3		
ii)	250mm		each	2		
F.6	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	29		
F.7	Corporation Stops	CW 2110				
a)	19mm		each	29		
F.8	Continuity Bonding	CW 2110	each	13		
F.9	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Water Services		each	16		
b)	On Metallic Watermains		each	2		
F.10	Abandonment of Existing Valve Pits	E4	each	1		
F.11	Full Depth Partial Slab Patches	CW 2110				
a)	Removal					
i)	200mm reinforced concrete pavement		m^2	80.0		
b)	Installation					
i)	200mm reinforced concrete pavement		m^2	80.0		
F.12	Miscellaneous Concrete Slab Removal	CW 3235				
a)	Sidewalk		m^2	40.0		
F.13	Miscellaneous Concrete Slab Installation	CW 3235				
a)	Sidewalk		m ²	40.0		
F.14	Concrete Curb Renewal	CW 3240				
a)	Removal					
i)	Barrier curb		m	20.0		
ii)	Ramp curb		m	10.0		
b)	Installation					
i)	Barrier Curb		m	20.0		
ii)	Ramp curb		m	10.0		

FORM B: PRICES (See B9)

2004 WATERMAIN RENEWALS – CONTRACT 3

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F.15	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	2.0		
				P	art E Subtotal:	
<u>G</u>	Provisional Items					
G.1	Granular Backfill Material	E3	m^3	50.0		
G.2	Cement-Stabilized Backfill Material	E3	m^3	100.0		
G.3	Fittings	CW 2110				
a)	Bends (SD-005)					
i)	150mm - 45° bend		each	4		
ii)	250mm - 45° bend		each	2		
G.4	Water Services	CW 2110				
a)	38mm					
i)	trenchless installation, Class B sand bedding, Class 3 Backfill		m	20.0		
G.5	Curb Stops	CW 2110				
a)	38mm		each	3		
G.6	Curb Stop Boxes	CW 2110				
a)	38mm		each	3		
G.7	Regrading Existing Sewer Service – Up to 1.5 Metres Long	CW 2110				
a)	150mm		each	15		
b)	200mm		each	3		
G.8	Regrading Existing Interlocking Paving Stone Installations	CW 3330	m²	10.0		
G.9	Sodding	CW 3510	m^2	200.0		
G.10	Sewer Services	CW 2130				
a)	250mm					
i)	trenchless installation, Class B sand bedding, Class 3 Backfill		m	10.0		
G.11	Connecting New Sewer Service to Existing Sewer Service	CW 2130				
a)	250mm		each	2		

FORM B: PRICES

(See B9)

2004 WATERMAIN RENEWALS - CONTRACT 3

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G.12	Catch Basins	CW 2130				
a)	SD-024		each	1		
b)	SD-025		each	1		
G.13	Maintaining Curb Stop Excavations	CW 2110	each per working day	50		
G.14	Street Light Cable Trenching	E5				
a)	trenching		m	100.0		
b)	coring		m	25.0		
	Part F Subtotal:					
TOTAL BID PRICE (GST extra) (in figures) \$ (in words)						

Name of Bidder		

Template Version: C0200040211

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS	THAT			
(hereinafter called the "Principal") and				
(hereinafter called the "Surety"), are held called the "Obligee") in the sum of ten per hereinafter described, for the payment of v executors, administrators, successors and	cent (10%) of which sum the	the Total I Principal a	Bid Price set out in and Surety bind the	the Bid Submission mselves, their heirs,
WHEREAS the Principal has submitted a B	Bid to the Oblig	jee dated th	ne	
day of		_ , 20	for	
BID OPPORTUNITY NO. 151-2004				
2004 WATERMAIN RENEWALS – CONTR	RACT 3			
as more fully set out in the Bid Opportunity.				
NOW THEREFORE the condition of this obif said Bid is accepted and the Principal, in the said Obligee and furnishes the required of the Contract, this obligation shall be void IN WITNESS WHEREOF the Principal and	accordance w d performance l, but otherwis	ith the term security for e shall rem	ns of the Bid, enters or guaranteeing the ain in full force and	into a Contract with faithful performance effect.
day of	•			
SIGNED AND SEALED in the presence of: (Witness)				
	(Name of S			(Seal)

(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 151-2004 2004 WATERMAIN RENEWALS - CONTRACT 3 in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within forty-five (45) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______ day of ______ , 20_____ . (Name of Surety) By: (Seal)

(Attorney-in-Fact)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(Date)	
Corpo Mater 185 K	City of Winnipeg prate Finance Department rials Management Division (ing Street, Main Floor peg MB R3B 1J1
RE:	BID SECURITY - BID OPPORTUNITY NO. 151-2004
	2004 WATERMAIN RENEWALS – CONTRACT 3
Pursu	uant to the request of and for the account of our customer,
(Name	of Bidder)
	IEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate
dema Letter paym dema	Canadian dollars. Standby Letter of Credit may be drawn on by you at any time and from time to time upon writter and for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand for ent without inquiring whether you have a right as between yourself and our customer to make such and without recognizing any claim of our customer or objection by the customer to payment by us.
	ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be
Partia	al drawings are permitted.
	ngage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at:
(Addre	ss)
and w	ve confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2)

(See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on June 21, 2004.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name	of bank or financial institution)
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)