PART A BID SUBMISSION

FORM A: BID (See B8)

1.	Project Title	2004 WATERMAIN RENI	EWALS – CONTRACT 4	
2.	Bidder			
		Name of Bidder		
		Street		
		City	Province	Postal Code
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business und	er the above name.	
3.	Contact Person	The Bidder hereby author the Bidder for purposes of	rizes the following contact persoft the Bid.	on to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions		ed in the Contract shall have eneral Conditions unless the co	
5.	Offer		s to perform the Work in accord I Price, in Canadian funds, set of	

6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of forty-five (45) Calendar Days following the Submission Deadline.

12.	Signatures	In witness whereof the Bidder or the Bidder's authorized official of officials have signed this
		, 20
	Signed and sealed in the presence of:	Signature of Bidder or Bidder's Authorized Official or Officials
	(Witness)	(Print here name and official capacity of individual whose signature appears above)
	(Witness)	(Print here name and official capacity of individual whose signature appears above)

SEAL

FORM B: PRICES (See B9)

2004 WATERMAIN RENEWALS - CONTRACT 4

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<u>A</u>	Ashburn Street - 80m S of Riddle Avenue to 115m N of Riddle Avenue					
A.1	Watermain Renewals	CW 2110				
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 3 Backfill		m	221.0		
A.2	Hydrant Assembly	CW 2110				
i)	SD-007		each	3		
A.3	Watermain Valve	CW 2110				
a)	150mm		each	2		
A.4	Fittings	CW 2110				
a)	Bends (SD-004)					
i)	150mm - 22 1/2° bend		each	2		
A.5 a)	Connecting to Existing Watermains and Large Diameter Water Services Inline Connection - No Plug Existing	CW 2110				
i)	150mm		each	2		
A.6 a)	Connecting Existing Copper Water Services to New Watermains 19mm	CW 2110	each	20		
A.7	Water Services	CW 2110				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3 Backfill		m	120.0		
A.8	Corporation Stops	CW 2110				
a)	19mm		each	40		
A.9	Curb Stops	CW 2110				
a)	19mm		each	20		
A.10	Curb Stop Boxes	CW 2110				
a)	19mm		each	20		
A.11	Continuity Bonding	CW 2110	each	6		

FORM B: PRICES

(See B9)

2004 WATERMAIN RENEWALS - CONTRACT 4

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT		
A.12	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110						
a)	On Water Services		each	41				
A.13	Full Depth Partial Slab Patches	CW 2110						
a)	Removal							
i)	150mm reinforced concrete pavement		m²	10.0				
b)	Installation							
i)	150mm reinforced concrete pavement for early opening (24 hours)		m ²	10.0				
A.14	Miscellaneous Concrete Slab Removal	CW 3235						
a)	Sidewalk		m²	200.0				
A.15	Miscellaneous Concrete Slab Installation	CW 3235						
a)	Sidewalk		m ²	200.0				
A.16	Concrete Curb Removal	CW 3240						
a)	Barrier curb		m	10.0				
b)	Ramp curb		m	10.0				
A.17	Concrete Curb Installation	CW 3240						
a)	Barrier Curb		m	10.0				
b)	Ramp curb		m	10.0				
A.18	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	2.0				
	Part A Subtotal:							

FORM B: PRICES

(See B9)

2004 WATERMAIN RENEWALS - CONTRACT 4

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<u>B</u>	Bernadine Crescent - 50m S of Olson Way to Olson Way					
B.1	Watermain Renewals	CW 2110				
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 3 Backfill		m	52.0		
B.2	Hydrant Assembly	CW 2110				
a)	SD-006		each	1		
B.3	New Hydrant Assembly on Existing Watermain	CW 2110				
a)	SD-006		each	1		
B.4	Watermain Valve	CW 2110				
a)	150mm		each	1		
B.5	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	Inline Connection - No Plug Existing					
i)	150mm		each	3		
B.6	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	4		
B.7	Water Services	CW 2110				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3 Backfill		m	31.0		
B.8	Corporation Stops	CW 2110				
a)	19mm		each	6		
B.9	Curb Stops	CW 2110				
a)	19mm		each	2		
B.10	Curb Stop Boxes	CW 2110				
a)	19mm		each	2		
B.11	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Water Services		each	8		

FORM B: PRICES

(See B9)

2004 WATERMAIN RENEWALS - CONTRACT 4

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
B.12	Full Depth Partial Slab Patches	CW 2110					
a)	Removal						
i)	150mm reinforced concrete pavement		m^2	10.0			
b)	Installation						
i)	150mm reinforced concrete pavement		m^2	10.0			
B.13	Concrete Curb Removal	CW 3240					
a)	Barrier curb		m	10.0			
b)	Ramp curb		m	10.0			
B.14	Concrete Curb Installation	CW 3240					
a)	Barrier Curb		m	10.0			
b)	Ramp curb		m	10.0			
B.15	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	2.0			
	Part B Subtotal:						

FORM B: PRICES

(See B9)

2004 WATERMAIN RENEWALS - CONTRACT 4

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<u>c</u>	Betsworth Avenue - Dale Boulevard to 100m E of Evenwood Crescent					
C.1	Watermain Renewals	CW 2110				
a)	200mm					
i)	trenchless installation, Class B sand bedding, Class 3 Backfill		m	171.0		
C.2	Hydrant Assembly	CW 2110				
a)	SD-007		each	1		
C.3	Watermain Valve	CW 2110				
a)	200mm		each	2		
C.4	Fittings	CW 2110				
a)	Tees					
i)	300mm X 300mm X 200mm		each	1		
b)	Bends (SD-004)					
i)	200mm - 22 1/2° bend		each	1		
ii)	200mm - 11 1/4° bend		each	1		
C.5	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	Inline Connection - No Plug Existing					
i)	200mm		each	3		
b)	Inline Connection - No Plug Existing					
i)	300mm		each	1		
C.6	Water Services	CW 2110				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3 Backfill		m	17.0		
C.7	Corporation Stops	CW 2110				
a)	19mm		each	20		
C.8	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	20		

FORM B: PRICES

(See B9)

2004 WATERMAIN RENEWALS - CONTRACT 4

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
C.9	Curb Stops	CW 2110					
a)	19mm		each	1			
C.10	Curb Stop Boxes	CW 2110					
a)	19mm		each	1			
C.11	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110					
a)	On Water Services		each	20			
C.12	Full Depth Partial Slab Patches	CW 2110					
a)	Removal						
i)	150mm reinforced concrete pavement		m²	30.0			
ii)	200mm reinforced concrete pavement		m²	10.0			
b)	Installation						
i)	150mm reinforced concrete pavement		m^2	30.0			
ii)	200mm reinforced concrete pavement		m^2	10.0			
C.13	Miscellaneous Concrete Slab Removal	CW 3235					
a)	Sidewalk		m^2	30.0			
C.14	Miscellaneous Concrete Slab Installation	CW 3235					
a)	Sidewalk		m^2	30.0			
C.15	Concrete Curb Removal	CW 3240					
a)	Barrier curb		m	10.0			
b)	Ramp curb		m	10.0			
C.16	Concrete Curb Installation	CW 3240					
a)	Barrier Curb		m	10.0			
b)	Ramp curb		m	10.0			
C.17	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	8.0			
	Part C Subtotal:						

FORM B: PRICES (See B9)

2004 WATERMAIN RENEWALS - CONTRACT 4

UNIT PRICES

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D	Buchanan Boulevard - 70m S of Peltier Avenue to Peltier Avenue					
D.1	Watermain Renewals	CW 2110				
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 5 Backfill		m	73.0		
D.2	Watermain Valve	CW 2110				
a)	150mm		each	1		
D.3	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	Inline Connection - No Plug Existing					
i)	150mm		each	2		
D.4	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	8		
D.5	Corporation Stops	CW 2110				
a)	19mm		each	8		
D.6	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Water Services		each	8		
b)	On Metallic Watermains		each	1		
D.7	Concrete Curb Removal	CW 3240				
a)	Barrier curb		m	10.0		
b)	Ramp curb		m	10.0		
D.8	Concrete Curb Installation	CW 3240				
a)	Barrier Curb		m	10.0		
b)	Ramp curb		m	10.0		_
				P:	art D Subtotal:	

Part D Subtotal:

FORM B: PRICES

(See B9)

2004 WATERMAIN RENEWALS - CONTRACT 4

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
<u>E</u>	Charleswood Road - 602 Charleswood Road to 550 Charleswood Road						
E.1	Watermain Renewals	CW 2110					
a)	150mm						
i)	trenchless installation, Class B sand bedding, Class 3 Backfill		m	217.0			
E.2	Hydrant Assembly	CW 2110					
a)	SD-006		each	2			
E.3	Construction of Hydrant Approach	E4	each	2			
E.4	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110					
a) i)	Inline Connection - No Plug Existing 150mm		each	2			
E.5 a)	Connecting Existing Copper Water Services to New Watermains 19mm	CW 2110	each	16			
E.6				-			
a)	Corporation Stops 19mm	CW 2110	each	16			
E.7	Continuity Bonding	CW 2110	each	7			
E.8	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110	Cacii	,			
a)	On Water Services	2110	each	9			
E.9	Surfacing Material	CW 3150					
a)	Limestone		tonne	10			
E.10	Construction of Temporary Patches	CW 3410	m²	20.0			
	Part E Subtotal:						

FORM B: PRICES (See B9)

2004 WATERMAIN RENEWALS - CONTRACT 4

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<u>F</u>	Cree Crescent					
F.1	Watermains	CW 2110				
a)	250mm					
i)	trenchless installation, Class B sand bedding, Class 3 Backfill		m	15.0		
ii)	trenchless installation, Class B sand bedding, Class 5 Backfill		m	190.0		
F.2	Watermain Valve	CW 2110				
a)	250mm		each	3		
F.3	Fittings	CW 2110				
a)	Tees					
i)	250mm X 250mm X 250mm		each	1		
b)	Bends (SD-004)					
'	250mm - 11 1/4° bend		each	1		
ii)	250mm - 90° bend		each	1		
c)	Bends (SD-005)					
i)	250mm - 11 1/4° bend		each	2		
F.4	Connecting to Existing Watermains	CW 2110				
	and Large Diameter Water Services					
a)	Inline Connection - No Plug Existing					
1)	250mm		each	3		
F.5	Abandonment of Existing 250 AC WM	E6	each	1		
	between Cree Cr and Moray St					
F.6	Abandoning Existing Sewers with Cement-Stabilized Flowable Fill	CW-2130				
a)	300mm		m^3	18.0		
F.7	Abandonment of Existing Manholes	CW 2130	each	2		
F.8	Full Depth Partial Slab Patches	CW 2110				
a)	Removal					
i)	200mm reinforced concrete pavement		m²	10.0		
b)	Installation					
i)	200mm reinforced concrete pavement		m²	10.0		

FORM B: PRICES

(See B9)

2004 WATERMAIN RENEWALS - CONTRACT 4

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F.9	Concrete Curb Removal	CW 3240				
a)	Barrier curb		m	10.0		
F.10	Concrete Curb Installation	CW 3240				
a)	Barrier Curb		m	10.0		
F.11	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	2.0		
				Р	art F Subtotal:	

FORM B: PRICES (See B9)

2004 WATERMAIN RENEWALS - CONTRACT 4

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G	David Street - Portage Avenue to Livinia Avenue					
G.1	Watermain Renewals	CW 2110				
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 3 Backfill		m	170.0		
b)	200mm					
i)	trenchless installation, Class B sand bedding, Class 3 Backfill		m	2.0		
c)	250mm					
i)	trenchless installation, Class B sand bedding, Class 3 Backfill		m	2.0		
G.2	Hydrant Assembly	CW 2110				
a)	SD-006		each	3		
G.3	Watermain Valve	CW 2110				
a)	150mm		each	3		
b)	250mm		each	1		
G.4	Fittings	CW 2110				
a)	Tees					
i)	150mm X 150mm X 150mm		each	1		
ii)	150mm X 150mm X 250mm		each	1		
G.5	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	Inline Connection - No Plug Existing					
i)	150mm		each	3		
ii)	200mm		each	1		
G.6	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	10		
G.7	Corporation Stops	CW 2110				
a)	19mm		each	10		

FORM B: PRICES

(See B9)

2004 WATERMAIN RENEWALS - CONTRACT 4

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G.8	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Water Services		each	10		
G.9	Full Depth Partial Slab Patches	CW 2110				
a)	Removal					
i)	200mm reinforced concrete pavement		m²	20.0		
b)	Installation					
i)	200mm reinforced concrete pavement		m²	20.0		
G.10	Miscellaneous Concrete Slab Removal	CW 3235				
a)	Sidewalk		m^2	10.0		
G.11	Miscellaneous Concrete Slab Installation	CW 3235				
a)	Sidewalk		m²	10.0		
G.12	Concrete Curb Removal	CW 3240				
a)	Barrier curb		m	10.0		
b)	Ramp curb		m	10.0		
G.13	Concrete Curb Installation	CW 3240				
a)	Barrier Curb		m	10.0		
b)	Ramp curb		m	10.0		
G.14	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	5.0		
				Pa	art G Subtotal:	

FORM B: PRICES

(See B9)

2004 WATERMAIN RENEWALS - CONTRACT 4

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<u>H</u>	Roseberry Street - Ness Avenue to 140m N of Ness Avenue					
H. 1	Watermain Renewals	CW 2110				
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 3 Backfill		m	20.0		
ii)	trenchless installation, Class B sand bedding, Class 5 Backfill		m	120.0		
H. 2	Hydrant Assembly	CW 2110				
a)	SD-006		each	2		
H. 3	New Hydrant Assembly on Existing Watermain	CW 2110				
a)	SD-006		each	1		
H. 4	Watermain Valve	CW 2110				
a)	150mm		each	1		
H. 5	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a) i)	Inline Connection - No Plug Existing 150mm		each	2		
H. 6 a)	Connecting Existing Copper Water Services to New Watermains 19mm	CW 2110	each	22		
H. 7	Water Services	CW 2110				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3 Backfill		m	30.0		
H. 8	Corporation Stops	CW 2110				
a)	19mm		each	24		
H. 9	Curb Stops	CW 2110				
a)	19mm		each	2		
H. 10	Curb Stop Boxes	CW 2110				
a)	19mm		each	2		

FORM B: PRICES

(See B9)

2004 WATERMAIN RENEWALS - CONTRACT 4

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
H. 11	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Water Services		each	26		
b)	On Metallic Watermains		each	3		
H. 12	Full Depth Partial Slab Patches	CW 2110				
a)	Removal					
i)	150mm reinforced concrete pavement		m^2	15.0		
b)	Installation					
i)	150mm reinforced concrete pavement		m^2	15.0		
H. 13	Miscellaneous Concrete Slab Removal	CW 3235				
a)	Sidewalk		m²	30.0		
H. 14	Miscellaneous Concrete Slab Installation	CW 3235				
a)	Sidewalk		m^2	30.0		
H. 15	Concrete Curb Removal	CW 3240				
a)	Barrier curb		m	10.0		
H. 16	Concrete Curb Installation	CW 3240				
a)	Barrier Curb		m	10.0		
H. 17	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	2.0		
				P	art H Subtotal:	

FORM B: PRICES

(See B9)

2004 WATERMAIN RENEWALS - CONTRACT 4

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<u>I</u>	Provisional Items					
l. 1	Granular Backfill Material	E3	m^3	50.0		
1. 2	Cement-Stabilized Backfill Material	E3	m^3	50.0		
1.3	Fittings	CW 2110				
a)	Bends (SD-005)					
i)	150mm - 45° bend		each	2		
ii)	250mm - 45° bend		each	2		
1. 4	CSP Culvert	CW 3610 & E5				
a)	450mm					
i)	Supply		m	20		
ii)	Install		m	20		
l. 5	Connections to Existing Culverts	CW 3610				
a)	450mm		each	2		
I. 6	Regrading Existing Sewer Service – Up to 1.5 Metres Long	CW 2110				
a)	150mm		each	20		
b)	200mm		each	2		
c)	250mm		each	2		
I. 7	Sodding	CW 3510	m^2	200.0		
I. 8	Sewer Services	CW 2130				
a)	250mm					
i)	trenchless installation, Class B sand bedding, Class 3 Backfill		m	20.0		
I. 9	Connecting New Sewer Service to Existing Sewer Service	CW 2130				
a)	250mm		each	2		
I. 10	Remove and Replace Existing Catch Basin	CW 2130				
a)	SD-024		each	1		
b)	SD-025		each	1		

FORM B: PRICES

(See B9)

2004 WATERMAIN RENEWALS - CONTRACT 4

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
I. 11	Catch Basin Lead	CW 2110				
a)	250mm					
i)	in a trench, Class B sand bedding, Class 3 backfill		m	7.0		
			each			
I. 12	Maintaining Curb Stop Excavations	CW 2110	working	20		
			day			
I. 13	Street Light Cable Trenching	E7				
a)	trenching		m	100.0		
b)	coring		m	50.0		
				F	Part I Subtotal:	
TOTAL	TOTAL BID PRICE (GST extra) (in figures) \$					
(in wor	ds)					

Name of Bidder		

Template Version: C0200040211

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS	THAT			
(hereinafter called the "Principal") and				
(hereinafter called the "Surety"), are held called the "Obligee") in the sum of ten perhereinafter described, for the payment of wexecutors, administrators, successors and a	cent (10%) of the vhich sum the Pr	e Total E incipal a	Bid Price set ou and Surety bind	t in the Bid Submission themselves, their heirs,
WHEREAS the Principal has submitted a B	id to the Obligee	dated th	ne	
day of		20	for	
BID OPPORTUNITY NO. 152-2004				
2004 WATERMAIN RENEWALS – CONTR	RACT 4			
as more fully set out in the Bid Opportunity.				
NOW THEREFORE the condition of this obit said Bid is accepted and the Principal, in the said Obligee and furnishes the required of the Contract, this obligation shall be void IN WITNESS WHEREOF the Principal and	accordance with d performance se l, but otherwise s	the term curity fo hall rema	ns of the Bid, end r guaranteeing to ain in full force a	ters into a Contract with the faithful performance and effect.
day of				
SIGNED AND SEALED in the presence of: (Witness)				
	(Name of Suret			(Seal)

(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 152-2004 2004 WATERMAIN RENEWALS - CONTRACT 4 in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within forty-five (45) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______ day of ______ , 20_____ . (Name of Surety) By: (Seal)

(Attorney-in-Fact)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(Date)	
Corpo Mater 185 K	rity of Winnipeg rate Finance Department ials Management Division ing Street, Main Floor peg MB R3B 1J1
RE:	BID SECURITY - BID OPPORTUNITY NO. 152-2004
	2004 WATERMAIN RENEWALS – CONTRACT 4
Pursu	ant to the request of and for the account of our customer,
(Name	of Bidder)
WE H	es of Bidder) EREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate
	Canadian dollars.
dema Letter payme	Standby Letter of Credit may be drawn on by you at any time and from time to time upon writter nd for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand fo ent without inquiring whether you have a right as between yourself and our customer to make such and without recognizing any claim of our customer or objection by the customer to payment by us.
	mount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upor ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be
Partia	I drawings are permitted.
	ngage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at:
(Addres	es)
and w	e confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2)

(See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 19, 2004.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name	(Name of bank or financial institution)		
Per:			
	(Authorized Signing Officer)		
Per:			
	(Authorized Signing Officer)		