# PART A BID SUBMISSION

#### FORM A: BID (See B8)

1.	Project Title	Sand and Salt Storage F	acility At 1539 Waverley, Yard	Works
2.	Bidder	Name of Bidder		
		Street		
		City	Province	Postal Code
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business und	der the above name.	
3.	Contact Person	The Bidder hereby authorship the Bidder for purposes	orizes the following contact pe of the Bid.	erson to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions		sed in the Contract shall ha General Conditions unless the	
5.	Offer		rs to perform the Work in acc d Price, in Canadian funds, so	

6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:			
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)			
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)			
		a certified cheque or draft			
		and agrees that it shall be held by the City in accordance with the Contract.			
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4.			
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.			
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission.			
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:			
		No Dated			
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.			

12.	Signatures	In witness whereof the Bidder or the Bidder's authorized official officials have signed this				
		day of , 20				
	Signed and sealed in the presence of:	Signature of Bidder or Bidder's Authorized Official or Officials				
	(Witness)	(Print here name and official capacity of individual whose signature appears above				
	(Witness)	(Print here name and official capacity of individual whose signature appears above				

SEAL

#### FORM B: PRICES

(SEE B:9)

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.	EARTH AND BASE WORKS					
A.1	Excavation	CW3110-R7	m <sup>3</sup>	3,700		
A.2	Sub-Grade Compaction	CW3110-R7	m <sup>2</sup>	4,000		
A.3	Placing Suitable Site Sub-base Material	CW3110-R7	m <sup>3</sup>	2,450		
A.4	Crushed Sub-base Material i) 50 mm-Limestone ii) 150 mm-Limestone	CW3110-R7	tonne tonne	2,210 2,135		
A.5	Supplying and Placing Base Course Material	CW3110-R7	m <sup>3</sup>	410		
A.6	Ditch Grading	CW3110-R7	m <sup>2</sup>	450		
A.7	Separation/Reinforcement Geotextile Fabric	CW3130-R1	m <sup>2</sup>	4,000		
A.8	Preparation of Existing Site	CW3150-R4 E16.	m <sup>2</sup>	7,800		
B.	ROADWORKS-NEW CONSTRUC	TION				
B.1	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians i) Construction of 230 mm Concrete Pavement (Plain- Dowelled)	CW3310-R8 E18.	m²	1,500		
B.2	Concrete Curbs, Curb and Gutter, and Splash Strips i) Construction of Modified Barrier (180 mm ht., integral) ii) Construction of Ramp Curb (15 mm ht.)	CW3310-R8 E18. SD-203B SD-229C	m m	54 6		
B.3	Supply and Installation of Dowel Assemblies	CW3310-R8	m	335		
C.	ASSOCIATED DRAINAGE AND L	JNDERGROUND	WORK	S	l	l
C.1	Land Drainage Sewers i) 300 mm a) in a trench, Class B Sand Bedding, Class 2 Backfill, 0 to 4 metres deep	CW2130-R8 E12.	m	8		

NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	b) trenchless installation		m	64		
C.2	Wastewater Sewers i) 200 mm a) in a trench, Class B Sand Bedding, Class 2 Backfill, 0 to 4 metres deep	CW2130-R8 E12.	m	81		
	ii) 250 mm a) in a trench, Class B Sand Bedding, Class 2 Backfill, 0 to 4 metres deep		m	65		
	b) in a trench, Class B Sand Bedding, Class 4 Backfill, 0 to 4 metres deep		m	3		
C.3	Manholes i) SD-010 a) 1200 mm base b) 1500 mm base	CW2130-R8 E14.	v.m. v.m.	3.83 2.22		
C.4	Catchbasins i) SD-025 (1200 mm deep, c/w AP-004 & 006)	CW2130-R8 E17.	each	3		
	ii) SD-025 (1200 mm deep, c/w AP-004 &005) iii) SD-025 (1800 mm deep, c/w AP-004 & 006)		each each	1		
C.5	Sewer Services (CB Lead) i) 250 mm a) in a trench, Class B Sand Bedding, Class 2 Backfill	CW2130-R8	m	69		
C.6	Connecting to Existing Sewer i) 250 mm WWS to 300 mm WWS	CW2130-R8	each	1		
C.7	Sewer Service Risers	CW2130-R8	v.m.	3.3		
C.8	Backfill for Parallel Pipes	CW2030-R6 E12.	m	35		
C.9	Sewer Inspection i) Land Drainage Sewers a) 300 mm ii) Wastewater Sewers	CW2145-R1	m	72		
	a) 200 mm b) 250 mm		m m	81 68		

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.	WATERMAINS					
D.1	Watermains i) 200 mm a) in a trench, Class B Sand Bedding, Class 2 Backfill	CW2110-R7 E11.	m	42		
D.2	Watermain Valve i) 150 mm ii) 200 mm	CW2110-R7 E10.	each each	1 1		
D.3	Fittings i) Tees a) 300 mm x 300 mm x 300 mm ii) Reducers a) 200 mm – 150 mm b) 300 mm – 200 mm	CW2110-R7 E11.	each each each	1 1 1		
D.4	Hydrant Assembly i) SD-006	CW2110-R7 E11.	each	1		
D.5	Connecting to Existing Watermains and Large Diameter Water Services i) Inline Connection-No Plug Existing a) 300 mm	CW2110-R7 E11.	each	2		
E.	MISCELLANEOUS					
E.1	Chain Link Fence i) 1.83 m Height	CW3550-R2	m	63		
E.2	Gates	CW3550-R2	m	17.1		
E.3	Removal and Salvaging of Existing Chain Link Fence	E10.	m	70		
E4.	Supply and Install Bollards	E23.	each	6		
F.	ELECTRICAL					
F.1	Electrical Site Works	E24. to E41.	lump sum	1		
G.	PROVISIONAL ITEMS		I	I	I	I
G.1	Sodding i) width > or = 600 mm	CW3510-R7	m <sup>2</sup>	1,025		

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G.2	Supply and Installation of Trees i) Silver Buffaloberry-0.6 m ht. ii) Colorado Spruce-2.0 m ht.	E20.	each each	12 5		
G.3	Supply and Installation of Planting Bed Soil Mixture	E19.	m <sup>2</sup>	110		
G.4	Supply and Installation of 75 mm of Wood Chip Mulch in Planting Beds	E19.	m <sup>2</sup>	110		
G.5	Concrete Piles i) 450 mm diameter, 6 m deep	E21.	each	21		
G.6	Solid Wood Fence i) 2.44 m Height	E22.	m	48.8		
TOTAL BID PRICE (GST extra) (in figures) \$						
(in words)						

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11) BID BOND

#### KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and		
called the "Obligee") in the sum of ten hereinafter described, for the payment	eld and firmly bound unto <b>THE CITY OF</b> percent (10%) of the Total Bid Price set of which sum the Principal and Surety bind assigns, jointly and severally, firmly by	out in the Bid Submission d themselves, their heirs,
WHEREAS the Principal has submitted	a Bid to the Obligee dated the	
day of	, 20 for	
BID OPPORTUNITY NO. 187-2004		
SAND AND SALT STORAGE FACILITY	AT 1539 WAVERLEY, YARD WORKS	
as more fully set out in the Bid Opportur	nity.	
if said Bid is accepted and the Principal the said Obligee and furnishes the requ	s obligation is such that if the Bid of the Pri, in accordance with the terms of the Bid, e ired performance security for guaranteeing void, but otherwise shall remain in full force	nters into a Contract with the faithful performance
IN WITNESS WHEREOF the Principal a	and Surety have signed and sealed this bo	nd the
day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness)	Per:	,
	(Name of Surety)	
	By:(Attorney-in-Fact)	(Seal)

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

#### AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby become bound as Surety for the Principal,	undertakes an	nd agrees with <b>THE CITY C</b>	<b>)F WINNIPEG</b> to
			of
(Name of Bidder)			
(Place)			
the Bidder to you on	, 20	for	
BID OPPORTUNITY NO. 187-2004			
SAND AND SALT STORAGE FACILITY AT 153	39 WAVERLEY	(, YARD WORKS	
in an amount equal to fifty percent (50%) of the Work shown and described in the Bid Oppor Performance Bond to be maintained and continuperiod. The Performance Bond shall be in the folia is a condition that this Agreement to Bon mentioned above is not required from our Submission Deadline.  AND IT IS HEREBY DECLARED AND AGRE nothing of any kind or matter whatsoever that wor release of liability of the Surety, any law onotwithstanding.	ortunity, if our ue in full force orm specified in dishall becon Principal withing the Still not discharge.	r Principal's Bid is accepted and effect until the expiration the Bid Opportunity. The null and void if the Perincipal sixty (60) Calendar Date of the Principal shall operated the Principal shall operated and effect of the Principal shall operated and effect on the Principal shall operated and effect on the Principal shall operate and effect of the Principa	ed by you, such on of the warranty erformance Bond ays following the rincipal, and that te as a discharge
SIGNED AND SEALED this da	y of	, 20	)
	(Name of Surety)	)	
	By:(Attorney-i	in-Fact)	(Seal)

## FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(Date)
The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1
RE: BID SECURITY – BID OPPORTUNITY NO. 187-2004
SAND AND SALT STORAGE FACILITY AT 1539 WAVERLEY, YARD WORKS
Pursuant to the request of and for the account of our customer,
(Name of Bidder)
WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate
Canadian dollars.
This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.
The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.
Partial drawings are permitted.
We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:
(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

### FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2)

(See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 10, 2004.

If our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name	of bank or financial institution)
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)