PART A BID SUBMISSION

FORM A: BID (See B8)

1.	Project Title	2004 Combined Sewer Ren	ewals by CIPP Lining - Contrac	t No. 11
2.	Bidder			
		Name of Bidder		
		Street		
		City	Province	Postal Code
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business under t	he above name.	
3.	Contact Person	The Bidder hereby authorize the Bidder for purposes of the	es the following contact persor e Bid.	to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions		in the Contract shall have theral Conditions and D3 unles	
5.	Offer		p perform the Work in accordatice, in Canadian funds, set ou	

6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
		
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of forty-five (45) Calendar Days following the Submission Deadline.

12.	Signatures	In witness whereof the Bidder or the Bidder's authorized official or officials have signed this
		, 20
	Signed and sealed in the presence of:	Signature of Bidder or Bidder's Authorized Official or Officials
	(Witness)	(Print here name and official capacity of individual whose signature appears above)
	(Witness)	(Print here name and official capacity of individual whose signature appears above)

SEAL

FORM B: PRICES (UNIT PRICE) (SEE B9)

Project Title: 2004 Combined Sewer Renewals by CIPP Lining - Contract No. 11

IT	EM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Α.	1	Mobilization and Demobilization		lump sum	1.0		
			Mobilization a	and Dem	nobilization	- Sub-Total	
В		Burnell Street (Sewer I.D. 8770): 1st MH N of Portage Avenue (MH I.D. 8771) to MH at Portage Avenue(MH I.D. 8302)					
В	1 a) i) ii)	Sewer Cleaning 600mm Pre-lining Cleaning Warranty Cleaning	E2	m m	114.2 114.2		
В		Sewer Inspection 600mm Pre-lining Inspection Post Lining Inspection Warranty Inspection	E2	m m m	114.2 114.2 114.2		
В	3 a)	Flow Control 600mm	E2	each	1.0		
В	4 a)	Rehabilitation of combined sewer by CIPP lining 600mm	E2	m	114.2		
В	5	Reinstatement of sewer connection	E2	each	10.0		
В	6 a)	Catchbasins Catchbasin with Curb and Gutter Inlet, as per SD-024 1800 deep	CW 2130	each	4.0		
В	7 a) b) c) i)	Manhole and Catchbasin Repair Supply and Install Manhole Rungs Supply and Install Frame and Cover Supply and Install Concrete Risers 750 mm	CW 2130	each each vert. m	10.0 1.0 1.2		
В	8 a) i)	Internal Host Pipe Repairs Removal of solid debris at services or joints	E3	each	6.0		

(SEE B9)

Project Title: 2004 Combined Sewer Renewals by CIPP Lining - Contract No. 11

	Ject	Title: 2004 Combined Sewer Renewals by		Contrac		1.15.00	
IT	EM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ii)	along pipe 3m or less		each	2.0		
	b)	Removal of Intruding Connections		each	3.0		
В	9	Full Depth Partial Slab Patches	CW 3230				
	a)	Removal					
	i)	200mm reinforced concrete pavement		m²	15.0		
	b)	Installation					
	i)	200mm reinforced concrete pavement for early opening (24 hours)		m²	15.0		
В	10	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	10.0		
		Overlays Type TA		torine			
В	11	Miscellaneous Concrete Slab Removal	CW 3235				
	i)	Sidewalk		m²	15.0		
В	12	Miscellaneous Concrete Slab	CW 3235				
	i)	Installation Sidewalk		m²	15.0		
В	13	Concrete Curb Renewal	CW 3240				
	a) i)	Removal Barrier curb			10.0		
	b)	Installation		m	10.0		
	i)	Barrier Curb		m	10.0		
			Burnell Stree	et (Sewe	er I.D. 8770)	- Sub-Total	
		Burnell Street (Sewer I.D. 8772):					
С		1st MH N. of Portage Avenue (MH I.D. 8771) to MH at Einarson Avenue (MH					
		I.D. 8773)					
С	1 a)	Sewer Cleaning 600mm	E2				
	i)	Pre-lining Cleaning		m	114.0		
	ii)	Warranty Cleaning		m	114.0		
С	2	Sewer Inspection	E2				
	a) i)	600mm Pre-lining Inspection		m	114.0		
	ii)	Post Lining Inspection		m	114.0		
1	iii)	Warranty Inspection		m	114.0		

(SEE B9)

	ЕМ	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT	AMOUNT
			REF.		QUANTITY	PRICE	
С		Flow Control 600mm	E2	each	1.0		
С	4	Rehabilitation of combined sewer by CIPP lining	E2		444.0		
	(a)	600mm		m	114.0		
С	5	Reinstatement of sewer connection	E2	each	15.0		
С	6	Catchbasins	CW 2130				
	a)	Catch Basins with Curb and Gutter Inlets as per SD-024 1800 Deep		each	1.0		
С	7	Manhole and Catchbasin Repair	CW 2130				
	a) b) c)	Supply and Install Manhole Rungs Supply and Install Frame and Cover Supply and Install Concrete Risers		each each	5.0 1.0		
	i)	750 mm		vert. m	1.0		
	d) e)	Grout Manhole Base Supply and Install Catchbasin Hood		each each	1.0 1.0		
С	8	Internal Host Pipe Repairs	E3				
	a)	Removal of solid debris					
	i)	at services or joints		each	7.0		
	b)	Removal of Intruding Connections		each	2.0		
С	9 a)	Full Depth Partial Slab Patches Removal	CW 3230				
	i)	200mm reinforced concrete pavement		m²	5.0		
	b) i)	Installation 200mm reinforced concrete pavement for early opening (24 hours)		m²	5.0		
С	10	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	3.0		
С	11	Miscellaneous Concrete Slab Removal	CW 3235				
	i)	Sidewalk		m²	10.0		

١	ปล	m	6	Λf	В	hi	d	Р	r
- 1	Vа		┖	vi	ப	ıu	u	$\overline{}$	ı

(SEE B9)

Project Title: 2004 Combined Sewer Renewals by CIPP Lining - Contract No. 11

	EM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С	12 i)	Miscellaneous Concrete Slab Installation Sidewalk	CW 3235	m²	10.0	THOL	
С	13 a)	Concrete Curb Renewal Removal	CW 3240				
	i) b)	Barrier curb Installation		m	5.0		
	i)	Barrier Curb	Burnell Stree	et (Sewe	5.0 er I.D. 8772)	- Sub-Total	
D		Burnell Street (Sewer I.D. 8781): 2nd MH S. of St. Matthews (MH I.D. 8780) to MH at St. Paul Avenue (MH I.D. 8775)					
D	1 a) i) ii)	Sewer Cleaning 600mm Pre-lining Cleaning Warranty Cleaning	E2	m m	57.9 57.9		
D		Sewer Inspection 600mm Pre-lining Inspection Post Lining Inspection Warranty Inspection	E2	m m m	57.9 57.9 57.9		
D	3 a)	Flow Control 600mm	E2	each	1.0		
D	4 a)	Rehabilitation of combined sewer by CIPP lining 600mm	E2	m	57.9		
D	5	Reinstatement of sewer connection	E2	each	8.0		
D	6 a)	Catchbasins Catch Basins with Curb and Gutter Inlets as per SD-024 1800 Deep	CW 2130	each	1.0		
D	7 a)	Manhole and Catchbasin Repair Supply and Install Manhole Rungs	CW 2130	each	5.0		

(SEE B9)

		DESCRIPTION	SPEC.		APPROX.	UNIT	AMOUNT
- 11	EM	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
	b) c) i) d) e)	Supply and Install Frame and Cover Supply and Install Concrete Risers 750 mm Grout Manhole Base Supply and Install Catch Basin Hood		each vert. m each each	1.0 0.3 1.0 1.0		
D	a) i)	Internal Host Pipe Repairs Removal of Solid Debris At Sevices or Joints Removal of Intruding Connections	E3	each each	4.0 1.0		
D		Full Depth Partial Slab Patches Removal	CW 3230				
	i)	200mm reinforced concrete pavement		m²	5.0		
	i)	Installation 200mm reinforced concrete pavement for early opening (24 hours)		m²	5.0		
D	10	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	3.0		
D		Miscellaneous Concrete Slab Removal Sidewalk	CW 3235	m²	5.0		
D	12	Miscellaneous Concrete Slab Installation Sidewalk	CW 3235	m²	5.0		
D	13 a)	Concrete Curb Renewal Removal	CW 3240				
	i)	Barrier curb		m	5.0		
	,	Installation Barrier Curb		m	5.0		
			Burnell Str	eet (Sew	ver I.D. 8781	l) Sub-Total	
E		Burnell Street (Sewer I.D. 8779): 1st MH S of St. Matthews Avenue (MH I.D. 8778) to 2nd MH S of St. Matthews Avenue (MH I.D. 8780)					

Name of Bidder

(SEE B9)

Project Title: 2004 Combined Sewer Renewals by CIPP Lining - Contract No. 11

	EM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT	AMOUNT
	<u> </u>		REF.	1	QUANTITY	PRICE	
E	1 a) i) ii)	Sewer Cleaning 600mm Pre-lining Cleaning Warranty Cleaning	E2	m m	59.4 59.4		
Е	2 a) i) ii) iii)	Sewer Inspection 600mm Pre-lining Inspection Post Lining Inspection Warranty Inspection	E2	m m m	59.4 59.4 59.4		
Е	3 a)	Flow Control 600mm	E2	each	1.0		
Е	4 a)	Rehabilitation of combined sewer by CIPP lining 600mm	E2	m	59.4		
Е	5	Reinstatement of sewer connection	E2	each	6.0		
Е	6 a) b) c) i) d)	Manhole and Catchbasin Repair Supply and Install Manhole Rungs Supply and Install Frame and Cover Supply and Install Concrete Risers 750 mm Grout Manhole Base	CW 2130	each each vert. m each	5.0 1.0 0.6 1.0		
E	7 a) i) ii)	Internal Host Pipe Repairs Removal of solid debris at services or joints Along Pipe 3m or Less	E3	each each	5.0 5.0		
Е	8 a)	Full Depth Partial Slab Patches Removal	CW 3230				
	i)	200mm reinforced concrete pavement		m²	5.0		
	b) i)	Installation 200mm reinforced concrete pavement for early opening (24 hours)		m²	5.0		

(SEE B9)

Project Title: 2004 Combined Sewer Renewals by CIPP Lining - Contract No. 11

	EM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Е	9	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	2.0		
			Burnell Stree	et (Sewe	er I.D. 8779)	- Sub-Total	
F		Burnell Street (Sewer I.D. 8776): MH at St. Matthews Avenue (MH I.D. 8777) to 1st MH S of St. Matthews Avenue (MH I.D. 8778)					
F	1 a) i) ii)	Sewer Cleaning 600 mm Pre-lining Cleaning Warranty Cleaning	E2	m m	117.9 117.9		
F	2 a) i) ii) iii)	Sewer Inspection 600 mm Pre-lining Inspection Post Lining Inspection Warranty Inspection	E2	m m m	117.9 117.9 117.9		
F	3 a)	Flow Control 600 mm	E2	each	1.0		
F	4 a)	Rehabilitation of combined sewer by cipp lining 600 mm	E2	m	117.8		
F	5	Reinstatement of sewer connection	E2	each	15.0		
F	6 a)	Catchbasins Catchbasin with Curb and Gutter Inlet, as per SD-008 1800 deep	CW 2130	each	4.0		
F	7 a) b)	Manhole and Catchbasin Repair Supply and Install Manhole Rungs Grout Manhole Base	CW 2130	each each	5.0 1.0		
F	8 a) i) b)	Internal Host Pipe Repairs Removal of Solid Debris at services or joints Removal of Intruding Connections	E3	each each	8.0 2.0		
F	9 a)	Full Depth Partial Slab Patches Removal	CW 3230				

(SEE B9)

Project Title: 2004 Combined Sewer Renewals by CIPP Lining - Contract No. 11

		Title: 2004 Combined Sewer Renewals b	SPEC.		APPROX.	UNIT	
	EM	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
	i)	200mm reinforced concrete pavement		m²	20.0		
	b) i)	Installation 200mm reinforced concrete pavement for early opening (24 hours)		m²	20.0		
F	10	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	6.0		
F	11	Miscellaneous Concrete Slab Removal	CW 3235				
	i)	Sidewalk		m²	20.0		
F	12 i)	Miscellaneous Concrete Slab Installation Sidewalk	CW 3235	m²	20.0		
F	13 a) i) b)	Concrete Curb Renewal Removal Barrier curb Installation	CW 3240	m	5.0		
	i)	Barrier Curb		m	5.0		
			Burnell Stree	et (Sewe	er I.D. 8776)	- Sub-Total	
G		Cumberland Ave. (Sewer I.D. 2377): MH at Carlton St. by E PL (MH I.D. 2376) to 1st MH E of Carlton St. (MH I.D. 2378)					
G	1	Sewer Cleaning	E2				
	a) i) ii)	375mm Pre-lining Cleaning Warranty Cleaning		m m	69.3 69.3		
G	2	Sewer Inspection	E2				
	a) i) ii) iii)	375mm Pre-lining Inspection Post Lining Inspection Warranty Inspection		m m m	69.3 69.3 69.3		
G	3	Flow Control	E2				
	a)	375mm		each	1.0		

(SEE B9)

	EM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
G	4 a)	Rehabilitation of combined sewer by CIPP lining 375mm	REF.	m	69.3	FRICE	
G	5	Reinstatement of sewer connection	E2	each	11.0		
G	6 a)	Manhole and Catchbasin Repair Supply and Install Manhole Rungs	CW 2130-R7	each	5.0		
G	i)	Internal Host Pipe Repairs Removal of Solid Debris at services or joints Removal of Intruding Connections	E3	each each	1.0 5.0		
	,		berland Avenu			- Sub-Total	
н		<u>Alverstone (</u> Sewer I.D. 9487) MH South of McIntyre (MH I.D. 9485) to MH at Sargent Ave. (MH I.D. 9487)					
н	1 a) i) ii)	Sewer Cleaning 450mm Pre-lining Cleaning Warranty Cleaning	E2	m m	94.6 94.6		
Н	2 a) i) ii) iii) iv)	Sewer Inspection 450mm Pre-Sewer Repair Inspection Pre-lining Inspection Post Lining Inspection Warranty Inspection	E2	m m m m	94.6 94.6 94.6 94.6		
Н	3 a)	Flow Control 450mm	E2	each	1.0		
Н	4 a)	Rehabilitation of combined sewer by CIPP lining 450mm	E2	m	94.6		
Н	5	Reinstatement of sewer connection	E2	each	10.0		

N	la	m	ıe	0	fΙ	R	hi	d	۵
	а			v		_,	u	u	C

(SEE B9)

Project Title: 2004 Combined Sewer Renewals by CIPP Lining - Contract No. 11

PIC	gect	Title: 2004 Combined Sewer Renewals by		Contrac			
IT	EM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Н	6 a)	Internal Host Pipe Repairs Removal of Intruding Connections	E3	each	1.0		
Н	7	External Sewer Repair (Class 3 backfill)					
	i)	450 mm up to 3 metres In excess of 3 metres		each m	2.0 1.8		
Н	8 a)	Connect existing sewer service to new sewer 150 mm	CW 2130	each	3.0		
Н	9 a)	Manhole and Catchbasin Repair Grout Manhole Base	CW 2130	each	1.0		
Н	10 a) b)	Manhole frame and cover Supply and Install Frame and Cover Supply and Install Manhole Rungs	CW 2130	each each	1.0 5.0		
F		Full Depth Partial Slab Patches Removal					
	i)	200mm reinforced concrete pavement		m²	35.0		
	b) i)	Installation 200mm reinforced concrete pavement for early opening (24 hours)		m²	35.0		
F	12	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	10.0		
		A	Iverstone Stre	et. (Sev	ver I.D. 9487	') Sub-Total	
ı		Provisional Items					
ı	1	Manhole and Catchbasin Repair	CW 2130				
	a) b) c) i) ii) d)	Supply and Install Manhole Rungs Supply and Install Frame and Cover Supply and Install Concrete Risers 750mm 900mm Grout Manhole Base		each each vert. m vert. m each	1.0 1.0		
	e) f) g)	Catchbasin Cleaning Grout Catchbasin Supply and Install Catchbasin Hood		each each each	1.0 1.0 1.0		

FORM B: PRICES (UNIT PRICE) (SEE B9)

ΙΤ	EM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
I	2	Internal Host Pipe Repairs	E3				
		Removal of solid debris					
	i)	at services or joints		each	2.0		
	ii)	along pipe 3m or less		each	2.0		
	iii)	along pipe additional metres		m	3.0		
	b)	Removal of Intruding Connections		each	2.0		
	c)	Grout Holes and Voids					
	i)	375 mm host pipe		each	2.0		
	,	450 mm host pipe		each	2.0		
	iii)	600 mm host pipe		each	2.0		
ı	3	Concrete Curb Renewal	CW 3240				
		Removal					
	i)	Barrier curb		m	5.0		
	,	Installation			5.0		
	i)	Barrier Curb		m	5.0		
I	4	Catchbasin Lead Renewal	CW 2130				
	a)	250mm		m	40.0		
ı	5	Catchbasin Cleaning	CW 2140	ea.	16.0		
		_					
I	6	Catchbasin Lead Cleaning	CW 2140		112.0		
	a)	250 mm		m	112.0		
I	7	Catchbasin Lead Inspection	CW 2145				
	a)	250 mm		m	112.0	Out Total	
	Provisional Items - Sub-Total						

TOTAL BID PRICE (GST extra)	(in figures)\$	
(in words)		
-		

(Seal)

Template Version: C120040408

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS T	ГНАТ	
(hereinafter called the "Principal") and		
called the "Obligee") in the sum of ten perchereinafter described, for the payment of w	and firmly bound unto THE CITY OF WINNIPE cent (10%) of the Total Bid Price set out in the B hich sum the Principal and Surety bind themselves assigns, jointly and severally, firmly by these presents.	id Submission es, their heirs,
WHEREAS the Principal has submitted a Bi	id to the Obligee dated the	
day of	, 20 for	
BID OPPORTUNITY NO. 239 - 2004		
2004 COMBINED SEWER RENEWALS BY	CIPP LINING - CONTRACT NO. 11	
as more fully set out in the Bid Opportunity.		
if said Bid is accepted and the Principal, in a the said Obligee and furnishes the required	oligation is such that if the Bid of the Principal is not accordance with the terms of the Bid, enters into a performance security for guaranteeing the faithful, but otherwise shall remain in full force and effect	a Contract with all performance
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the	
day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness)	Per:	_ (Seal) _

(Name of Surety)

(Attorney-in-Fact)

By:

FORM G1: BID BOND AND AGREEMENT TO BOND

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 239 - 2004 2004 COMBINED SEWER RENEWALS BY CIPP LINING - CONTRACT NO. 11 in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within forty-five (45) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______, 20_____. (Name of Surety) (Seal) (Attorney-in-Fact)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(Date)
The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1
RE: BID SECURITY - BID OPPORTUNITY NO. 239 - 2004
2004 COMBINED SEWER RENEWALS BY CIPP LINING - CONTRACT NO. 11
Pursuant to the request of and for the account of our customer,
(Name of Bidder)
(Address of Bidder)
WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceed in the aggregate
Canadian dolla
This Standby Letter of Credit may be drawn on by you at any time and from time to time upon writdemand for payment made upon us by you. It is understood that we are obligated under this Stand Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand payment without inquiring whether you have a right as between yourself and our customer to make subdemand and without recognizing any claim of our customer or objection by the customer to payment by
The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn up t by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it made.
Partial drawings are permitted.
We engage with you that all demands for payment made within the terms and currency of this Stand Letter of Credit will be duly honoured if presented to us at:
(Address)
and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by t

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2)

(See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on August 06, 2004.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name	of bank or financial institution)
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)