PART A

BID SUBMISSION

FORM A: BID (See B8)

1.	Project Title	2004 COMBINED SEWER REI CONTRACT NO. 14	NEWALS BY CIPP LINING			
2.	Bidder					
		Name of Bidder				
		Street				
		City	Province	Postal Code		
	(Mailing address if different)	Street or P.O. Box				
		City	Province	Postal Code		
		The Bidder is:				
	(Choose one)	☐ a sole proprietor				
		□ a partnership				
		a corporation				
		carrying on business under the	above name.			
3.	Contact Person	The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.				
		Contact Person	Title			
		Telephone Number	Facsimile Number			
4.	Definitions		the Contract shall have the al Conditions and D3 unless the			
5.	Offer		perform the Work in accordanc e, in Canadian funds, set out o			

Template Versi	on: C120040408	
6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:
	(Choose one)	□ a bid bond (Form G1: Bid Bond and Agreement to Bond)
		□ an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of forty-five (45) Calendar Days following the Submission Deadline.

12. Signatures

In witness whereof the Bidder or the Bidder's authorized official or officials have signed this

ay of , 20
Signature of Bidder or Bidder's Authorized Official or Officials
(Print here name and official capacity of individual whose signature appears above)
(Print here name and official capacity of individual whose signature appears above)

SEAL

2004 COMBINED SEWER RENEWALS BY CIPP LINING CONTRACT NO. 14

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Α.	MOBILIZATION AND DEMOBILIZATION		lump sum	1.0		
в	POWERS STREET (17970)					
5	Manhole at Aberdeen Avenue (17969) to					
	Manhole at Redwood Avenue (17971)					
1	Sewer Cleaning	CW2130				
	a) 250 mm Catchbasin Lead					
	i) Pre-lining Cleaning		metre	8.0		
	ii) Warranty Cleaning		metre	4.0		
	b) 600 mm		İ			
I	i) Pre-lining Cleaning		metre	103.3		
	ii) Warranty Cleaning		metre	103.3		
2	Sewer Insepction	CW2145				
	a) 250 mm Catchbasin Lead		İ			
	i) Pre-Lining Inspection		metre	8.0		
	ii) Post Lining Inspection		metre	4.0		
	iii) Warranty Inspection		metre	4.0		
	b) 600 mm		İ			
	i) Pre-Lining Inspection		metre	103.3		
	ii) Post Lining Inspection		metre	103.3		
	iii) Warranty Inspection		metre	103.3		
3	Flow Control					
	a) 600 mm		each	1.0		
4	Rehabilitation of Combined Sewer by					
	CIPP Lining		ĺ			
	a) 600 mm		metre	103.3		
5	Reinstatement of Sewer Connection		each	11.0		
6	Manhole and Catchbasin Repairs	CW2130-R7				
	a) Supply and Install Manhole Rungs		each	9.0		
	b) Supply and Install Frame and Cover		each	1.0		
	c) Supply and Install Concrete Riser		İ	_		
	i) 750 mm		vert.m.	1.5		
	d) Grout Manhole		vert.m.	2.0		
	e) Supply and Install Catchbasin Hood		each	2.0		

2004 COMBINED SEWER RENEWALS BY CIPP LINING CONTRACT NO. 14

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT	AMOUNT
NO.		REF.	•••••	QUANTITY	PRICE	
7	Internal Host Pipe Repairs					
	a) Removal of Solid Debrisi) At Service or Joint		each	7.0		
	ii) Along Pipe 3.0 m or Less		each	1.0		
	b) Grout Holes and Voids		each	1.0		
	i) Filling Small Voids Internally		each	1.0		
	ii) Concrete Patching up to 1.0 m		each	1.0		
	Long		Cuon	1.0		
8	Combined Sewer Internal Point Repairs					
	by CIPP Methods					
	a) 250 mm Catchbasin Lead					
	i) Up to 3.0 m		each	1.0		
İ						
	Subtotal Part B					
С	ABERDEEN AVENUE (18032)					
	1st Manhole East of Salter Street (1803	l) to				
	Manhole at Aikins Street (18022)					
1	Sewer Cleaning	CW2130				
1	a) 250 mm Catchbasin Lead	0112130				
	i) Pre-lining Cleaning		metre	16.0		
	ii) Warranty Cleaning		metre	8.0		
	b) 375 mm			0.0		
	i) Pre-lining Cleaning		metre	100.5		
	ii) Warranty Cleaning		metre	100.5		
2	Sewer Insepction	CW2145				
	a) 250 mm Catchbasin Lead					
	i) Pre-Lining Inspection		metre	16.0		
	ii) Post Lining Inspection		metre	8.0		
	iii) Warranty Inspection		metre	8.0		
	b) 375 mm					
	i) Pre-Lining Inspection		metre	100.5		
	ii) Post Lining Inspection		metre	100.5		
	iii) Warranty Inspection		metre	100.5		
3	Flow Control					
3	a) 375 mm		each	1.0		
			Each	1.0		

2004 COMBINED SEWER RENEWALS BY CIPP LINING CONTRACT NO. 14

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
4	Rehabilitation of Combined Sewer by CIPP Lining					
	a) 250 mm Catchbasin Lead		metre	8.0		
	b) 375 mm		metre	100.5		
5	Reinstatement of Sewer Connection		each	19.0		
6	Manhole and Catchbasin Repairs	CW2130-R7				
	a) Supply and Install Manhole Rungsb) Supply and Install Concrete Riser		each	9.0		
	i) 750 mm		vert.m.	1.5		
	c) Grout Manhole		vert.m.	2.0		
	d) Supply and Install Catchbasin Hoode) Catchbasin Lead Renewal		each	2.0		
	i) 250 mm		metre	9.0		
7	Internal Host Pipe Repairs a) Removal of Intruding Connections b) Removal of Solid Debris		each	2.0		
	i) At Service or Joint		each	2.0		
	ii) Along Pipe 3 m or Less		each	2.0		
	Subtotal Part C					
D	BOYD AVENUE (17988) Manhole at McGregor Street (17861) to 1st Manhole East of McGregor Street (17989)					
1	Sewer Cleaning	CW2130				
	a) 250 mm Catchbasin Lead			40.0		
	i) Pre-lining Cleaningii) Warranty Cleaning		metre	49.0 41.0		
	b) 375 mm		metre	41.0		
	i) Pre-lining Cleaning		metre	99.8		
	ii) Warranty Cleaning		metre	99.8		
2	Sewer Insepction	CW2145				
	a) 250 mm Catchbasin Lead					
İ	i) Pre-Lining Inspection		metre	49.0		
	ii) Post Lining Inspection	ļ	metre	41.0		
	iii) Warranty Inspection		metre	41.0		

2004 COMBINED SEWER RENEWALS BY CIPP LINING CONTRACT NO. 14

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	approx. Quantity	UNIT PRICE	AMOUNT
	b) 375 mm					
	i) Pre-Lining Inspection		metre	99.8		
	ii) Post Lining Inspection		metre	99.8		
	iii) Warranty Inspection		metre	99.8		
3	Flow Control					
	a) 375 mm		each	1.0		
4	Rehabilitation of Combined Sewer by CIPP Lining					
İ	a) 375 mm		metre	99.8		
5	Reinstatement of Sewer Connection		each	20.0		
6	Manhole and Catchbasin Repairs	CW2130-R7				
İ	a) Supply and Install Frame and Cover		each	4.0		İ
	b) Supply and Install Manhole Rungs		each	15.0		
	c) Supply and Install Concrete Riser		vortm	1 5		
	i) 750 mm d) Grout Manhole		vert.m. vert.m.	1.5 3.0		
			ven.m.	3.0		
7	Internal Host Pipe Repairs		each	1.0		
	a) Removal of Intruding Connectionsb) Removal of Solid Debris		each	1.0		
	i) At Service or Joint		each	3.0		
	ii) Along Pipe 3 m or Less		each	4.0		
8	Combined Sewer Internal Point Repairs					
	by CIPP Methods					
ļ	a) 250 mm Catchbasin Lead					
	i) Up to 3.0 m		each	1.0		
	ii) In Excess of 3.0 m		metre	4.0		
	Subtotal Part D					

2004 COMBINED SEWER RENEWALS BY CIPP LINING CONTRACT NO. 14

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E	MAIN STREET (17087)					
	Manhole at Matheson Avenue (17078) t	o				
	Manhole at Curruthers (17088)					
1	Sewer Cleaning	CW2130				
	a) 250 mm Catchbasin Lead					
	i) Pre-lining Cleaning		metre	14.0		
	ii) Warranty Cleaning		metre	14.0		
	b) 900 mm					
	i) Pre-lining Cleaning		metre	52.7		
	ii) Post-lining Cleaning		metre	52.7		
	iii) Warranty Cleaning		metre	52.7		
2	Sewer Insepction	CW2145				
	a) 250 mm Catchbasin Lead					
	i) Pre-Lining Inspection	İ	metre	14.0		
	b) 900 mm					
	i) Pre-Lining Inspection	Ì	metre	52.7		
	ii) Post Lining Inspection		metre	52.7		
	iii) Warranty Inspection		metre	52.7		
3	Flow Control					
	a) 900 mm		each	1.0		
4	Rehabilitation of Combined Sewer by					
	CIPP Lining					
	a) 900 mm		metre	52.7		
5	Reinstatement of Sewer Connection		each	4.0		
6	Manhole and Catchbasin Repairs	CW2130-R7				
0	a) Supply and Install Manhole Rungs	C W 2 130-107	each	1.0		
	b) Grout Manhole		vert.m.	4.0		
7	Internal Host Pipe Repairs					
	a) Removal of Solid Debris					
	i) At Service or Joint		each	2.0		
	b) Grout Holes and Voids		ļ			ļ
	i) Filling Small Voids Internally		each	2.0		
	Subtotal Part E					

2004 COMBINED SEWER RENEWALS BY CIPP LINING CONTRACT NO. 14

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F	MAIN STREET (17077)					
	Manhole at McAdam Avenue (17064) to					
	Manhole at Matheson (17078)					
1	Sewer Cleaning	CW2130				
	a) 250 mm Catchbasin Lead					
	i) Pre-lining Cleaning		metre	28.0		
	ii) Warranty Cleaning		metre	14.0		
	b) 900 mm					
ļ	i) Pre-lining Cleaning		metre	95.7		
	ii) Warranty Cleaning		metre	95.7		
2	Sewer Insepction	CW2145				
	a) 250 mm Catchbasin Lead					
	i) Pre-Lining Inspection		metre	28.0		
	ii) Post Lining Inspection		metre	14.0		
	iii) Warranty Inspection		metre	14.0		
	b) 900 mm					
	i) Pre-Lining Inspection		metre	95.7		
	ii) Post Lining Inspection		metre	95.7		
	iii) Warranty Inspection		metre	95.7		
3	Flow Control					
	a) 900 mm		each	1.0		
4	Rehabilitation of Combined Sewer by					
	CIPP Lining					
	a) 900 mm		metre	95.7		
5	Reinstatement of Sewer Connection		each	6.0		
6	Manhole and Catchbasin Repairs	CW2130-R7				
0	a) Supply and Install Concrete Riser	002130-107				
	i) 750 mm		vert.m.	0.3		
	b) Grout Manhole		vert.m.	4.0		
 	c) Grout Catchbasin	1	vert.m.	0.3		
			vort.m.	0.0		
7	Combined Sewers Internal Point Repairs					
	by CIPP Methods					
Ì	a) 250 mm					
	i) Up to 3.0 m		each	1.0		
İ	ii) In Excess of 3.0 m		metre	4.0		İ

FORM B: PRICES

(See B9)

2004 COMBINED SEWER RENEWALS BY CIPP LINING CONTRACT NO. 14

	REF.	UNIT	QUANTITY	PRICE	AMOUNT
 b) Grout Holes and Voids i) Fill Small Voids Internally ii) Concrete Patching - Up to 1.0 m 		each each			
Long iii) Concrete Patching in Excess of 1.0 m Long		metre	9.7		
Subtotal Part F					
Sewer Cleaning	CW2130				
a) 300 mm i) Pre-lining Cleaning ii) Warranty Cleaning		metre metre	!	1	
Sewer Insepction	CW2145				
 a) 300 mm i) Pre-Lining Inspection ii) Post Lining Inspection iii) Warranty Inspection 		metre metre metre	93.6		
Flow Control a) 300 mm		each	1.0		
Rehabilitation of Combined Sewer by CIPP Lining			00.0		
a) 300 mm		metre	93.6		
Reinstatement of Sewer Connection		each	9.0		
Manhole and Catchbasin Repairs a) Supply and Install Manhole Rungs b) Grout Manhole	CW2130-R7	each vert.m.	10.0 7.0		
	 i) Fill Small Voids Internally ii) Concrete Patching - Up to 1.0 m Long iii) Concrete Patching in Excess of 1.0 m Long Subtotal Part F MAIN STREET (15732) Manhole at Seven Oaks Avenue (15731) Node at Jefferson Avenue (at MH 15733) Sewer Cleaning a) 300 mm i) Pre-lining Cleaning ii) Warranty Cleaning ii) Warranty Cleaning ii) Post Lining Inspection ii) Post Lining Inspection iii) Warranty Inspection iii) Warranty Inspection a) 300 mm Rehabilitation of Combined Sewer by CIPP Lining a) 300 mm Reinstatement of Sewer Connection Manhole and Catchbasin Repairs a) Supply and Install Manhole Rungs 	 i) Fill Small Voids Internally ii) Concrete Patching - Up to 1.0 m Long iii) Concrete Patching in Excess of 1.0 m Long Subtotal Part F MAIN STREET (15732) Manhole at Seven Oaks Avenue (15731) to Node at Jefferson Avenue (at MH 15733) Sewer Cleaning a) 300 mm i) Pre-lining Cleaning ii) Warranty Cleaning ii) Warranty Cleaning Sewer Insepction a) 300 mm i) Pre-Lining Inspection ii) Post Lining Inspection iii) Warranty Inspection iii) Warranty Inspection iii) Warranty Inspection iii) Warranty Inspection a) 300 mm Rehabilitation of Combined Sewer by CIPP Lining a) 300 mm Reinstatement of Sewer Connection Manhole and Catchbasin Repairs a) Supply and Install Manhole Rungs 	i) Fill Small Voids Internally ii) Concrete Patching - Up to 1.0 m Long iii) Concrete Patching in Excess of 1.0 m Longeach eachSubtotal Part FmetreMAIN STREET (15732) Manhole at Seven Oaks Avenue (15731) to Node at Jefferson Avenue (at MH 15733)cw2130Sewer Cleaning a) 300 mm i) Pre-lining Cleaning ii) Warranty CleaningCW2145Sewer Insepction ii) Pre-Lining Inspection iii) Warranty Inspectioncw2145Flow Control a) 300 mmmetre metreI) Pre-Lining Inspection iii) Warranty Inspection iii) Warranty Inspectionmetre metreFlow Control a) 300 mmmetre metreFlow Control a) 300 mmcw2130-R7 metreReinstatement of Sewer Connection Manhole and Catchbasin Repairs a) Supply and Install Manhole RungscW2130-R7 metre	i)Fill Small Voids Internally ii)each3.0 eachiii)Concrete Patching - Up to 1.0 m Long iii)metre9.7iii)Concrete Patching in Excess of 1.0 m Longmetre9.7Subtotal Part FMAIN STREET (15732) Manhole at Seven Oaks Avenue (15731) to Node at Jefferson Avenue (at MH 15733)metre93.6Sewer Cleaning a)300 mmCW2130metre93.6i)Pre-lining Cleaning ii)wetre93.6Sewer Insepction ii)Varranty Cleaning metremetre93.6Sewer Insepction a)300 mmmetre93.6Sewer Insepction a)Severtionmetre93.6Sewer Insepction a)metre93.6metreSewer Insepction a)metre93.6metreSewer Insepction a)metre93.6metreSewer Insepction a)metre93.6metreSewer Insepction a)metre93.6metreSewer Insepction a)metre93.6metreSewer Insepction a)metre93.6metreFlow Control a)ao0 mmmetre93.6Flow Control a)ao0 mmmetre93.6Reinstatement of Sewer Connection a)metre93.6Manhole and Catchbasin Repairs a)CW2130-R7 each9.0	i)Fill Small Voids Internally ii) Concrete Patching - Up to 1.0 m Longeach3.0 eachiii)Concrete Patching in Excess of 1.0 m Longmetre9.7Subtotal Part FMAIN STREET (15732) Manhole at Seven Oaks Avenue (15731) to Node at Jefferson Avenue (at MH 15733)metre93.6a)300 mm i)Pre-lining Cleaning iii)metre93.6a)300 mm i)Pre-lining Inspection iii)metre93.6a)300 mm i)CW2145metre93.6iii)Warranty Cleaning iiii)metre93.6j)Pre-Lining Inspection iii)metre93.6iii)Warranty Inspection iii)metre93.6iii)Warranty Inspection iii)metre93.6iii)Warranty Inspection iii)metre93.6iii)Warranty Inspection iii)metre93.6iii)Warranty Inspection iii)metre93.6iii)Warranty Inspection iii)metre93.6j)Supply and Install Manhole RungsCW2130-R7 each9.0

2004 COMBINED SEWER RENEWALS BY CIPP LINING CONTRACT NO. 14

ЕМ О.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	Internal Host Pipe Repairs					
	a) Removal of Intruding Connections		each	1.0		
	b) Removal of Solid Debris	İ				
	i) At Service or Joint		each	6.0		
	ii) Along Pipe 3 m or Less	ĺ	each	1.0		
	iii) Along Pipe Additional Metres		metre	4.0		
	Subtotal Part G					
	SUMMARY					
	Subtotal Part A					
	Subtotal Part B					
	Subtotal Part C					
	Subtotal Part D					
	Subtotal Part E					
	Subtotal Part F					
	Subtotal Part G					
	TOTAL					
ΟΤΑ	_' AL BID PRICE (GST extra) (in figures) \$		J			
n w	ords)					

Name of Bidder

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid Submission hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee dated the

_____ day of _____ for

BID OPPORTUNITY NO. 241-2004

2004 COMBINED SEWER RENEWALS BY CIPP LINING CONTRACT NO. 14

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

______ day of _______, 20_____.
SIGNED AND SEALED
in the presence of:
(Name of Principal)
Per: _______ (Seal)
Per: _______ (Seal)
By: _______ (Seal)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on ______, 20_____, for

BID OPPORTUNITY NO. 241-2004

2004 COMBINED SEWER RENEWALS BY CIPP LINING CONTRACT NO. 14

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within forty-five (45) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this ______ day of ______, 20_____, 20_____.

By:

(Name of Surety)

_____ (Seal)

(Attorney -in-Fact)

of

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING

(BID SECURITY) (Page 1 of 2) (See B11)

(Date)

The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1

RE: BID SECURITY - BID OPPORTUNITY NO. 241-2004

2004 COMBINED SEWER RENEWALS BY CIPP LINING CONTRACT NO. 14

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

__ Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

Template Version: C120040408

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2)

(See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on August 1, 2004.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)

Per:

(Authorized Signing Officer)

Per:

(Authorized Signing Officer)