PART A

BID SUBMISSION

FORM A: BID (See B7)

1.	Project Title	2004 Thin Bituminous Overlay	(TBO) Program	
2.	Bidder	Name of Bidder		
		Street		
		City	Province	Postal Code
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		□ a corporation		
		carrying on business under the	above name.	
3.	Contact Person	The Bidder hereby authorizes the Bidder for purposes of the B	the following contact person to Bid.	represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions		the Contract shall have the oral Conditions and D2.2(a)(i)	
5.	Offer		perform the Work in accordanc e, in Canadian funds, set out o	

6.	Bid Security	In accordance with B10.1, the Bidder encloses bid security in the form of:
	(Choose one)	□ a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.
12.	Signatures	In witness whereof the Bidder or the Bidder's authorized official or officials have signed this
		day of , 20

Signed and sealed in the presence of:	Signature of Bidder or Bidder's Authorized Official or Officials
(Witness)	(Print here name and official capacity of individual whose signature appears above)
(Witness)	(Print here name and official capacity of individual whose signature appears above)

SEAL

	FO	(SEE B:8)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	2004 THIN BITUMINOUS OVERLAY (TBO) PR	ROGRAM				
4	EARTH AND BASE WORKS	OW 2440 DZ				
1	Excavation	CW 3110-R7	m³	5		
2	Sub-Grade Compaction	CW 3110-R7	m²	10		
3	Crushed Sub-base Material	CW 3110-R7				
ij) 50 mm - Pavement		tonne	5		
4	Supplying and Placing Base Course Material	CW 3110-R7	m³	5		
5	Grading of Boulevards	CW 3110-R7	m²	10		
6	Imported Fill Material	CW 3110-R7	m³	5		
	ROADWORKS - REMOVALS/RENEWALS					
7	Slab Replacement	CW 3230-R4				
ij) 200 mm Concrete Pavement (Reinforced)		m²	30		
ii)) 150 mm Concrete Pavement (Reinforced)		m²	30		
8	Partial Slab Patches	CW 3230-R4				
i)) 200 mm Concrete Pavement (Type A)		m²	80		
ii)) 200 mm Concrete Pavement (Type B)		m²	40		
iii)) 200 mm Concrete Pavement (Type C)		m²	20		
iv) 200 mm Concrete Pavement (Type D)		m²	20		
v) 150 mm Concrete Pavement (Type A)		m²	340		
vi) 150 mm Concrete Pavement (Type B)		m²	420		
) 150 mm Concrete Pavement (Type C)		m²	40		
viii)) 150 mm Concrete Pavement (Type D)		m²	70		
Ð	Drilled Dowels	CW 3230-R4				
i) 19.1 mm Diameter		each	1200		

	FO	RM B: PRICES (SEE B:8)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
10	Drilled Tie Bars	CW 3230-R4				
i)	20 M Deformed Tie Bar		each	2000		
11	Miscellaneous Concrete Slab Renewal	CW 3235-R4				
i)	Sidewalk	SD-228A				
	a) Less than or equal to 5 sq.m.		m²	60		
	b) Greater than 5 and less than 20 sq.m.		m²	10		
12	Concrete Curb Renewal	CW 3240-R4				
i)	Barrier (180mm ht, Dowelled)	SD-205, SD206A	m			
	a) 3 m and less	3D200A	m	530		
	b) Greater than 3m and less than 30 m		m	10		
ii)	Ramp Curb (15mm ht, Dowelled)	SD-229 E	m	110		
13	Regrading Existing Interlocking Paving Stones	CW 3330-R3	m²	40		
14	Construction of Asphaltic Concrete Overlay	CW 3410-R5				
i)	Main Line Paving					
	a) Type IA		tonne	8000		
ii)	Tie-ins and Approaches					
	a) Type II		tonne	350		
15	Planing of Pavement	CW 3450-R3				
i)	0 - 50 mm Depth (Asphalt)		m²	1100		
ii)	0 - 50 mm Depth (Concrete)		m²	50		
16	Pavement Repair Fabric	E9	m²	1800		
17	Cleaning and Filling of Joints	E11	m	130		
18	ASSOCIATED DRAINAGE AND UNDERGROU	IND WORKS CW 2130-R8				
10	Replacing Existing Catch Basin Frames & Covers	UVV 213U-KO				

	FOF	RM B: PRICES				
		(SEE B:8)				
		SPEC.		APPROX.	UNIT	
ITEM	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
	i) AP-008 - Barrier Curb and Gutter Inlet Frame		each	2		
	ii) AP-009 - Barrier Curb and Gutter Inlet Cover		each	5		
i	ii) AP-010 - Barrier Curb and Gutter Inlet Box		each	2		
i	v) AP-011 - Mountable Curb and Gutter Inlet		each	2		
	ADJUSTMENTS					
19	Adjustment of Existing Catchbasins / Manholes	CW 3210-R5	each	28		
20	Installation of Cost Iron Lifter Ding Inserts	CW 2240 DE				
20	Installation of Cast Iron Lifter Ring Inserts	CW 3210-R5				
	i) 38mm		each	15		
	1/301111		each	15		
	ii) 51mm		each	30		
i	ii) 64mm		each	10		
i	v) 76mm		each	5		
21	Adjustment of Existing Watermain Valve Boxes	CW 3210-R5	each	12		
22	Installation of Watermain Valve Box Extendible	CW 3210-R5	each	1		
	Section Inserts					
23	Adjustment of Existing Curb Inlets	CW 3210-R5,				
	i) Adjustment of Curb Inlets	E14	each	5		
	ii) Adjustment of Curb Inlet and Curb Inlet Box		each	1		
~ 4		00000000				
24	Adjustment of Curb and Gutter Inlets	CW 3210-R5	each	31		
05	A division and of Outloor Injust-		acet			
25	Adjustment of Gutter Inlets	CW 3210-R5	each	2		
26	Supply and Installation of Square Lifter Ring	E10	each	5		
	Inserts					
	LANDSCAPING					
27	Sodding	CW 3510-R7				
	i) width < 600mm		m²	35		
			_			
	ii) width > or = 600mm		m²	240		

		FORM B: PRICES (SEE B:8)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
28	Seeding	CW 3520-R5	m²	35		
	TOTAL BID PRICE (GST extra) (in figures) \$					

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B10)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid Submission hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee dated the

_____ day of ______ , 20_____ , or

BID OPPORTUNITY NO. 282-2004

2004 THIN BITUMINOUS OVERLAY (TBO) PROGRAM

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

day of		
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness)	Per:	
	(Name of Surety) By:(Attorney -in-Fact)	(Seal)

of

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B10)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on ______, 20_____, for

BID OPPORTUNITY NO. 282-2004

2004 THIN BITUMINOUS OVERLAY (TBO) PROGRAM

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60)Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____ , 20_____ .

By:

(Name of Surety)

_____ (Seal)

(Attorney -in-Fact)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING

(BID SECURITY) (Page 1 of 2) (See B10)

(Date)

The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 282-2004

2004 THIN BITUMINOUS OVERLAY (TBO) PROGRAM

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B10)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on August 9, 2004.

If our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name	of bank or financial institution)
Per:	
	(Authorized Signing Officer)

Per:

(Authorized Signing Officer)