PART A BID SUBMISSION

FORM A: BID (See B7)

1.	Project Title	WAVERLEY STREET, CLARENCE AVENUE,	BISHOP GRANDIN BOULEVAR CONCRETE REPAIRS and asp	RD TO halt resurfacing			
2.	Bidder	Name of Bidder					
		Street					
		City	Province	Postal Code			
	(Mailing address if different)	Street or P.O. Box					
		City	Province	Postal Code			
		The Bidder is:					
	(Choose one)	a sole proprietor					
		a partnership					
		a corporation					
		carrying on business un	der the above name.				
3.	Contact Person	The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.					
		Contact Person	Title				
		Telephone Number	Facsimile Number				
4.	Definitions		used in the Contract shall have General Conditions unless the				
5.	Offer	_	ers to perform the Work in acc Bid Price, in Canadian funds, se o.				

6.	Bid Security	In accordance with B10.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12.	Signatures	In witness whereof the Bidder or the Bidder's authorized official or officials have signed this
		, day of, 20
	Signed and sealed in the presence of:	Signature of Bidder or Bidder's Authorized Official or Officials
	(Witness)	(Print here name and official capacity of individual whose signature appears above)
	(Witness)	(Print here name and official capacity of individual whose signature appears above)

SEAL

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART A:	WAVERLEY STREET NORTHBOUND					
	EARTH AND BASE WORKS					
1.	Excavation	CW 3110-R7	m³	270		
2.	Sub-Grade Compaction	CW 3110-R7	m²	1575		
3.	Supplying and Placing Base Course Material	CW 3110-R7	m³	395		
4.	Grading of Boulevards	CW 3110-R7	m²	3000		
5.	Ditch Grading	CW3110-R7	m²	560		
6.	Boulevard Excavation	CW 3110-R7	m³	5		
7.	Ditch Excavation	CW3110-R7	m³	60		
8. i)	Removal of Existing Concrete Bases 600 mm Diameter or Less	CW 3110-R7	each	8		
9.	Preparation of Existing Roadway	CW-3150-R4	m²	480		
10. i)	Surfacing Material Limestone	CW-3150-R4	tonne	110		
	ROADWORKS - RENEWALS					
	Pavement Removal Concrete Pavement Asphalt Pavement	CW 3110-R7	m² m²	350 90		
ii) iii)	Partial Slab Patches 200 mm Concrete Pavement (Type A) 200 mm Concrete Pavement (Type B) 200 mm Concrete Pavement (Type C) 200 mm Concrete Pavement (Type D)	CW 3230-R4	m² m² m² m²	50 820 20 40		
	Drilled Dowels 19.1 mm Diameter 28.6 mm Diameter	CW 3230-R4	each each	800 800		
,	Drilled Tie Bars 20 M Deformed Tie Bar 25 M Deformed Tie Bar	CW 3230-R4	each each	890 890		
,	Miscellaneous Concrete Slab Removal Sidewalk Bullnose	CW 3235-R4	m² m²	220 16		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART A:	WAVERLEY STREET NORTHBOUND				<u>'</u>	
	ROADWORKS - RENEWALS (Cont'd.)					
ii)	Miscellaneous Concrete Slab Installation Monolithic Median Slab Sidewalk Bullnose	CW 3235-R4 SD-226A SD-228A	m² m² m²	235 250 30		
	Concrete Curb Removal Barrier Separate Ramp Curb	CW 3240-R4 SD-229A,B,C	m m	2480 10		
ii) iii)	Concrete Curb Installation Barrier (150 mm ht, Dowelled) Ramp Curb (15 mm ht, Dowelled) Splash Strip (150 mm ht, Barrier Curb, Integral, 600 mm width) Splash Strip (150 mm ht, Modified Barrier Curb, Integral, 600 mm width)	CW 3240-R4 SD-205 SD-229A,B,C SD-227B	m m m	60 30 2220 50		
19.	Supply and Installation of Dowel Assemblies	CW 3310-R8	m	135		
	Planing of Pavement 0 - 50 mm Depth (Asphalt) 50 - 100 mm Depth (Asphalt)	CW 3450-R3	m² m²	200 5000		
	Construction of Asphaltic Concrete Overlay Main Line Paving b) Type IA Tie-ins and Approaches a) Type IA	CW 3410-R5	tonne	3505 80		
22.	Pavement Repair Fabric	E13	m²	25		
	JOINT AND CRACK SEALING					
23.	Longitudinal Joint & Crack Filling (>25 mm in Width)	CW-3250-R5	m	150		
24.	Reflective Crack Maintenance	CW 3250-R5	m	2415		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
25. i)	Catch Pit SD-023	CW 2130-R7	each	8		
26.	Catch Pit Connection Pipe	CW 2130-R7	m	38		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART A:	WAVERLEY STREET NORTHBOUND	_				
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS (Cont'd.)					
27.	Replacing Existing Manhole Frames and Covers	CW 2130-R7				
,	AP-004 - Manhole Frame AP-005 - Manhole Cover (Solid)		each each	2		
28.	Replacing Existing Catch Basin Frames and Covers	CW 2130-R7				
i)	AP-008 - Barrier Curb and Gutter Inlet Frame		each	1		
ii)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	1		
29. i)	Connecting to Existing Catch Basin 250 mm Catch Pit Lead	CW 2130-R7	each	8		
30.	Abandonment of Existing Drainage Inlets	CW 3210-R5	each	7		
	ADJUSTMENTS					
31.	Adjustment of Existing Catchbasins/ Manholes	CW 3210-R5	each	6		
,	Installation of Cast Iron Lifter Ring Inserts 51 mm 64 mm	CW 3210-R5	each each	3 4		
33.	Adjustment of Existing Watermain Valve Boxes	CW 3210-R5	each	7		
34.	Installation of Watermain Valve Box Extendible Section Inserts	CW 3210-R5	each	2		
35.	Adjustment of Curb and Gutter Inlets	CW 3210-R5	each	4		
	ROADWORKS - NEW CONSTRUCTION					
36. i)	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians Construction of 200 mm Concrete	CW 3310-R8	m²	520		
	Pavement (Plain-Dowelled)					
37. i)	Concrete Pavements for Early Opening Construction of 200 mm Concrete Pavement for Early Opening 72 hour (Plain-Dowelled)	CW 3310-R8	m²	100		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT			
PART A:	PART A: WAVERLEY STREET NORTHBOUND								
	LANDSCAPING								
,	Sodding width < 600 mm width > or = 600 mm	CW 3510-R7	m² m²	200 2700					
39.	Seeding	CW-3520-R5	m²	560					
PART A: WAVERLEY STREET NORTHBOUND									

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART B:	WAVERLEY STREET SOUTHBOUND					
	EARTH AND BASE WORKS					
1.	Excavation	CW 3110-R7	m³	300		
2.	Sub-Grade Compaction	CW 3110-R7	m²	1800		
3.	Supplying and Placing Base Course Material	CW 3110-R7	m³	400		
4.	Grading of Boulevards	CW 3110-R7	m²	2900		
5.	Ditch Grading	CW 3110-R7	m²	560		
6.	Boulevard Excavation	CW 3110-R7	m³	5		
7.	Ditch Excavation	CW 3110-R7	m³	60		
8. i)	Removal of Existing Concrete Bases 600 mm Diameter or Less	CW 3110-R7	each	8		
9.	Preparation of Existing Roadway	CW-3150-R4	m²	300		
10. i)	Surfacing Material Limestone	CW-3150-R4	tonne	70		
	ROADWORKS - RENEWALS					
	Pavement Removal Concrete Pavement Asphalt Pavement	CW 3110-R7	m² m²	800 80		
ii) iii)	Partial Slab Patches 200 mm Concrete Pavement (Type A) 200 mm Concrete Pavement (Type B) 200 mm Concrete Pavement (Type C) 200 mm Concrete Pavement (Type D)	CW 3230-R4	m² m² m² m²	15 790 20 100		
,	Drilled Dowels 19.1 mm Diameter 28.6 mm Diameter	CW 3230-R4	each each	975 975		
	Drilled Tie Bars 20 M Deformed Tie Bar 25 M Deformed Tie Bar	CW 3230-R4	each each	1250 1250		
ii)	Miscellaneous Concrete Slab Removal Monolithic Median Slab Sidewalk Bullnose	CW 3235-R4	m² m² m²	85 150 5		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART B:	WAVERLEY STREET SOUTHBOUND					
	ROADWORKS - RENEWALS (Cont'd.)					
16. i)	Miscellaneous Concrete Slab Installation Monolithic Median Slab	CW 3235-R4	m²	45		
ii)	Sidewalk Bullnose	SD-228A	m² m²	150 5		
17.	Concrete Curb Removal Barrier Separate	CW 3240-R4	m	2400		
	Ramp Curb	SD-229A,B,C	m	20		
ii)	Concrete Curb Installation Barrier (150 mm ht, Dowelled) Ramp Curb (15 mm ht, Dowelled) Splash Strip (150 mm ht, Barrier Curb,	CW 3240-R4 SD-205 SD-229A,B,C SD-227B	m m m	70 20 2100		
iv)	Integral, 600 mm width) Splash Strip (150 mm ht, Modified Barrier Curb, Integral, 600 mm width)	SD-227B	m	100		
19.	Supply and Installation of Dowel Assemblies	CW 3310-R8	m	110		
	Planing of Pavement 0 - 50 mm Depth (Asphalt) 50 - 100 mm Depth (Asphalt)	CW 3450-R3	m² m²	2000 12000		
21. i)	Construction of Asphaltic Concrete Overlay Main Line Paving	CW 3410-R5				
	b) Type IA Tie-ins and Approaches		tonne	3150		
,	a) Type IA		tonne	100		
22.	Pavement Repair Fabric	E13	m²	25		
	JOINT AND CRACK SEALING					
23.	Longitudinal Joint & Crack Filling (>25 mm in Width)	CW-3250-R5	m	100		
24.	Reflective Crack Maintenance	CW 3250-R5	m	2415		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
25. i)	Catch Pit SD-023	CW 2130-R7	each	7		
26.	Catch Pit Connection Pipe	CW 2130-R7	m	40		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART E	: WAVERLEY STREET SOUTHBOUND					
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS (Cont'd.)					
27.	Replacing Existing Manhole Frames and Covers	CW 2130-R7				
	i) AP-004 - Manhole Frame i) AP-005 - Manhole Cover (Solid)		each each	2 2		
28.	Replacing Existing Catch Basin Frames and Covers	CW 2130-R7				
	i) AP-008 - Barrier Curb and Gutter Inlet Frame		each	1		
	i) AP-009 - Barrier Curb and Gutter Inlet Cover		each	1		
29.	Connecting to Existing Catch Basin i) 250 mm Catch Pit Lead	CW 2130-R7	each	7		
30.	Abandonment of Existing Drainage Inlets	CW 3210-R5	each	8		
	ADJUSTMENTS					
31.	Adjustment of Existing Catchbasins/ Manholes	CW 3210-R5	each	4		
32.	Installation of Cast Iron Lifter Ring Inserts i) 51 mm i) 64 mm	CW 3210-R5	each each	2		
33.	Adjustment of Existing Watermain Valve Boxes	CW 3210-R5	each	3		
34.	Installation of Watermain Valve Box Extendible Section Inserts	CW 3210-R5	each	1		
35.	Adjustment of Curb and Gutter Inlets	CW 3210-R5	each	6		
	ROADWORKS - NEW CONSTRUCTION					
36.	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians i) Construction of 200 mm Concrete	CW 3310-R8	m²	710		
	Pavement (Plain-Dowelled)		""	710		
37.	Concrete Pavements for Early Opening i) Construction of 200 mm Concrete Pavement for Early Opening 72 hour (Plain-Dowelled)	CW 3310-R8	m²	100		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART B:	WAVERLEY STREET SOUTHBOUND					
20	LANDSCAPING	OW 2542 D7				
i)	Sodding width < 600 mm width > or = 600 mm	CW 3510-R7	m² m²	200 2600		
39.	Seeding	CW-3520-R5	m²	560		
		PART B: WAV	ERLEY	STREET SOUT	HBOUND	
	SUMMARY					
Α	WAVERLEY STREET NORTHBOUND				Sub-Total:	
В	WAVERLEY STREET SOUTHBOUND				Sub-Total:	
TOTAL BII (in words)	D PRICE (GST extra)	(in fi	gures) \$			

(Seal)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B10)

BID BOND

KNOW ALL MEN BY THESE PRESENTS	THAT		
(hereinafter called the "Principal") and			
(hereinafter called the "Surety"), are held called the "Obligee") in the sum of ten per hereinafter described, for the payment of wexecutors, administrators, successors and	cent (10%) of the Total which sum the Principal	Bid Price set out and Surety bind	t in the Bid Submission themselves, their heirs,
WHEREAS the Principal has submitted a B	id to the Obligee dated	the	
day of	, 20	for	
BID OPPORTUNITY NO. 371-2004			
WAVERLEY STREET, BISHOP GRANDIN REPAIRS AND ASPHALT RESURFACING		RENCE AVENUE	, CONCRETE
as more fully set out in the Bid Opportunity.			
NOW THEREFORE the condition of this obit said Bid is accepted and the Principal, in the said Obligee and furnishes the required of the Contract, this obligation shall be void	accordance with the term of the contract of th	ms of the Bid, ent or guaranteeing t	ters into a Contract with the faithful performance
IN WITNESS WHEREOF the Principal and	Surety have signed and	d sealed this bond	the
day of	, 20	<u>. </u>	
SIGNED AND SEALED in the presence of:	(Name of Principal) Per:		(Seal)
(Witness)	Per:		,
	(Name of Surety)		

Ву:

(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B10)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 371-2004 WAVERLEY STREET, BISHOP GRANDIN BOULEVARD TO CLARENCE AVENUE, CONCRETE REPAIRS AND ASPHALT RESURFACING in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60 Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______ day of ______ , 20 . (Name of Surety) (Seal) (Attorney-in-Fact)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B10)

(Date)	-
Corpor Materia 185 Kir	ty of Winnipeg rate Finance Department als Management Division ng Street, Main Floor reg MB R3B 1J1
RE:	BID SECURITY – BID OPPORTUNITY NO. 371-2004
	WAVERLEY STREET, BISHOP GRANDIN BOULEVARD TO CLARENCE AVENUE, CONCRETE REPAIRS AND ASPHALT RESURFACING
Pursua	ant to the request of and for the account of our customer,
(Name o	f Bidder)
	EREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate
	Canadian dollars.
deman Letter of payme	tandby Letter of Credit may be drawn on by you at any time and from time to time upon written of for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand for nt without inquiring whether you have a right as between yourself and our customer to make such d and without recognizing any claim of our customer or objection by the customer to payment by us.
	nount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be
Partial	drawings are permitted.
	gage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at:
(Address	3)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B10)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.			
This Standby Letter of Credit will expire on <u>October 12, 2004</u> .			
If our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.			
This Standby Letter of Credit may not be revoked or amended without your prior written approval.			
WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity. This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), international Chamber of Commerce Publication Number 500.			
(Name of bank or financial institution)			
	Per:	(Authorized Signing Officer)	
	Per:		
		(Authorized Signing Officer)	