

PART E
SPECIFICATIONS

PART E - SPECIFICATIONS

GENERAL

E1. GENERAL

E1.1 These Specifications shall apply to the Work.

E1.2 The following Drawings are applicable to the Work:

<u>Drawing No.</u>	<u>Drawing</u>
A(1)-R0	6 Fermor Avenue – Basement Floor Plan
A(2)-R0	6 Fermor Avenue – Main Floor Plan
A(3)-R0	6 Fermor Avenue – Mezzanine Floor Plan
B(1)-R0	100 Main Street – Basement Floor Plan
B(2)-R0	100 Main Street – Main Floor Plan
B(3)-R0	100 Main Street – Second Floor Plan
B(4)-R0	100 Main Street – Third Floor Plan
C(1)-R0	219 Provencher Blvd. – Basement Floor Plan
C(2)-R0	219 Provencher Blvd. – Main Floor Plan
C(3)-R0	219 Provencher Blvd. – Second Floor Plan
C(4)-R0	219 Provencher Blvd. – Third Floor Plan
D(1)-R0	233 Provencher Blvd. – Basement Floor Plan
D(2)-R0	233 Provencher Blvd. – Main Floor Plan
E(1)-R0	180 King Street, Unit 102 – Main Floor
E(2)-R0	180 King Street – Fourth Floor Plan
E(3)-R0	180 King Street – Fifth Floor Plan
F(1)-R0	1910 Portage Avenue – Basement Floor Plan
F(2)-R0	1910 Portage Avenue – Main Floor Plan
F(3)-R0	1910 Portage Avenue – Second Floor Plan
G(1)-R0	765 Keewatin Street – Main Floor Plan
H(1)-R0	1155 Pacific Avenue – Basement Floor Plan
H(2)-R0	1155 Pacific Avenue – Main Floor Plan
I(1)-R0	33 Warnock Street – Main Floor Plan
J(1)-R0	1500 Plessis Road, Building “B” – Main Floor Plan
J(2)-R0	1500 Plessis Road, Building “B” – Second Floor Plan
J(3)-R0	1500 Plessis Road, Building “D” & “E” – Basement & Main Floor Plan
J(4)-R0	1500 Plessis Road, Building “D” & “E” – Second Floor Plan

E1.3 Further E1.2, drawings indicate shaded areas where building cleaning services shall be performed by the Contractor.

E2. WORK - CLEANING STANDARDS

E2.1 **INTERIOR OF BUILDING :** Entrances, lobbies, waiting areas, rooms, corridors (open and closed areas), meeting and conference rooms, common areas, coffee stations, coffee-lunch room areas and/or rooms, basements, storage rooms.

E2.1.1 DAILY TASK

(a) **WASTE RECEPTACLES AND CONTAINERS:**

- (i) Empty all contents;
- (ii) Remove liners;
- (iii) Clean both interior and exterior with germicidal detergent;
- (iv) Replace liner;

- (v) Return waste receptacles and/or containers in their correct place; and
- (vi) Where required, the scheduled transportation of recyclables to the designated location takes place.
- (b) **TELEPHONES, FURNISHINGS, AND FITTINGS IN PUBLIC ACCESS AREAS:**
 - (i) Clean with germicidal detergent; and
 - (ii) Carefully clean touch pads of office phones, avoiding de-programming.
- (c) **HARD SURFACE FLOORING:**
 - (i) Clean floors as follows:
 - A) A water soluble dry mop treatment may be used for dust mopping, however, the electrostatic type which do not require any treatment are preferred; and
 - B) An effective free rinsing detergent solution shall be used for damp/wet mopping.
- (d) **CARPETED AREAS, INCLUDING STAIRS AND MATS:**
 - (i) Vacuum and spot clean carpets, rugs:
 - A) Vacuum carpet wall to wall; and
 - B) Vacuum only, entrance mats.
 - (ii) Move all light furniture, excluding desks, screens, and cabinets; and
 - (iii) Dust/damp mop "carpet saver" mats.
- (e) **WALLS, DOORS, WOODWORK, GLASS PARTITIONS:**
 - (i) Spot clean and remove smudges.
- (f) **WATER FOUNTAINS:**
 - (i) Clean all surfaces with germicidal detergent; and
 - (ii) Clean walls and floors around the drinking fountain(s).

E2.2 INTERIOR AND EXTERIOR OF BUILDING: Door frames and handles

E2.2.1 DAILY TASK

- (i) Keep clean entrance door frames and handles.

E2.3 WASHROOM FACILITIES: All public and private washrooms and other areas where sinks and/or dispensers are installed.

E2.3.1 DAILY TASK

- (a) **INTERIOR AND EXTERIOR SURFACES:**
 - (i) Clean with germicidal detergent: wash basins; toilet seats; bowls and bases, exposed flush tanks; urinals; and plumbing fixtures (including exposed pipes); polished chrome, brass or similar fixtures;
 - (ii) Use separate and identifiable cleaning cloths for the cleaning of washrooms from other facilities. Toilets and urinals are to be cleaned using separate equipment or cloths;
 - (iii) Non acid bowl cleaners are permitted, however, when a phosphoric acid bowl cleaner is used, it must be dispensed using a flip top or a foaming trigger spray head only; and
 - (iv) Parazine blocks are not permitted, however, water soluble packets of enzymes, enzyme tablets or granules, or approved urinal maintainers formulated with acids and detergents held in a mat frame may be used as necessary.
- (b) **SANITARY AND WASTE RECEPTACLES:**
 - (i) Remove and empty liners;

- (ii) Clean receptacles with germicidal detergent; and
- (iii) Replace liners.
- (c) **TOILET TISSUE HOLDERS AND DISPENSERS:**
 - (i) Clean interior and exterior of dispensers with germicidal detergent; and
 - (ii) Then, restock all toilet tissue holders, soap, sanitary and towel dispensers.
- (d) **FLOORS:**
 - (i) Wet mop floors and wall bases with a non filming detergent solution,
 - (ii) Clean floors, wall bases, and corners;
 - (iii) Ensure floor drains are not blocked and no odour emanating from floor drains;
 - (iv) Machine scrub floors with detergent solution including toilet bases;
 - (v) Apply sealer as required; and
 - (vi) Where directed, maintain floors with sufficient coats of water base sealer. A minimum of three coats of finish to be applied over the sealer.
- (e) **MISCELLANEOUS:** Partitions, walls, including the enamel surfaces, doors and ledges.
 - (i) Spot clean with germicidal cleaner;
 - (ii) Clean with germicidal cleaner;
 - (iii) Clean partitions and walls from the bottom up; and
 - (iv) Clean and polish all mirrors, frames, powder shelves and bright work, including flush meters, piping and toilet seat hinges.

E2.3.2 WEEKLY TASK

- (a) **FLOORS:**
 - (i) Pour clean water in floor drains, or as directed.

E2.4 STAIRWAYS: Stairs, handrails, ledges, railings, banisters, walls, ceilings and appurtenances (including doors, frames, trims, mouldings, radiators, grilles). Equipment/fixtures made of: glass, vinyl, wood and metal.

E2.4.1 DAILY TASK

- (a) **HANDRAILS, LEDGES, RAILINGS AND BANISTERS:**
 - (i) Clean with germicidal cleaner.
- (b) **WALLS, CEILINGS AND APPURTENANCES**
 - (i) Spot clean with neutral detergent.
- (c) **STAIRS:**
 - (i) Vacuum carpeted stairs; and
 - (ii) Wet mop washable surfaced stairs, including landings, stair risers and wall bases.

E2.4.2 MONTHLY TASK

- (a) **WALLS, CEILINGS AND APPURTENANCES :**
 - (i) Wash with neutral detergent;
 - (ii) Wash walls first and the ceilings second where walls and ceilings are being washed consecutively;
 - (iii) Wash walls from bottom up, staying within ½ inch of ceiling to prevent marks; and
 - (iv) Immediately wipe up any water spillage on floors and furniture.

E2.5 ALL RESILIENT AND NON-RESILIENT FLOORS: Vinyl, corlon, mondo, terrazzo, ceramic, quarry.

E2.5.1 DAILY TASK

- (a) **FLOORS:**
 - (i) Wash with neutral detergent.
- (b) **CORNERS, BASES AND EQUIPMENT:**
 - (i) Wipe all surfaces of spray residue.

E2.5.2 WEEKLY TASK

- (a) **FLOORS:**
 - (i) Burnish all hard surfaces, and wear areas as required; and
 - (ii) Re-coat wear areas as required.

E2.5.3 YEARLY TASK

- (a) **FLOORS:**
 - (i) Scrub/strip and remove all soil, stains, seal and old floor finish;
 - (ii) Neutralize rinse, then
 - (iii) Rinse with at least two (2) clear warm water rinses; then
 - (iv) Wet vacuum each time after rinsing;
 - (v) Re-seal/re-coat floors,
 - (vi) Allow sufficient drying time between applications;
 - (vii) Refinish floors by applying sufficient coats of slip resistant finish (minimum of four) environmentally responsible finishes to be used; and
 - (viii) Burnish floors to a uniform sheen, with slip resistant finish.

E2.6 CEILINGS AND WALLS: Ceilings, walls, transoms, and other fixtures and fittings attached to walls and ceilings.

E2.6.1 DAILY TASK

- (a) **WALLS AND CEILINGS:**
 - (i) Spot clean with neutral detergent.

E2.6.2 MONTHLY TASK

- (a) **WALLS AND CEILINGS:**
 - (i) Wash with neutral detergent;
 - (ii) When washing walls and ceiling consecutively, walls must be washed before ceilings;
 - (iii) Wash walls from bottom up, staying within ½ inch of ceiling to prevent marks; and
 - (iv) Immediately wipe up any water spillage on floors and furniture.

E2.7 VENETIAN BLINDS/VERTICAL BLINDS: Blinds, tracks, surfaces and sills.

E2.7.1 MONTHLY TASK

- (a) **BLINDS:**
 - (i) Dust and damp clean both sides of PVC and Aluminium blinds, etc., and
 - (ii) Vacuum both sides of fabric blinds.
- (b) **TRACKS, SURFACES AND SILLS:**
 - (i) All surfaces shall be free of dust and fingerprints, etc.

E2.8 VERTICAL SURFACES, HIGH CLEANING: High cleaning down to window sills, partition ledges, including doors/frames, ledges, picture frames, charts, graphs, wall louvers, exposed pipes, clocks, etc.

E2.8.1 YEARLY TASK

(a) **VERTICAL AND HORIZONTAL SURFACES OTHER THAN WALLS:**

(i) Dust or wipe with damp cloth and polish where required.

E2.9 FURNITURE, SHOWCASES, FILE CABINETS, DIVIDERS, DRAPES, ETC.: Furniture, showcases, cabinets, bookcases, credenzas, cupboards, file cabinets, dividers, drapes, curtains, etc.

E2.9.1 WEEKLY TASK

(a) **FURNITURE:** plastic, wood, vinyl, and leather:

(i) Clean all furniture: credenzas, bookcases, desks, file cabinets, tables, furniture glass, and desk lamps;

(ii) Clean and polish all furniture framing and trim; and

(iii) Spot clean fabric as required.

(iv) Fabric upholstered furniture – vacuum/dust frames

(v) Sills and ledges – Clean windowsills, partition ledges, baseboards and mouldings.

E2.9.2 MONTHLY TASK

(a) **FURNITURE:**

(i) Fabric:

A) Vacuum dividers, both sides.

(ii) Leather:

A) In maintaining leather, only an approved, guaranteed light cleaner and conditioner from a professional firm specializing in leather care can be used; and

B) Under no circumstances can the following be used: caustic chemicals, leather preparations containing alcohol or petroleum distillates such as turpentine or mineral spirits, waxes, saddle soap, silicone products, aerosol sprays, Armoral/Protectol or like products or preparations that impair the ability of leather to breath, or stain other fabrics (ie: silk).

(iii) Vinyl:

A) Clean vinyl with a waterless hand cleaner (brush if required);

B) Application of a polish/protectant where required, on all vinyl furniture; and

C) Clean washable furniture with a neutral detergent.

(iv) Wood:

A) Clean washable surfaces with a neutral detergent; and

B) Polish furniture with the appropriate furniture polish.

(v) Guidance and direction from the Contract Administrator is to be obtained before cleaning or applying polish to vinyl, arborite and/or other furniture finishes.

(b) **WINDOW COVERINGS:**

(i) Vacuum drapes and curtains, both sides;

(ii) Vacuum tracks; and

(iii) Curtains and drapes should be left neatly pleated.

E2.10 AIR VENTS: Ceiling and Wall Type.

E2.10.1 MONTHLY TASK

- (a) **ALL VENTS**
 - (i) Clean with a neutral cleaner.

E2.11 **WINDOWS/PLEXIGLASS/LEXAN:** Glass, frames, sashes, sills and mouldings.

E2.11.1 DAILY TASK

- (a) **INTERIOR:**
 - (i) Spot clean all interior glass/Plexiglas/Lexan surfaces.
- (b) **INTERIOR AND EXTERIOR:**
 - (i) Entrance glass and sidelights.

E2.12 **STORAGE AREA:** Storage areas, basements and supply vaults.

E2.12.1 MONTHLY TASK

- (a) **FLOORS:**
 - (i) Sweep and damp mop with a neutral detergent.
- (b) **OTHER THAN FLOORS:**
 - (i) Dust the following:
 - A) light fixtures;
 - B) overhead beams;
 - C) ledges;
 - D) pipes; and
 - E) other hanging objects.

E2.13 **JANITORIAL ROOMS:** Janitors' Rooms, Utility Rooms, Paper and Waste Storage Rooms.

E2.13.1 DAILY TASK

- (a) **ALL ROOMS:**
 - (i) Keep room tidy;
 - (ii) Empty mop pails after use;
 - (iii) Sweep and mop floors, ensure all excess water is removed;
 - (iv) Wash walls from bottom up, avoid streaks, soil spots or line marks on ceiling;
 - (v) Empty waste containers. If required, store waste neatly in Janitor's Room;
 - (vi) Clean interior and exterior of waste containers;
 - (vii) Clean sinks; and
 - (viii) Keep rooms, particularly sinks and waste containers, free from offensive odours.
- (b) **EQUIPMENT:**
 - (i) Clean equipment;
 - (ii) Place equipment in an orderly manner;
 - (iii) Clean mops and cloths;
 - (iv) Store mops and cloths neatly;
 - (v) Store chemicals, paper products, equipment and materials neatly;
 - (vi) No soiled mops or cleaning cloths shall be left in use on site; and
 - (vii) Remove and launder or bag-seal for regular scheduled pickup.

E2.14 **CONTROLLED DISPENSING SYSTEM:**

E2.14.1 *The Contractor may install a controlled dispensing system if it is required, however, written approval must be obtained from the Contract Administrator:*

- (a) The dispensing system must be a type where chemical concentrates are sealed in a bag or container, have a diluted project holding system for filling trigger sprayers and the products are colour coded with corresponding label control; and
- (b) Where the Contractor chooses a controlled dispensing system which is fixed to both the solution and water supply, the Contractor is responsible and liable for the installation and annual inspection of an approved backflow prevention mechanism, unless a controlled dispensing system has previously been installed by the previous Contractor, other than the current Contractor.

E2.15 PRODUCTS, CHEMICALS, SUPPLIES AND EQUIPMENT:

E2.15.1 *The Contractor shall ensure that:*

General:

- (a) Only the pre-approved listed products, chemicals, supplies and equipment are within or used in the Site;
- (b) all products, supplies, equipment, etc., for use on the Site meet or exceed the specifications and requirements herein as established by the City of Winnipeg, Public Works Department, Contract Administrator;

Chemicals:

- (c) All chemicals are stored in a safe manner and to the satisfaction of the Contract Administrator;
- (d) All chemical containers are label identified with product name, safety and first aid instruction in accordance with current Workplace Hazardous Material Information Systems (W.H.M.I.S.), whether in their original purchase container, or if they have been transferred to a smaller or larger dispensing container;
- (e) solvent seals or finish, butyl or butyl by product contained products, bleach, hydrochloric or sulphuric acid, ammonia, phenolic or hydrogen peroxide based germicides, Armoral, Protectol, Saddle Soap or polishers, vinegar, ammoniated or mop on-mop off strippers, Windex or like product, powdered cleansers, SOS pads, Parzine blocks, or carpet cleaning products such as Argosheen or those containing optical brighteners over 0.01%, shall not be used or permitted in the Site;

M.S.D.S.:

- (f) Current Materials Safety Data Sheets (M.S.D.S.) are available for all products on site and be contained in a binder specifically marked M.S.D.S. in each area where chemicals are stored or dispensed;
- (g) Written approval shall be obtained from the Contract Administrator prior to using a product that does not have a current M.S.D.S. The written approval to use the product shall be kept in the M.S.D.S. binder referred to in (f);

Supplies and Equipment:

- (h) Cleaning cloths, dry mops, wet mops, finish applicator mops, wall washing mops and extendable dusters are of a launderable type;
- (i) Laundered clean and dried mops and cloths are on site and used at the start of each shift and/or cleaning function;

- (j) Feather dusters and non-launderable (straight string) mops are not on, or for use, at the site. However, washable lambs wool or polywool, extendable handle dusters may be used for safety to perform higher level work;
- (k) Cleaning equipment, carts, etc., are maintained in a clean and operable state, and washable filters, tools, hoses, etc., are thoroughly cleaned weekly;
- (l) Carpet sweepers are not permitted on, or for use in the premises, while vacuums must be a dual motor upright or canister with an electric power head. All must have the appropriate tools to vacuum fabric furniture, draperies, corners, edges, etc., and must be complete with filtration efficiency approved by the Contract Administrator;
- (m) Ergonomic style back-pack vacuums with approved filtration systems may be used for carpeted stairs and traffic lane vacuuming;
- (n) All cleaning equipment, ladders, etc., stored or used on site, are inspected regularly and maintained in a state acceptable to current W.C.B. regulations and be C.S.A. approved.
- (o) Where adequate lockable space has been provided, the approved products, electrical and minor equipment, such as floor pails, wringers, vacuums, etc., utilized in the day to day delivery of the service are available for regular inspection, in the provided space. All products and equipment used for the Work shall be subject to inspection by the Contract Administrator;
- (p) Any items, minor equipment, supplies, etc., which do not conform to the specifications contained herein or which the Contract Administrator deems as potentially harmful to persons or surfaces are removed from the Site.

E2.15.2 *The Contract Administrator shall:*

- (a) remove and dispose of products found on Site that have no M.S.D.S. or written pre-approval by the Contract Administrator, as will any items, minor equipment, supplies, etc., which have been banned by these Standards or which the Contract Administrator deems as potentially harmful to persons or surfaces, for the protection of the client.

E2.16 CLEANING RESULTS:

E2.16.1 *Mandatory:*

- (a) Liners for all washroom receptacles, whereas separate or special liners may be utilized for recyclables;
- (b) The use of an effective germicidal detergent and clean cloths.

E2.16.2 *General:*

- (a) The Contractor is advised that in order to meet the requirements of the Specifications, products, chemicals, supplies or equipment, over and above those specified herein and approved by the Contract Administrator may be required.
- (b) The Contractor is reminded that prior to providing any alternate or additional products, chemicals, supplies or equipment on Site, prior written approval of the Contract Administrator must be obtained;
- (c) The Contractor is reminded that the term "Clean" in most cleaning applications within these Specifications means the use of colour coded cleaning cloths, a pail containing appropriate cleaning product and physical handwork to friction clean. Paper towels may only be used in the cleaning of glass/mirror type surfaces.

E2.16.3 *The objective of the City and expected results of the building cleaning service performed by the Contractor, shall be the Contractor shall ensure that:*

- (a) All surfaces (horizontal and vertical) clean and free of: finger marks, mop and/or detergent streaks, surface stains, water marks, black marks, soap scum, mildew/mould; dust, spots, surface stains, loose and caked soil; debris, loose paper, mop strings; odours, cleaning solution, heavy accumulation of finish, spray residue, water spillage, washing line marks, and scars from equipment (hand and/or machine);
- (b) Surfaces are clean and bright and in a condition equal to that of the intended finish of the surface, where reasonably possible;
- (c) All rooms/areas specified in E2.1 through and including E2.13 and E4 are clean, neat and tidy and free of debris, to present an overall attractive appearance of cleanliness;
- (d) Floors exhibit a uniform sheen with reflective properties. This level of floor care is to be maintained at all times;
- (e) All debris and/or other soil matter is removed from wall corners, around the edges of carpet or "T" mats, under furniture, tables, chairs, behind doors, and along baseboards;
- (f) Nap on rugs and carpets are to be laid in one direction.
- (g) No waste or recycle holding containers or baskets are to be placed upon desks or tables during cleaning operations;
- (h) Corners, edges and crevices are clean;
- (i) Bare hands are not used to handle or sort any waste/recyclables for health and safety reasons;
 - (i) Liners are to be removed holding them away from the body.
- (j) When washing both walls and ceilings, wash walls first, then wash the ceilings;
- (k) For Floors:
 - (i) Care must be taken throughout mopping operation to prevent cleaning solutions from collecting against and under furniture legs and cabinets;
 - (ii) After scrubbing, neutralizing, recoating and burnishing, no evidence of improper finish applications to exist;
 - (iii) Sufficient coats of sealer is applied;
 - (iv) Sufficient coats of floor finish to offer floor protection;
 - (v) To clean under furniture and equipment without marring or damaging same;
 - (vi) All furniture and equipment moved prior to cleaning, must be returned to their original locations;
- (l) For Carpets and Rugs:
 - (i) When treating a carpet spot, always to spray from the exterior perimeter into the centre of the stain;
 - (ii) Any spots that cannot be removed by conventional/normal methods, shall be reported to the Contract Administrator;
- (m) For Paper Products:
 - (i) Toilet paper and paper towels must fit existing dispensers. Alternate dispensers must be approved by the Contract Administrator before installation.

E3. EXCLUSIONS

E3.1 General:

- (a) Copying machines;

- (b) Typewriters;
- (c) Adding machines;
- (d) Cash registers;
- (e) Dictating equipment;
- (f) Plants;
- (g) Microfilm readers;
- (h) Audio and/or visual equipment;
- (i) Computer equipment, including:
 - (i) keyboards;
 - (ii) printers;
 - (iii) servers;
 - (iv) monitors;
- (j) CRT terminals;
- (k) Art objects;
- (l) Personal accessories, including but not limited to:
 - (i) Ceramics;
 - (ii) Ornaments; and
 - (iii) free standing pictures.
- (m) Mechanical areas;
- (n) Boiler rooms;
- (o) Parking areas; and
- (p) Storage rooms.

E4. LOCATION AND SCHEDULE OF WORK

E4.1 SECTION A – 6 Fermor Avenue

(a) LOCATION:

- (i) 6 Fermor Avenue - Basement, Main Floor and Mezzanine

(b) SCHEDULE OF WORK:

(i) Winter Hours:

September, Labour Day to May, Victoria Day

Monday to Thursday between 20:30 hours and 24:00 hours

Friday, Saturday between 17:00 hours and 24:00 hours

(ii) Summer Hours:

May, Victoria Day to September, Labour Day

Monday to Thursday between 20:30 hours and 24:00 hours

Friday between 17:00 hours and 24:00 hours

(c) ADDITIONAL DAILY TASK(S):

- (i) Keep clean both sides of all entrance glass and side lights;
- (ii) Keep entrances, exits, landings, steps, wheel chair ramps and the front sidewalk from the building to the public sidewalk, clean and debris-free during snow-free periods;

- (iii) Clean graffiti from interior walls and exterior of entrances;
- (iv) Empty garbage container, located at the front of the building (outside); and
- (v) Remove spider webs and other debris from around entrance doors and canopies.

E4.2 SECTION B – 100 Main Street

(a) LOCATION:

- (i) 100 Main Street - Basement, Main Floor, Second Floor and Third Floor

(b) SCHEDULE OF WORK:

- (i) Monday to Friday between 16:30 hours and 24:00 hours.

(c) ADDITIONAL DAILY TASK(S):

- (i) Keep clean both sides of entrance glass and side lights, also both sides of interior glass;
- (ii) Keep entrances, exits, landings, steps, wheel chair ramps and the front sidewalk from the building to the public sidewalk, clean and debris-free during snow-free periods;
- (iii) Keep clean both sides of glass and walls at rear entrance enclosure;
- (iv) Keep clean floor, sink and counter at Main Floor coffee station;
- (v) Empty garbage container, and ash tray located outside back and front doors; and
- (vi) Remove spider webs and other debris from around entrance doors and canopies.

(d) ADDITIONAL MONTHLY TASK(S):

- (i) Keep clean both sides of glass above front entrance doors.

(e) ADDITIONAL YEARLY TASK(S):

- (i) Remove chain link matting, clean floor and replace matting at rear entrance enclosure in May of each year.

E4.3 SECTION C – 219 Provencher Blvd.

(a) LOCATION:

- (i) 219 Provencher Blvd., - Basement, Main Floor, Second Floor and Third Floor

(b) SCHEDULE OF WORK:

- (i) Monday to Friday between 16:30 hours and 24:00 hours.

(c) ADDITIONAL DAILY TASK(S):

- (i) Keep clean both sides of entrance glass and side lights, also both sides of interior glass;
- (ii) Keep clean both sides of rear entrance glass and side lights;
- (iii) Keep the following clean during snow free periods:
 - A) Front landing, steps and sidewalk from building to public sidewalks;
 - B) Sidewalk from rear door to back lane;
 - C) Steps and landing to front entrance to basement.

(d) ADDITIONAL MONTHLY TASK(S):

- (i) Clean both sides of glass above front entrance doors.

E4.4 SECTION D – 233 Provencher Blvd.

(a) LOCATION:

- (i) 233 Provencher Blvd. - Basement and Main Floor

(b) SCHEDULE OF WORK:

- (i) Monday to Friday between 16:30 hours and 24:00 hours.

(c) ADDITIONAL DAILY TASK(S):

- (i) Keep clean both sides of entrance glass and side lights, also both sides of interior glass;
- (ii) Keep entrances, exits, landings, steps, wheel chair ramps and the front sidewalk from the building to the public sidewalk, clean and debris-free during snow-free periods; and
- (iii) Remove spider webs and other debris from around entrance doors and canopies.

(d) ADDITIONAL YEARLY TASK(S):

- (i) Between both entrances – remove chain-link matting, clean floor and replace matting.

E4.5 SECTION E – 180 King Street

(a) LOCATION:

- (i) 180 King Street - Main Floor, Fourth Floor and Fifth Floor

(b) SCHEDULE OF WORK:

- (i) Monday to Friday between 16:30 hours and 24:00 hours.

(c) ADDITIONAL TASK(S):

- (i) No additional tasks.

E4.6 SECTION F – 1910 Portage Avenue

(a) LOCATION:

- (i) 1910 Portage Avenue - Basement, Main Floor and Second Floor

(b) SCHEDULE OF WORK:

Modified Schedule

July 1, 2004 to September, Labour Day 2004

Monday to Thursday between 21:00 hours and 24:00 hours

Friday and Saturday between 17:00 hours and 24:00 hours

September, Labour Day 2004 to May, Victoria Day 2005

Monday to Thursday between 21:00 hours and 24:00 hours

Friday to Sunday between 17:00 hours and 24:00 hours

May, Victoria Day 2005 to September, Labour Day 2005

Monday to Thursday between 21:00 hours and 24:00 hours

Friday and Saturday between 17:00 hours and 24:00 hours

Return to Regular Schedule of Work effective September, Labour Day 2005

(i) Winter Hours:

September, Labour Day to May, Victoria Day

Monday to Thursday between 20:30 hours and 24:00 hours

Friday and Saturday between 17:00 hours and 24:00 hours

(ii) Summer Hours:

May, Victoria Day to September, Labour Day

Monday to Thursday between 20:30 hours and 24:00 hours

Friday between 17:00 hours and 24:00 hours

(c) ADDITIONAL DAILY TASK(S):

- (i) Keep clean both sides of entrance glass and side lights, also both sides of interior glass;
- (ii) Keep entrances, exits, landings, steps, wheel chair ramps and the front sidewalk from the building to the public sidewalk, clean and debris-free during snow-free periods;
- (iii) Empty garbage container, located outside of front entrance; and
- (iv) Remove spider webs and other debris from around entrance doors and canopies.

(d) ADDITIONAL YEARLY TASK(S):

- (i) Between front doors – remove chain-link matting, clean floor and replace matting in May of each year.

E4.7 SECTION G – 765 Keewatin Street

(a) LOCATION:

- (i) 765 Keewatin Street - Main Floor

(b) SCHEDULE OF WORK:

(i) Winter Hours:

September, Labour Day to May, Victoria Day

Tuesday to Thursday between 21:30 hours and 24:00 hours

Friday to Sunday between 17:30 hours and 24:00 hours

(ii) Summer Hours:

May, Victoria Day to September, Labour Day

Tuesday to Thursday between 21:30 hours and 24:00 hours

Friday and Saturday between 17:30 hours and 24:00 hours

(c) ADDITIONAL DAILY TASK(S):

- (i) Keep clean both sides of entrance glass and side lights, also both sides of interior glass;
- (ii) Empty garbage container, located at the front of the building (outside);
- (iii) Keep clean drive-through counter and both sides of window with germicidal cleaner; and
- (iv) Remove spider webs and other debris from around entrance doors and canopies.

E4.8 SECTION H – 1155 Pacific Avenue

(a) LOCATION:

- (i) 1155 Pacific Avenue - Basement and Main Floor

(b) SCHEDULE OF WORK:

- (i) Monday to Friday between 16:30 hours and 24:00 hours.

(c) ADDITIONAL DAILY TASK(S):

- (i) Keep clean both sides of entrance glass and side lights, also both sides of interior glass;
- (ii) Keep entrances, exits, landings, steps, wheel chair ramps and the front sidewalk from the building to the public sidewalk, clean and debris-free during snow-free periods;
- (iii) Empty all outside entrance garbage containers and ashtrays; and
- (iv) Remove spider webs and other debris from around entrance doors and canopies.

(d) ADDITIONAL SEMI-ANNUAL TASK(S):

- (i) Clean exposed beams under solarium in front lobby area, April and October.

E4.9 **SECTION I – 33 Warnock Street**

(a) LOCATION:

- (i) 33 Warnock Street - Main Floor

(b) SCHEDULE OF WORK:

- (i) Monday to Friday between 16:30 hours and 24:00 hours.

(c) ADDITIONAL DAILY TASK(S):

- (i) Keep clean both sides of entrance glass and side lights, also both sides of interior glass;
- (ii) Keep entrances, exits, landings, steps, wheel chair ramps and the front sidewalk from the building to the public sidewalk, clean and debris-free during snow-free periods; and
- (iii) Remove spider webs and other debris from around entrance doors and canopies.

(d) ADDITIONAL MONTHLY TASK(S):

- (i) Clean interior glass of solarium.

E4.10 **SECTION J – 1500 Plessis Road (Buildings B, D and E)**

(a) LOCATION:

- (i) 1500 Plessis Road, Bldg. B - Main Floor and Second Floor
- (ii) 1500 Plessis Road, Bldg. D- Main Floor and Second Floor
- (iii) 1500 Plessis Road, Bldg. E - Basement, Main Floor and Second Floor

(b) SCHEDULE OF WORK:

- (i) Monday to Friday between 16:30 hours to 24:00 hours.

(c) ADDITIONAL DAILY TASK(S):

- (i) Keep clean both sides of entrance glass and side lights, also both sides of interior glass;
- (ii) Keep clean lunch preparation area in lunch room Building “E”;
- (iii) Keep entrances, exits, landings, steps, wheel chair ramps and the front sidewalk from the building to the public sidewalk, clean and debris-free during snow-free periods; and
- (iv) Remove spider webs and other debris from around entrance doors and canopies.

E4.11 The Contractor will be given a grace period of ten (10) Working Days to learn the building and refine his/her cleaning methods. He/she will then be expected to comply fully with the cleaning requirements outlined in the Contract.

E5. CLEANING FREQUENCY

E5.1 The Contractor shall provide cleaning services in accordance with Tables A, B, C, D and E - Cleaning Requirements.

E5.2 The frequency of cleaning shall be as indicated by the following code:

<u>Code</u>	<u>Frequency</u>
D	Daily – Sunday through Saturday
W.....	Weekly – each Friday

TW Twice – Weekly (Preferably Tuesday and Thursday)
M Monthly – First Friday of each Month
A Annually/Yearly
SM Semi-Annually (April and October)

E6. HOLIDAYS OBSERVED

E6.1 Normally no cleaning services will be required on the following holidays, unless otherwise stated in E4:

New Years Day - January 1*
Good Friday
Monday following Easter Sunday
Victoria Day
July 1st*
1st Monday in August
1st Monday in September
Thanksgiving Day
Remembrance Day - November 11*
Christmas Day - December 25*
Boxing Day - December 26*

* or the first subsequent working day if these statutory holidays fall on a Saturday or a Sunday.

E7. MATERIALS AND EQUIPMENT

E7.1 **The Contractor shall supply** all materials and equipment necessary and advisable to perform the services to the standard specified in this Contract, including but not limited to:

- (a) Sufficient materials to be applied in accordance with the manufacturer's instructions. All materials that are used must meet "Canadian General Standards Board" (CGSB) specifications as listed below:

CAN/CGSB-2.1-96	Skin Cleaning Lotion, Type 1
CAN/CGSB-2.46-95	Toilet Bowl and Urinal Cleaning Compound, Type 1
CAN/CGSB-2.55-97	Glass Cleaner
CAN/CGSB-2.60-92	Remover for Water-Emulsion Floor Polish and Wax
and Amendment dated Apr. 1995	
CAN/CGSB-2.107-92	General Purpose Built Liquid Detergent
CAN/CGSB-2.160-95	General Purpose, Germicidal Detergent, Type 3
CAN/CGSB-2.180-94	Carpet and Upholstery Shampoo
CAN/CGSB-25.3-92	Buffable, Water-Emulsion Floor Wax
CAN/CGSB-25.10-96	Furniture Polish, Type 1
CAN/CGSB-9.14-94	Paper Towels for Institutional Use, Type 4
CAN/CGSB-9.13-94	Paper Toilet Tissue for Institutional Use, Type 1 – Rolls,
and Amendment dated Nov. 1996	except that it shall be: a) two ply; b) minimum grammage shall be 25.0 g/m ² ; c) roll length shall not be less than 40 m/ approximately 131.24 feet; and d) rolls shall be individually wrapped.

E7.2 **The Contractor shall supply** all washroom supplies including, without limitation, toilet tissue, and paper towels (to fit existing dispensers), liquid hand soap, plastic trash bags, deodorant

blocks and other similar products. All washroom supplies shall meet the "Canadian General Standards Board" (CGSB) specifications.

- E7.3 The Contractor shall provide an extra supply of toilet tissue and paper towels on site for emergency replacement by building users.
- E7.4 Where required, the Contractor shall supply paper towels and liquid hand soap to lunch rooms, kitchenettes and coffee stations.
- E7.5 The Contractor shall ensure that all dispensers are filled to adequate levels with the supplies identified in Clause No. E7.2, E7.3, and E7.4.
- E7.6 The Contractor shall ensure that all employees engaged in the execution of the Contract are properly trained in the handling of cleaning materials and equipment, in accordance with the "Workplace Hazardous Materials Information System" (WHMIS) legislation, and keep on the premises in a prominent place within the janitor storage area, a three-ring binder containing current manufacturers' Material Safety Data sheets for all cleaning products used on site.

E8. IDENTIFICATION OF MATERIALS

- E8.1 The Bidder shall identify all materials proposed to be used, and shall provide within 48 hours of a request by the Contract Administrator, verification consisting of manufacturers' product labels, manufacturers' technical bulletins, independent laboratory tests, or equivalent documentation evidencing that all materials proposed to be used meet or exceed the specified Canadian General Standards Board (CGSB) standards.

E9. TESTING OF MATERIALS

- E9.1 The City may periodically take samples of cleaning materials for analysis by an independent laboratory to ensure uniform quality of materials during the term of the Contract.
- E9.2 The cost of the laboratory analysis will be borne by the City, except when the analysis indicates that the materials are not as specified or approved, in which case the cost of the laboratory analysis will be borne by the Contractor.
- E9.3 The City will notify the Contractor in writing if any materials, based on the analysis, do not meet the original specifications of this Contract.
- E9.4 The Contractor shall during the term of the Contract, use only such materials as specified herein or such other materials as shall be approved from time to time by the Contract Administrator.

E10. GENERAL STANDARDS AND QUALITY OF SERVICE

- E10.1 The Contractor shall ensure that all services expressly described (and reasonably implied in this Contract in the opinion of the Contract Administrator) and materials to be provided meet the optimum standard of workmanship, cleanliness, sanitation, safety and efficiency and shall without limitation:
- (a) ensure that no surfaces are damaged by materials or their application;
 - (b) all residues of cleaning materials, dust and other matter are removed at the completion of each cleaning; and
 - (c) remove all waste/trash resulting from cleaning and deposit in designated bins.

E11. STORAGE

E11.1 The City of Winnipeg shall make available designated storage areas for the purpose of storing the cleaning materials and equipment used by the Contractor during the term of this Contract and any renewals.

E11.2 The Contractor shall:

- (a) store materials and equipment in the designated areas only;
- (b) clearly identify all containers in the designated area as to material content;
- (c) post in a conspicuous place in the designated storage areas safety precautions regarding the materials;
- (d) ensure that all storage areas used by the Contractor are secured so as to be accessible only by authorized personnel of the Contractor and the City;
- (e) ensure that all equipment and tools are properly cleaned and stored at the end of each daily cleaning operation in such a manner as not to present any fire hazard or cause any unsanitary or unsafe condition or odour.

E12. SECURITY OF FACILITY

E12.1 The Contractor shall ensure that, at all times, when his employees or representatives are in the facility that the facility is kept secure from entry by unauthorized persons.

E12.1.1 Upon leaving the building, these employees or representatives of the Contractor shall ensure that all windows and screens are closed and secured, and all entrances to the building are properly locked with alarms set as required.

E12.1.2 If security system is to be left in the OFF mode, because a civic employee is still in the building, the Contractor must first advise the Civic employee that he/she has completed their work and is leaving and secondly inform Central Control at 986-2382 that he/she is leaving the security OFF because a Civic employee is still in the building.

E12.1.3 Failure by the Contractor to set the alarms, as required, causing the City to dispatch City personnel to set the alarm(s), will result in a \$50.00 Service Fee, per occasion, charged to the Contractor.

E13. DEFECTIVE WORK

E13.1 The sum fixed for Defective Work for this Contract, per scheduled Working Day, per location, as follows:

(A) 6 Fermor Avenue	\$55.00
(B) 100 Main Street	\$85.00
(C) 219 Provencher Blvd.	\$55.00
(D) 233 Provencher Blvd.	\$45.00
(E) 180 King Street	\$65.00
(F) 1910 Portage Avenue	\$75.00
(G) 765 Keewatin Street	\$55.00
(H) 1155 Pacific Avenue	\$105.00
(I) 33 Warnock Street	\$45.00
(J) 1500 Plessis Road	\$85.00

E13.2 Building Cleaning Inspections are carried out at each location once a week on random days. In addition to the fixed sum for Defective Work for this Contract, the Contract Administrator, at his discretion, will impose an inspection fee of \$65.00 per cleaning inspection, for all additional inspections required to ensure compliance with specifications.

E14. PERSONNEL

E14.1 The Contractor shall ensure that all their employees engaged in the execution of this Contract are experienced janitors and are properly trained in the handling of cleaning materials and equipment including use and storage according to manufacturer's instructions.

E14.2 The Contractor shall supervise their employees and shall ensure that all such employees behave at all times in a manner appropriate to persons in a Civic facility and shall without limitation ensure that all the Contractor's employees:

- (a) are dressed in a clean, neat and respectable manner;
- (b) personal hygiene meets acceptable standards;
- (c) behave in a courteous and polite manner to City personnel and other persons in the facility;
- (d) are careful with all property that is in or a part of the facility;
- (e) do not smoke while on the premises;
- (f) are able to communicate effectively in English; and
- (g) refrain from using profanity.

E14.3 The Contractor shall ensure that all its employees working in these facilities have proper identification in the form of:

- (a) a uniform bearing the name of the company (only);
- (b) a photo identification badge, must be worn at all times while on the premises.

E15. COMMUNICATION

E15.1 The Contractor shall have on the Site, a minimum of one (1) employee during all service scheduled Work, who can receive and carry out written and verbal instructions in English or requests that fall within the Contract requirements, and to effectively relay in a timely manner any which fall outside the Contract requirements, such as flooding, building security problems, plumbing needs, etc.

- (a) Further, it is expected that this person will be familiar with the site Task Schedule and the Cleaning Requirements, all of which form part of the Contract.
- (b) The Contractor shall provide to the Contractor's employees performing Work at the Site, a copy of: Part E-Specifications, Drawings, and Tables A, B, C, D and E – Cleaning Requirements, and the copy shall be kept in the janitor's storage room for their referral.

TABLE A

CLEANING REQUIREMENTS: FLOORS
 FOR VARIOUS LOCATIONS

PUBLIC WORKS DEPARTMENT
 BUILDING SERVICES DIVISION
 OPERATIONS BRANCH

LOCATION	Remove Spots, Stains, and Graffiti	Sweep with Broom and/or Treated Mop	Hand or Machine Wash with Cleaner	Spray Buff, Polish and/or Burnish	Strip and Refinish Floor	Vacuum	Damp Mop	Disinfect
Floor Tile (Asphalt, Vinyl, Mastic)	D	D	D	W	A			
Quarry Tile – Glazed	D	D	D					
Quarry Tile – Unglazed	D	D	D		A			
Ceramic Tile – Glazed	D	D	D					D
Ceramic Tile – Unglazed	D	D	D		A			D
Marble	D	D	D					
Terrazzo	D	D	D	W	A			
Concrete Stairwells (no drain)	D	D	D					
Concrete Floor Areas (no drain)	D	D	D					
Carpeted Stairwells	D					D		
Carpet Traffic Lanes	D					D		
Carpet – Wall to Wall	D					D		
Rugs	D					D		
Door Mats						D		
Walk-on Mats (fabric covered)						D		
Walk-on Mats (rubber/vinyl)						D	D	
Sheet Flooring	D	D	D	W	A			
Wood Stairwells	D	D	W					
Elevator Door Sills (car & floor)	D	D				D		
Escalator Stair Treads and Risers	D	D				D		
Carpet Savers							D	

Revised July 12/99

D - Daily
 W - Weekly
 A - Annually

TABLE B

CLEANING REQUIREMENTS: WALLS
FOR VARIOUS LOCATIONS

PUBLIC WORKS DEPARTMENT
 BUILDING SERVICES DIVISION
 OPERATIONS BRANCH

LOCATION	Remove Spots, Stains, and Graffiti	Wipe with Cleaner	Disinfect	Vacuum/Wash	Treat with Wood Material
Carpet Wall	D			M	
Ceramic Wall Tile	D	D	D		
Concrete (painted/unpainted)	D				
Plaster, Drywall (painted/unpainted)	D	W			
Concrete Block (painted/unpainted)	D	W			
Wood Panelled Wall	D				M
Vinyl Covered Wall	D	D			
Marble	D	D			
Limestone	D				
Brick/Brick Veneer	D				
Base Cove	D	M			
Partition (fabric covered) Not full ceiling height	D			M	
Partitions (metal, painted) Not full ceiling height	D	D	W		
Metal (Painted) Wall	D	D			
Stainless Steel Surfaces	D	D			
Plastic Laminate Surfaces	D	D			
Wallpaper	D				
Fabric Covered Wall	D			M	

Revised July 12/99

D - Daily
 W - Weekly
 M – Monthly

TABLE C

CLEANING REQUIREMENTS: FURNISHINGS & FIXTURES - 1
 FOR VARIOUS LOCATIONS

PUBLIC WORKS DEPARTMENT
 BUILDING SERVICES DIVISION
 OPERATIONS BRANCH

LOCATION	Remove Spots, Stains, and Graffiti	Wipe with Cleaner	Disinfect	Vacuum/ Wash	Empty & Clean	Remove Refuse to Designated Area	Supply Plastic Trash Bags	Refill Dispensers	Remove Recyclables to Designated Area
Ashtrays (exterior of building)					D				
Waste Receptacles	D	D	D		D	D	D		
Recycle Receptacles Contents:									
Paper									TW
Glass									W
Plastics									W
Aluminium									W
Sinks	D	D	D						
Drinking Fountains	D	D	D						
Dispensers	D	D	D					D	
Toilets & Seats	D	D	D						
Urinals	D	D	D						
Plumbing Fixtures (chrome)	D	D	D						
Mirrors	D	D							
Interior Glass (up to normal door height)	D	D							
Interior Glass (above door height)		M							
Window Blinds (Venetian)	D			M					
Window Sills & Ledges	D	D							
Railings, Banisters	D	D	W						
Appliances: Stoves, Fridges, Microwaves, <i>Exterior Only</i>		D							
Baby Change Tables			D						
Janitor Sink				D					

Revised May 30/2001

D - Daily
 W - Weekly
 TW - Twice Weekly
 M - Monthly

TABLE D

CLEANING REQUIREMENTS: FURNISHINGS & FIXTURES – 2
 FOR VARIOUS LOCATIONS

PUBLIC WORKS DEPARTMENT
 BUILDING SERVICES DIVISION
 OPERATIONS BRANCH

LOCATION	Remove Spots, Stains, and Graffiti	Wipe with Cleaner	Disinfect	Vacuum
Desk Side Panels & Legs	D	D		
Tables & Legs	D	D		
Counter Tops & Sides	D	D	D	
Filing Cabinets	D	D		
Credenzas	D	D		
Cabinets	D	D		
Desk Lamps		D		
Bookcases	D	D		
Library Book Shelves	D	W		
Telephones (incl. Payphones & enclosures)	D	D	D	
Chairs (vinyl/plastic only)	D	W	D	
Chairs and Chesterfields (fabric covered)	D			W
Furnishings (finished wood/chrome surfaces)	D	D		

Revised July 12/99

D - Daily
 W – Weekly

TABLE E

CLEANING REQUIREMENTS: FURNISHINGS & FIXTURES – 3
 FOR VARIOUS LOCATIONS

PUBLIC WORKS DEPARTMENT
 BUILDING SERVICES DIVISION
 OPERATIONS BRANCH

LOCATION	Remove Spots, Stains, and Graffiti	Wipe with Cleaner	Dust with Treated Cloth	Disinfect	Vacuum
Coat Racks and Hat Shelves	D	W	D		
Stainless Steel Surfaces	D	D			
Doors, Frames and Hardware	D	D			
Grilles (Air Supply & Exhaust)		M			M
Lockers (steel/wood)	D	D		W	
Radiators	D	D			
Shelves (other than library bookshelves)	D				
Directory Cases	D	D			
Display Cases	D	D			
Entrance & Exit Gates	D	D			
Plastic Signs		M			
Study Desks	D	D			
Light Fixtures & Lenses & Diffusers (Both Sides)		A			
Escalator Rubber Handrails	D	D		D	

Revised July 12/99

- D - Daily
- W - Weekly
- M - Monthly
- A – Annually