PART A

QUALIFICATION SUBMISSION

Form A: Qualification Application

| 1. | Project Title | Request for Qualifications for the Supply and Installation of Cured-In-Place Pipe (CIPP) | | | | | |
|-------------------|---------------|---|----------------------|--|--|--|--|
| 2. | Applicant | Name of Applicant | | | | | |
| | | Street | | | | | |
| | | City | Province | Postal Code | | | |
| 3. Contact Person | | The Applicant authorizes the following contact person to represent the Applicant for the purposes of the Application. | | | | | |
| | | Contact P | Contact Person Title | | | | |
| | | Telephon | e No. Facsin | nile No. | | | |
| 4. | Request | Suppliers | | considered as pre-qualified CIPP Liner Systems in the | | | |
| 5. | Qualification | | | ted Form B - Qualification- alification-Installer, appended | | | |
| 6. | Addenda | been rece | | the following addenda has that they shall be deemed to cation request. | | | |
| | | No | | Dated | | | |
| | | No | [| Dated | | | |
| | | No. | | Dated | | | |

Form A: Qualification Application

| 7. | Signatures | In witness whereof the Applicant or the Applicant's authorized official or officials have signed this | | | |
|-------|----------------------------------|---|---|---|---------------------|
| | | | day of | | , 20 |
| • | ed and sealed in presence of: |))) | Signature of Applic Applicant's Author | | ficials |
| (Witr | ness) |))))) | (Print here name whose signature a | • | acity of individual |
| (Witr | ness) |))))) | (Print here name whose signature a | - | acity of individual |

SEAL

Form B: Qualification - Supplier

| 1. | Name | : |
|----|------------------------------------|--|
| 2. | Addre | ss/Phone Number/Fax: |
| 3. | Conta | ct Person (Name/Title/Phone/Fax): |
| 4. | Numb | er of years experience supplying Liner Systems: |
| 5. | | sed Liner System Name(s) andard domestic sewage: |
| | | |
| | | |
| 6. | C2, C single provic The a | de details of the Liner System(s) in accordance with the requirements of Sections 3, and C4. Complete all shaded areas of Table B1 (numeric values shall be a value used for design calculations, not a range of values). Attachments shall be led (e.g. third party test results) to support the information indicated in Table B1. ttachments shall be marked and grouped in accordance with the reference ers indicated in the right column of Table B1. |
| 7. | | n the design procedures (Attachment No. 7) in accordance with the requirements of on C2, applicable to: |
| | (a) | Assessment of pre- and post-lining hydraulic capacity |
| | (b) | Structural design for i) partially deteriorated pipe condition ii) fully deteriorated pipe condition |

- ii) fully deteriorated pipe condition iii) segment missing from host pipe
- iv) small holes in host pipe
- v) non-circular cross sections

Form B: Qualification – Supplier

Table B1: Liner System

| Materials: | | | | | | | |
|---------------------------------------|----------------------------------|------------------|------------------|------------------|---------------------|--|--|
| Liner Syste | m Name | | | | Attachment No.'s | | |
| Resin: Name, Type, Manufacturer | | | | | 1* | | |
| Tube: Na Manufactur | me, Type, | | | | 2* | | |
| Tube Tensi to ASTM D | ile Strength 5035 (MPa) | | | | 3* | | |
| Design | | | | | | | |
| Liner Syste | em Name | | | | | | |
| Flexural Stre D790 (MPa) | ength to ASTM | | | | 4* | | |
| Flexural Moo D790 (MPa) | dulus to ASTM | | | | 4* | | |
| Flexural Creprojected to ASTM D299 | 50 Years to | | | | 5* | | |
| Chemical Re ASTM F1210 | esistance to | | | | 6* | | |
| Enhancemer (based on cl | | | | | | | |
| Poisson's Ra | atio | | | | | | |
| Experience | e | | | | | | |
| | | In North America | In North America | In North America | | | |
| Diameters less than | Years in Service: | | | | | | |
| or equal to 900mm | Length Installed (metres): | | | | | | |
| Diameters greater | Years in Service: | | | | | | |
| than 900mm | Length Installed (metres): | | | | | | |
| Non- circular | Years in Service: | | | | | | |
| cross sections | Length Installed (metres): | | | | | | |

* attach copies of third party test results in accordance with the requirements herein

Form B: Qualification – Supplier

8. Technical personnel (name, title, duties) responsible for Liner System design, installation and quality control procedures. Attach a brief resume. (Attachment No. 8).

9. Describe installation and quality control procedures to be followed and monitored during Liner System fabrication and installation, including but not limited to the following:

Tube Manufacturing (including size, seams (longitudinal and between layers) and integrity)

Resin Storage and Mixing

Wet-Out

Liner Transportation and Storage

Liner Insertion

Curing and Cool Down (required pressures and temperatures)

Repairs to Holes (made in the liner during wet out, for the purpose of adding resin)

Other

Form B: Qualification – Supplier

Table B2: Supplier Experience

Provide three project references, including at least one project to demonstrate experience with large diameter (greater than 900mm) and one project to demonstrate experience with noncircular cross sections. The CIPP liner installations must have been completed prior to December 31, 2001.

| | Project #1 | Project #2 Large Diameter (>900mm) | Project #3 Non—Circular Cross Section |
|--|------------|--|---|
| Project Name: | | | |
| Location: | | | |
| Description (diameter/ dimensions, length, depth, unique conditions, etc.): | | | |
| Installation Date: | | | |
| Value: | | | |
| Client Contact: Name, telephone number | | | |

Form C: Qualification – Installer

- 1. Installer's Name:
- 2. Installer's Address/Phone Number/Fax:
- 3. Year Established:
- 4. Contact Person (Name/Phone/Fax):
- 5. Designer proposed for the project (name, title, duties) responsible for the Liner System design. (Attachment No. 9)

6. Project Manager proposed for the project (name, title, duties) responsible for overall project organization, control and scheduling. Attach a brief resume. (Attachment No. 10)

7. Site Superintendent proposed for the project (name, title, duties) responsible for day-today site operations and installation activities. Attach a brief resume. (Attachment No. 11)

Form C: Qualification – Installer

8. Provide details of Installer training (i.e. names of individuals who have completed the training) including but not limited to the following:

Courses Attended

Field Demonstrations Attended

Project Work Completed

9. Describe installation and quality control procedures to be followed and monitored during Liner System assembly and installation including but not limited to the following:

Resin Mixing and Wet-Out

Liner Transportation and Storage

Bypassing Pumping

Form C: Qualification – Installer

Liner Repair (e.g. Tear)

Liner Insertion (Circular and non-circular)

Curing and Cool Down (process and monitoring procedures)

Dye Trace Testing & Service Connection Reinstatement

Test Samples (method of securing confined samples)

Other

Form C: Qualification – Installer

10. Provide installation procedures for partial length sewer lining via single manhole access (blind shot) including but not limited to length and diameter limitations, resin, tube, curing, etc:

Provide installation procedures for localized trenchless point repairs (length 1 – 9 m) including but not limited to length, diameter and location limitations, resin, tube, curing method, securing and testing of field samples, etc:

12. If the Installer is working under license to a Supplier, provide a copy of the license or certificate detailing the conditions of the License.

Form C: Qualification – Installer

Table C1: Designer Experience

Provide a listing of projects completed by the Designer to satisfy the requirements of C6.2

Designer Name:_____

| | | CIPP Installation Details | | | | |
|--------------|----------------|---------------------------|--|-------------------|-------------------|--|
| | Contact Name & | | Length installed (must total a minimum of 5000 metres) | | | |
| Project Name | Phone Number | Installation Date | | > 900mm Ø | non-circular | |
| | | | <u><</u> 900mm Ø | (minimum 500m) | (minimum 500m) | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| 1 | | | | | | |

Form C: Qualification – Installer

Table C2: Project Manager Experience

Provide a listing of projects completed by the Project Manager to satisfy the requirements of C6.2

Project Manager Name:_____

| | | CIPP Installation Details | | | | |
|--------------|--------------------------------|--|---------------------|-----------------------------|--------------|--|
| | | Length installed (must total a minimum of 5000 | | | | |
| Project Name | Contact Name & Phone Number | Installation Date | | metres) > 900mm Ø | non-circular | |
| | | Installation Date | <u><</u> 900mm Ø | > 900mm Ø (minimum | (minimum | |
| | | | — | 500m) | 500m) | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

Form C: Qualification – Installer

Table C3: Site Superintendent Experience

Provide a listing of projects completed by the Site Superintendent to satisfy the requirements of C6.2

Site Superintendent Name:_____

| | | | CIPP Installation Details | | | |
|--------------|--------------------------------|--|---------------------------|-------------------|-------------------|--|
| | | Length installed (must total a minimum of 5000 | | | | |
| Project Name | Contact Name & Phone Number | Lastalla Cara Data | metres) | | | |
| | Those Number | Installation Date | <u><</u> 900mm Ø | > 900mm Ø | non-circular | |
| | | | <u> </u> | (minimum 500m) | (minimum 500m) | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | 1 | 1 | 1 | 1 | | |