# PART A BID SUBMISSION

		FORM A: BID (See B7)	
1.	Project Title	SUPPLY AND DELIVERY OF CAB AND CHASSIS TRUCKS	
2.	Bidder		
		Name of Bidder	
		Street	
		City Province	Postal Code
	(Mailing address if different)	Street or P.O. Box	
		City Province	Postal Code
		The Bidder is:	
	(Choose one)	a sole proprietor	
		a partnership	
		a corporation	
		carrying on business under the above name.	
3.	Contact Person	The Bidder hereby authorizes the following contact person to the Bidder for purposes of the Bid.	represent
		Contact Person Title	
		Telephone Number Facsimile Number	
4.	Definitions	All capitalized terms used in the Contract shall have the ascribed to them in the General Conditions and D3 unless to therwise requires.	
5.	Offer	The Bidder hereby offers to perform the Work in accordance Contract for the price(s), in Canadian funds, set out on Form appended hereto.	
6.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in a Purchase Order authorizing the commencement of the Work	

7.	Contract	deemed to be in	s that the Bid Opportunity corporated in and to for it not all parts thereof are not submission.	m a part of this offer
8.	Addenda		s that the following addenda all be deemed to form a part	
		No	Dated	
9.	Time		open for acceptance, bind Calendar Days following the	
10.	Signatures	In witness whereo officials have signed	f the Bidder or the Bidde d this	er's authorized official or
			day of	, 20
		Signature of Bidder Bidder's Authorized		
		(Print here name and off	icial capacity of individual whose si	gnature appears above)
		(Print here name and off	icial capacity of individual whose si	gnature appears above

# FORM B: PRICES

(See B8)

#### SUPPLY AND DELIVERY OF CAB AND CHASSIS TRUCKS

#### **UNIT PRICES**

ITEM NO.	DESCRIPTION	SPEC. REF.	-	_	UNIT PRICE	AMOUNT
1	11,000 lb GVWR Cab and Chassis 84" CA_Reg Cab_Gas Eng_4 X 4	04 - 009	ea	1	\$	\$
2	15,000 lb GVWR Cab and Chassis 60" CA_Crew Cab_Die Eng_2WD	04 - 010	ea	6	\$	\$
3	17,500 lb GVWR Cab and Chassis Ford – F- 550 60" CA_Crew Cab_Die Eng_4 X 4	04 - 011	ea	1	\$	<b>\$</b>

Name of Diddor	

#### 1.0 <u>INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS</u>

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. **Bidders shall** state "yes" for compliance or state deviation, or give reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each bidder is required to fill in every blank. Failure to do so may be used as a basis for rejection of bid.

#### 2.0 OTHER SPECIFICATIONS AND STANDARDS

- 2.1 All applicable SAE standards form an integral part of these specifications and shall have precedence in any conflict concerning minimum acceptable standards.
- 2.2 The Cab and Chassis Trucks and all related components shall comply with all C.M.V.S.S. and Manitoba Highway Traffic Act regulations and requirements.

ITEM 1\_\_SPEC 04-009

11,000 LB GVWR CAB & CHASS\_84 " CA\_Reg Cab\_Gas Eng\_4 x 4

STATE MAKE AND MODEL BEING BID: 2004

REQUIREMENT	SPECIFICATION	BIDDER TO STATE "YES" or STATE DEVIATION
Model year	Must be 2004 ( to insure quick delivery )	
G.V.W.R.	11,000 LBS. Minimum	
Vehicle Configuration	Cab & Chassis only	
Rear Wheels	Dual rear wheels	
C.A.	84 INCHES nominal	
Generic Cab Size	Regular Cab	
Wheelbase	161 - 165 INCHES	
Drive train	Four wheel drive	
4 W D Shift	Electronic (dash mounted)	
Engine	GAS	
Engine cooling	Maximum factory cooling package, as required for trailer towing	
Transmission	Automatic	
Transmission cooling	Maximum factory cooling package, as required for trailer towing	
Rear Axle	Limited Slip or Locking Type - Differential	
Air conditioning	Required	
Block heater	Required (with cord through grill)	
Coolant	Antifreeze to -35°C	
Brakes	Power	
Steering	Power	

#### ITEM 1\_\_SPEC 04 - 009\_\_continued

REQUIRE	MENT	SPECIFICATION	BIDI or	DER TO STATE "YES" STATE DEVIATION
Tilt Steerin	g	Required	_	
Floor Cove	ering	Rubberized or carpeted throughout		
Floor Mats		Rubber or Carpet mats in seating area	_	
Front Wind	dshield	Tinted		
Windshield	d wipers	Intermittent		
Mirrors		Interior and Dual exterior	_	
Lights		Dome with door switch	_	
Radio		AM/FM, factory installed	_	
License pla	ate brackets	Front & Back - Required		
Seats		Split bench 60/40 <b>OR</b> 40/20/40		
Seat Mate	rial	Cloth or cloth w/vinyl trim - (NO Vinyl weave)	_	
Towing		<ul> <li>"Complete Towing Package" which includes:</li> <li>All applicable suspension and shock absorption</li> <li>All applicable wiring</li> <li>trailer plug installed and wired as per Spec No. 04 – 019 with the plug in set up and readily available</li> </ul>		
Tires	- Front & Rear	All – Season radials; State size		
	- Spare with rim	All – Season radials		
Colour	- Interior	Blue or grey	_	
	- Exterior	Bright white		
Fuel tank		Tank shall be <u>fully fuelled</u> when delivered		
Cab Steps	(running boards)	Required (full length of cab size)		
Mud Flaps		Required		

#### ITEM 1\_\_SPEC 04 - 009\_\_continued

REQUIREMENT	SPECIFICATION	BIDDER TO STATE "YES" or STATE DEVIATION
SERVICE FACILITY		
·	to provide warranty service or after warranty	service
shall be located within 10	kilometres of the boundaries of the City of Win	nipeg
( see Supplemental Condi	tions - SC 8.01)	
WARRANTY		
,	s shall be a <u>minimum</u> of <b>three (3) years</b> <u>"C</u> per" on all completed unit(s) with no deductible	
State details of warranty:	Years	
	Kilometers	

# **QUESTIONNAIRE**

#### <u>ITEM 1</u> <u>SPEC 04 - 009</u>

1.0	STATE the time of delivery of the equipment from the date of notification of award.
2.0	<b>LIST</b> any significant features that will be supplied standard on the unit(s) being offered, but were not specifically mentioned in the Detailed Specifications.
3.0	<b>STATE</b> the location of the service facility that is located within 10 km of the boundaries of the City of Winnipeg.
4.0	LIST any deviations that might be considered less than equal to the detailed specifications.

ITEM 2\_SPEC 04-010

15,000 LB GVWR CAB & CHASS\_60 " CA\_Crew Cab\_Die Eng\_2WD

STATE MAKE AND MODEL BEING BID: 2004

REQUIREMENT	SPECIFICATION	BIDDER TO STATE "YES" or STATE DEVIATION
Model year	Must be 2004 ( to insure quick delivery )	
G.V.W.R.	15,000 LBS. minimum	
Vehicle Configuration	Cab & Chassis only	
Rear Wheels	Dual rear wheels	
C.A.	60 INCHES nominal	
Generic Cab Size	Crew Cab ( Regular Cab X 2 )	
	- Four full sized doors	
Wheelbase	169 - 176 INCHES	
Drive train	Two wheel drive	
Engine	DIESEL	
Engine cooling	Maximum factory cooling package, as required for trailer towing	
Transmission	Automatic	
Transmission cooling	Maximum factory cooling package, as required for trailer towing	
Rear Axle	Limited Slip or Locking Type - Differential	
Air conditioning	Required	
Block heater	Required (with cord through grill)	
Coolant	Antifreeze to -35°C	
Batteries	Dual, 1200 CCA minimum combined capacity	
Brakes	Power	
Steering	Power	
Tilt Steering	Required	

#### ITEM 2\_\_SPEC 04 - 010\_\_continued

REQUIREM	/IENT	SPECIFICATION	BIDDER TO STATE "YES" or STATE DEVIATION
Floor Cove	ering	Rubberized	
Floor Mats		Rubber or Carpet mats in seating area	
Front Wind	dshield	Tinted	
Windshield	d wipers	Intermittent	
Mirrors		Interior and Dual exterior	
Lights		Dome with door switch	
Radio		AM/FM, factory installed	
License pla	ate brackets	Front & Back - Required	
Seats		Split bench 60/40 <b>OR</b> 40/20/40	
Seat Mate	rial	Cloth or cloth w/vinyl trim - (NO Vinyl weave)	
Towing		<ul> <li>"Complete Towing Package" which includes:</li> <li>All applicable suspension and shock absorption</li> <li>All applicable wiring</li> <li>trailer plug installed and wired as per Spec No. 04 – 019 with the plug in set up and readily available</li> </ul>	n 
Tires	- Front & Rear	All – Season radials; State size	
	- Spare with rim	All – Season radials	
Colour	- Interior	Blue or grey	
	- Exterior	Bright white	
Fuel tank		Tank shall be fully fuelled when delivered	
Cab Steps	(running boards)	Required (full length of cab size)	
Mud Flaps		Required	

Tomplete Version: C220040204

#### ITEM 2\_\_SPEC 04 - 010\_\_continued

REQUIREMENT	SPECIFICATION	BIDDER TO STATE "YES" or STATE DEVIATION
SERVICE FACILITY		
All service facilities used	to provide warranty service or after warranty	service
shall be located within 10	kilometres of the boundaries of the City of Wir	nnipeg
( see clause # 3 on the Q	uestionnaire sheet )	
WARRANTY		
• •	nts shall be a <u>minimum</u> of <b>three (3) years</b> <u>"</u> nper" on all completed unit(s) with no deductible	<del></del>
State details of warranty:	Years	
	Kilometers	

# **QUESTIONNAIRE**

# <u>ITEM 2</u> <u>SPEC 04 – 010</u>

.0	STATE the time of delivery of the equipment from the date of notification of award.
)	<b>LIST</b> any significant features that will be supplied standard on the unit(s) being offered, but were not specifical mentioned in the Detailed Specifications.
0	STATE the location of the service facility that is located within 10 km of the boundaries of the City of Winnipeg
0	LIST any deviations that might be considered less than equal to the detailed specifications.

ITEM 3\_\_SPEC 04-011

17,500 LB GVWR CAB & CHASS\_60 " CA\_Crew Cab\_Die Eng\_4 x 4

STATE MAKE AND MODEL BEING BID: 2004

REQUIREMENT	SPECIFICATION	BIDDER TO STATE "YES" or STATE DEVIATION
Model year	Must be 2004 ( to insure quick delivery )	
Ford F - 550	Required	
G.V.W.R.	17,500 LBS. minimum	
Vehicle Configuration	Cab & Chassis only	
Rear Wheels	Dual rear wheels	
C.A.	60 INCHES nominal	
Generic Cab Size	Crew Cab ( Regular Cab X 2 )	
	- Four full sized doors	
Wheelbase	176 INCHES	
Drive train	Four wheel drive	
Engine	DIESEL	
Engine cooling	Maximum factory cooling package, as required for trailer towing	g
Transmission	Automatic	
Transmission cooling	Maximum factory cooling package, as required for trailer towing	
Rear Axle	Limited Slip or Locking Type - Differential	
Air conditioning	Required	
Block heater	Required (with cord through grill)	
Coolant	Antifreeze to -35°C	
Batteries	Dual, 1200 CCA minimum combined capacity	
Brakes	Power	
Steering	Power	
Tilt Steering	Required	

#### ITEM 3\_\_SPEC 04 - 011\_\_continued

REQUIREM	IENT	SPECIFICATION	BIDI or	DER TO STATE "YES" STATE DEVIATION
Floor Cove	ring	Rubberized throughout	_	
Floor Mats		Rubber or Carpet mats in seating area		
Front Wind	shield	Tinted		
Windshield	wipers	Intermittent		
Mirrors		Interior and Dual exterior		
Lights		Dome with door switch		
Radio		AM/FM, factory installed		
License pla	ate brackets	Front & Back - Required		
Seats		Split bench 60/40 <b>OR</b> 40/20/40		_
Seat Mater	ial	Cloth or cloth w/vinyl trim - (NO Vinyl weave)		
Towing		"Complete Towing Package" which includes:		
		<ul> <li>All applicable suspension and shock absorption</li> <li>All applicable wiring</li> <li>trailer plug installed and wired</li> <li>as per Spec No. 04 – 019 with</li> <li>the plug in set up and readily available</li> </ul>	n _	
Tires	- Front & Rear	All – Season radials; State size		
	- Spare with rim	All – Season radials		
Colour	- Interior	Blue or grey	_	
	- Exterior	Bright white	_	
Fuel tank		Tank shall be <u>fully fuelled</u> when delivered		
Mud Flaps		Required	_	

#### ITEM 3\_\_SPEC 04 - 011\_\_continued

REQUIREMENT	SPECIFICATION	BIDDER TO STATE "YES" or STATE DEVIATION
SERVICE FACILITY		
All service facilities used	d to provide warranty service or after warran	ty service
shall be located within 10	0 kilometres of the boundaries of the City of W	/innipeg
( see clause # 3 on the C	Questionnaire sheet )	
WARRANTY		
The warranty requiremen	nts shall be a <u>minimum</u> of <b>three (3) years</b>	"OR" 60,000 kilometers parts and labour
inclusive, "bumper to bur	mper" on all completed unit(s) with no deducti	ble.
State details of warranty:	<u>:</u> Years	
	Kilometers	

# **QUESTIONNAIRE**

# <u>ITEM 3</u> <u>SPEC 04 – 011</u>

_	STATE the time of delivery of the equipment from the date of notification of award.
L	<b>.IST</b> any significant features that will be supplied standard on the unit(s) being offered, but were not specinentioned in the Detailed Specifications.
S	TATE the location of the service facility that is located within 10 km of the boundaries of the City of Winr
L	<b>IST</b> any deviations that might be considered less than equal to the detailed specifications.
_	
_	

#### TRAILER PLUG WIRING SPEC 04 – 019

# The use and installation of all trailer plugs, wiring, connections and accessories shall conform to the following specification criteria:

- Trailer plug shall have "SPADE TYPE CONNECTIONS" capable of coupling to Grote female connectors (note: pin connections are not acceptable)
  - shall be a seven (7) pole/spade socket with enclosed terminals
  - shall be <u>Grote 82 1058</u> installed <u>"after market"</u> and wired as coded.
     (<u>note</u>: OEM trailer plugs will be accepted <u>if equal</u> in design to Grote 82 1058)
- <u>Trailer Wiring Harness</u> Preferred <u>Grote 82 1058</u> connector, wired into a <u>fused</u> fixed OEM trailer wiring harness
- Wiring from trailer plug shall be 14 guage, 6 conductor trailer cable.
  - Trailer plug wiring routed to end of frame
  - Cable shall be routed along vehicle frame and properly secured using "Outdoor Black" cable ties
- All electrical connectors shall be crimped and soldered then sealed using heat shrink tubing.
  - All joining of wires shall be soldered and sealed using heat shrink tubing
     ( <u>note :</u> the use of crimp-on electrical connectors <u>alone</u> for joining wires <u>are not</u> acceptable )
- All holes through body shall be drilled (not punched), grommetted and sealed as necessary.