



ADDENDUM NO. 3 BID OPPORTUNITY NO. 99-2004

**FERMOR AVENUE – WESTBOUND (LAGIMODIERE BOULEVARD TO
RUE ARCHIBALD)
INKSTER AVENUE – WESTBOUND (SINCLAIR STREET TO AIRLIES
STREET) ASPHALT RESURFACING AND ASSOCIATED WORKS**

ISSUED: April 15, 2004
BY: Coleen Groening/ht
TELEPHONE NO. (204) 986-2491

URGENT

**PLEASE FORWARD THIS DOCUMENT TO
WHOEVER IS IN POSSESSION OF THE BID
OPPORTUNITY**

**THIS ADDENDUM SHALL BE INCORPORATED
INTO THE BID OPPORTUNITY AND SHALL
FORM A PART OF THE CONTRACT
DOCUMENTS**

Template Version: 20040128

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 10 of Form A: Bid may render your Bid Submission non-responsive.

PART D – SUPPLEMENTAL CONDITIONS

Revise: **D22. WARRANTY** to read:

D22.1 In addition to the warranty specified in GC:13.2

- (a) All plant material shall be warranted for a full two years, from the date of acceptance to start the Warranty. Plant material will be accepted at the end of the two year maintenance period if it is healthy and as per E14. Any plant material requiring replacement, shall carry an additional two year warranty and two year maintenance period, until all plants have survived and show healthy growth, and have been maintained for a full two years.
- (b) The Barkman Roman Stone Retaining Walls shall be warranted for a full five (5) years against ungluing of the individual wall and cap stones as per E11. Any stones which become loose are to be re-glued and/or replaced if necessary.

D.22.2 The Performance Bond shall not be required to cover the additional Warranty of Plant Material or the additional Warranty of the Barkman Roman Stone Retaining Walls specified in D22.1 (a) and D22.1 (b).