PART A BID SUBMISSION

FORM A: BID (See B7)

1.	Project Title	RUE ARCHIBALD)
		INKSTER AVENUE – WESTBOUND (SINCLAIR STREET TO AIRLIES STREET)
		ASPHALT RESURFACING AND ASSOCIATED WORKS
2.	Bidder	Name of Bidder
		Street
		City Province Postal Code
	(Mailing address if different)	Street or P.O. Box
		City Province Postal Code
		The Bidder is:
	(Choose one)	a sole proprietor
		a partnership
		a corporation
		carrying on business under the above name.
3.	Contact Person	The Bidder hereby authorizes the following contact person to representhe Bidder for purposes of the Bid.
		Contact Person Title
		Telephone Number Facsimile Number
4.	Definitions	All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions and unless the contex otherwise requires.
5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B Prices, appended hereto.

6.	Bid Security	In accordance with B10.1, the Bidder encloses bid security in the form of:					
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)					
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)					
		a certified cheque or draft					
		and agrees that it shall be held by the City in accordance with the Contract.					
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4.					
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.					
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission.					
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:					
		No Dated					
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.					

12.	Signatures	In witness whereof the Bidder or the Bidder's authorized official officials have signed this					
		day of , 20					
	Signed and sealed in the presence of:	Signature of Bidder or Bidder's Authorized Official or Officials					
	(Witness)	(Print here name and official capacity of individual whose signature appears above					
	(Witness)	(Print here name and official capacity of individual whose signature appears above					

SEAL

(SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Α	Fermor Avenue - Westbound from Lagimodiere Boulevard to Rue Archibald			<u>Archibald</u>		
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R7	m³	2900		
A.2	Sub-Grade Compaction	CW 3110-R7	m²	11300		
A.3	Placing Suitable Site Sub-base Material	CW 3110-R7	m³	500		
A.4	Crushed Sub-base Material	CW 3110-R7				
i) 50 mm - Limestone		tonne	3300		
A.5	Supplying and Placing Base Course Material	CW 3110-R7	m³	650		
A.6	Grading of Boulevards	CW 3110-R7	m²	11000		
A.7	Ditch Grading	CW 3110-R7	m²	8300		
A.8	Ditch Excavation	CW 3110-R7	m³	50		
A.9	Removal of Existing Concrete Bases	CW 3110-R7				
i) 600mm Diameter or Less		each	1		
A.10	Imported Fill Material	CW 3110-R7	m³	700		
A.11	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m²	9500		
A.12	Preparation of Existing Roadway	CW 3150-R4	m²	8250		
A.13	Surfacing Material	CW 3150-R4				
i) Limestone		tonne	3800		
	ROADWORKS - REMOVALS/RENEWALS					
A.14	Slab Replacement	CW 3230-R4				
i) 200 mm Concrete Pavement (Plain- Dowelled)		m²	160		
A.15	Partial Slab Patches	CW 3230-R4				
i) 200 mm Concrete Pavement (Type A)		m²	20		
ii) 200 mm Concrete Pavement (Type B)		m²	800		
A.16	Slab Replacement - Early Opening (24 hour)	CW 3230-R4				
i) 200 mm Concrete Pavement (Plain- Dowelled)		m²	40		

(SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.17	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R4				
i)	200 mm Concrete Pavement (Type A)		m²	5		
ii)	200 mm Concrete Pavement (Type B)		m²	200		
A.18	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R4				
i)	200 mm Concrete Pavement (Type A)		m²	10		
ii)	200 mm Concrete Pavement (Type B)		m²	570		
A.19	Drilled Dowels	CW 3230-R4				
i)	19.1 mm Diameter		each	3050		
A.20	Drilled Tie Bars	CW 3230-R4				
i)	20 M Deformed Tie Bar		each	560		
ii)	25 M Deformed Tie Bar		each	3020		
A.21	Miscellaneous Concrete Slab Removal	CW 3235-R4				
i)	Monolithic Median Slab		m²	210		
A.22	Miscellaneous Concrete Slab Installation	CW 3235-R4				
i)	Median Slab	SD-227A	m²	210		
ii)	Bullnose		m²	2		
A.23	Miscellaneous Concrete Slab Renewal	CW 3235-R4				
i)	Sidewalk	SD-228A				
	a) Greater than 5 and less than or equal to 20 sq.m.		m²	40		
	b) Greater than 20 sq.m.		m²	305		
ii)	Bullnose		m²	15		
A.24	Concrete Curb Removal	CW 3240-R4				
i)	Planing of Barrier Curb with Reinforcing Steel	E9	m	2500		
A.25	Concrete Curb Installation	CW 3240-R4				
i)	Ramp Curb (15mm ht)	SD-229D	m	50		
ii)	Splash Strip (150mm ht, Barrier Curb, Integral, 600mm width, Slip-Form Paving)	SD-227B	m	2500		

(SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
iii)	Splash Strip (150mm ht, Modified Barrier Curb, Integral, 600mm width)	SD-227B, SD-203B	m	25		
A.26	Concrete Curb Renewal	CW 3240-R4				
i)	Barrier (150mm ht, Dowelled)	SD-205				
	a) Greater than 3m and less than or equal to 30 m		m	300		
ii)	Barrier (150mm ht, Separate)	SD-203A				
	a) 3 m and less		m	15		
	b) Greater than 3m and less than or equal to 30 m		m	75		
iii)	Ramp Curb (15mm ht)	SD-229D	m	60		
A.27	Supply and Installation of Dowel Assemblies	CW 3310-R8	m	55		
A.28	Regrading Existing Interlocking Paving Stones	CW 3330-R3	m²	60		
A.29	Construction of Asphaltic Concrete Overlay	CW 3410-R5				
i)	Main Line Paving					
	a) Type IA		tonne	6700		
ii)	Tie-ins and Approaches					
	a) Type IA		tonne	30		
A.30	Planing of Pavement	CW 3450-R3				
i)	0 - 50 mm Depth (Asphalt)		m²	300		
ii)	50 - 100 mm Depth (Asphalt)		m²	27200		
iii)	0 - 50 mm Depth (Concrete)		m²	100		
	ROADWORKS - NEW CONSTRUCTION					
A.31	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R8				
i)	Construction of Monolithic Concrete Bull- noses		m²	2		
A.32	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R8				
i)	Construction of Ramp Curb (15mm ht)	SD-229E	m	40		
A.33	100 mm Concrete Sidewalk	CW 3325-R2	m²	280		

(SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.34	Construction of Asphaltic Concrete Pavements	CW 3410-R5		SQUINTIII I		
i)	Main Line Paving (Ped/Cycle Path)					
	a) Type IA		tonne	1500		
	JOINT AND CRACK SEALING					
A.35	Reflective Crack Maintenance	CW 3250-R5	m	8300		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.36	Replacing Existing Catch Basin Frames & Covers	CW 2130-R8				
i)	AP-008 - Barrier Curb and Gutter Inlet Frame		each	1		
ii)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	1		
iii)	AP-010 - Barrier Curb and Gutter Inlet Box		each	1		1
A.37	Corrugated Steel Pipe - Supply	CW 3610-R3				
i)	(250mm, 16 gauge)		m	15		
ii)	(600mm, 16 gauge)		m	20		
A.38	Corrugated Steel Pipe - Install	CW 3610-R3				
i)	(250mm, 16 gauge)		m	15		
ii)	(600mm, 16 gauge)		m	20		
A.39	Connections to Existing Culverts	CW 3610-R3	each	2		
A.40	ADJUSTMENTS Adjustment of Existing Catchbasins / Manholes	CW 3210-R5	each	3		
A.41	Installation of Cast Iron Lifter Ring Inserts	CW 3210-R5				1
i)	38mm		each	1		
ii)	51mm		each	1		1
iii)	64mm		each	1		1
iv)	76mm		each	1		

(SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.42	Adjustment of Gutter Inlets	CW 3210-R5	each	2		
A.43	Supply of Catchbasin / Manhole Frames and Covers	CW 3210-R5	each	1		
	LANDSCAPING					
A.44	Sodding	CW 3510-R7				
i)	width < 600mm		m²	150		
ii)	width > or = 600mm		m²	12700		
A.45	Seeding	CW 3520-R5	m²	1000		
A.46	Plaza at STA 8+10					
i)	Supply and Install Interlocking Paving Stones	E10	m²	20		
ii)	Install only Bench	E13	each	1		
iii)	Colorado Spruce Trees - 3.0m ht.	E14/E15	each	3		
iv)	Colorado Spruce Trees - 3.6m ht.	E14/E15	each	3		
v)	Littleleaf Lilac Shrubs	E14/E15	each	13		
vi)	Goldfinger Potentilla	E14/E15	each	11		
vii)	Shrub Bed c/w Wood Chip Mulch and I-Con Edge	E14/E15	m²	7		
A.47	Plaza at STA 11+28					
i)	Supply and Install Interlocking Paving Stones	E10	m²	39		
ii)	Supply and Install Precast Concrete Block Retaining Wall (2 x Approx. 5.2m length x 0.6m max. height)	E11	Lump Sum	1		
iii)	Supply and Install Boulder Paving c/w I-Con Paver Edge	E12	m²	10		
iv)	Install only Bench	E13	each	2		
v)	Colorado Spruce Trees - 3.0m ht.	E14/E15	each	2		
vi)	Colorado Spruce Trees - 3.6m ht.	E14/E15	each	3		
vii)	Littleleaf Lilac Shrubs	E14/E15	each	20		
viii)	Shrub Bed c/w Wood Chip Mulch and I-Con Edge	E14/E15	m²	14		

(SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.48	Plaza STA 28+40	REF.		QUANTITY		
	Our alternation to the House describes a Describe a Ottom	E40	2	00		
1)	Supply and Install Interlocking Paving Stones	E10	m²	20		
ii)	Supply and Install Precast Concrete Block Retaining Wall (Approx. 12m length x 0.6m max. height)	E11	Lump Sum	1		
iii)	Supply and Install Boulder Paving c/w I-Con Paver Edge	E12	m²	15		
iv)	Install only Bench	E13	each	2		
v)	American Basswood Trees 75mm Caliper	E14/E15	each	6		
vi)	Colorado Spruce Trees - 3.0m ht.	E14/E15	each	4		
vii)	Colorado Spruce Trees - 3.6m ht.	E14/E15	each	3		
viii)	Littleleaf Lilac Shrubs	E14/E15	each	10		
ix)	Goldfinger Potentilla	E14/E15	each	19		
x)	Shrub Bed c/w Wood Chip Mulch and I-Con Edge	E14/E15	m²	35		
A.49	Benches to be Field Located					
i)	Install only Bench	E13	each	4		
A.50	Two Year Plant Maintenance	E15	Lump Sum	1		
Α	Fermor Avenue - Westbound from Lagimoo	liere Boulevard	to Rue	Archibald	Subtotal:	

(SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В	Inkster Boulevard - Westbound from Sincla	air Street to Airl	ies Stree	<u>et</u>		
	EARTH AND BASE WORKS					
B.1	Excavation	CW 3110-R7	m³	40		
B.2	Sub-Grade Compaction	CW 3110-R7	m²	65		
B.3	Crushed Sub-base Material	CW 3110-R7				
ij	50 mm - Limestone		tonne	25		
B.4	Supplying and Placing Base Course Material	CW 3110-R7	m³	5		
B.5	Grading of Boulevards	CW 3110-R7	m²	700		
B.6	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m²	300		
D 7	ROADWORKS - REMOVALS/RENEWALS	OW 0440 D7				
B.7	Pavement Removal	CW 3110-R7				
i)	Concrete Pavement		m²	10		
B.8	Slab Replacement	CW 3230-R4				
ij	200 mm Concrete Pavement (Plain- Dowelled)		m²	200		
B.9	Partial Slab Patches	CW 3230-R4				
ij	250 mm Concrete Pavement (Type A)		m²	10		
ii)	250 mm Concrete Pavement (Type B)		m²	10		
iii	250 mm Concrete Pavement (Type C)		m²	10		
iv	250 mm Concrete Pavement (Type D)		m²	100		
B.10	Drilled Dowels	CW 3230-R4				
ij	19.1 mm Diameter		each	300		
B.11	Drilled Tie Bars	CW 3230-R4				
ij	20 M Deformed Tie Bar		each	200		
ii)	25 M Deformed Tie Bar		each	200		

(SEE B9)

DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
us Concrete Slab Renewal	CW 3235-R4				
	SD-228A				
or equal to 5 sq.m.		m²	30		
an 5 and less than or equal to		m²	60		
an 20 sq.m.		m²	525		
of Precast Sidewalk Blocks	CW 3235-R4	m²	15		
ecast Sidewalk Blocks	CW 3235-R4	m²	5		
rb Renewal	CW 3240-R4				
nm ht, Dowelled)	SD-205				
ess		m	10		
an 3m and less than or equal to		m	150		
an or equal to 30 m		m	60		
nm ht, Separate)	SD-203A				
ess		m	10		
an 3m and less than or equal to		m	120		
rier (150mm ht, Dowelled)	SD-203B	m	15		
(15mm ht)	SD-229E	m	20		
nstallation of Dowel Assemblies	CW 3310-R8	m	70		
of Asphaltic Concrete Overlay	CW 3410-R5				
aving					
		tonne	750		
Approaches					
		tonne	30		
avement	CW 3450-R3				
epth (Asphalt)		m²	2700		
Depth (Asphalt)		m²	300		
epth (Asp		phalt)	phalt) m²	ohalt) m² 2700	phalt) m² 2700

(SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS - NEW CONSTRUCTION					
B.19	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R8				
ij	Construction of 200 mm Concrete Pavement (Plain-Dowelled)		m²	65		
ii)	Construction of Monolithic Concrete Bull- noses		m²	2		
B.20	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R8				
i	Construction of Barrier (150mm ht, Separate)	SD-203A	m	25		
iii	Construction of Ramp Curb (15mm ht)	SD-229E	m	4		
	JOINT AND CRACK SEALING					
B.21	Reflective Crack Maintenance	CW 3250-R5	m	1000		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
B.22	Catch Basin	CW 2130-R8				
ij	SD-025 (solid cover AP-005)		each	1		
B.23	Catch Pit	CW 2130-R8				
i	SD-023 (AP-008, AP-009, AP-010)		each	3		
B.24	Catch Pit Connection Pipe	CW 2130-R8	m	3		
	ADJUSTMENTS					
B.25	Adjustment of Existing Catchbasins / Manholes	CW 3210-R5	each	1		
B.26	Installation of Precast Concrete Ring Sections	CW 3210-R5	vert. m	0.3		
B.27	Installation of Cast Iron Lifter Ring Inserts	CW 3210-R5				
i	38mm		each	1		
ii	51mm		each	1		
iii)	64mm		each	1		
iv	76mm		each	1		

(SEE B9)

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT		
		REF.		QUANTITY				
B.28	Adjustment of Existing Watermain Valve Boxes	CW 3210-R5	each	2				
B.29	Installation of Watermain Valve Box Extendible Section Inserts	CW 3210-R5	each	1				
B.30	Adjustment of Existing Curb Stop Boxes	CW 3210-R5	each	30				
B.31	Supply of Curb Stop Box Extendible Sections	CW 3210-R5	each	15				
	LANDSCAPING							
B.32	Sodding	CW 3510-R7						
i)	width < 600mm		m²	120				
ii)	width > or = 600mm		m²	1300				
В	B Inkster Boulevard - Westbound from Sinclair Street to Airlies Street							
SUMMARY								
Α	Fermor Avenue - Westbound from Lagimoc	liere Boulevard	to Rue	<u>Archibald</u>	Subtotal:			
В	Inkster Boulevard - Westbound from Sinclair Street to Airlies Street			et_	Subtotal:			
TOTAL BID PRICE (GST extra) (in figures) \$(in words)								
, ,,								

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B10)

BID BOND

KNOW ALL MEN BY THESE PRESENTS T	THAT			
(hereinafter called the "Principal") and				
(hereinafter called the "Surety"), are held called the "Obligee") in the sum of ten perohereinafter described, for the payment of we executors, administrators, successors and a	cent (10%) of the To hich sum the Princip	otal Bid Price s cal and Surety	et out in the Bid Submission bind themselves, their he	sion
WHEREAS the Principal has submitted a Bi	id to the Obligee dat	ed the		
day of	, 20_	for		
BID OPPORTUNITY NO. 99-2004				
FERMOR AVENUE – WESTBOUND (LAGI INKSTER AVENUE – WESTBOUND (SINC ASPHALT RESURFACING AND ASSOCIA	LAIR STREET TO A			
as more fully set out in the Bid Opportunity.				
NOW THEREFORE the condition of this ob if said Bid is accepted and the Principal, in a the said Obligee and furnishes the required of the Contract, this obligation shall be void,	accordance with the performance securi	terms of the Bi ty for guarante	id, enters into a Contract eing the faithful performa	with
IN WITNESS WHEREOF the Principal and	Surety have signed	and sealed this	s bond the	
day of	, 20	·		
SIGNED AND SEALED in the presence of: (Witness)			(Sea	—— II)
	Per:(Name of Surety) By:		(Sea	 ıl)
	(Attorney-in-F	act)		

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B10)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 99-2004 FERMOR AVENUE - WESTBOUND (LAGIMODIERE BOULEVARD TO RUE ARCHIBALD) INKSTER AVENUE - WESTBOUND (SINCLAIR STREET TO AIRLIES STREET) ASPHALT RESURFACING AND ASSOCIATED WORKS in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______ , 20_____ . (Name of Surety) By: (Attorney-in-Fact) (Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B10)

(Date)
The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1
RE: BID SECURITY – BID OPPORTUNITY NO. 99-2004
FERMOR AVENUE – WESTBOUND (LAGIMODIERE BOULEVARD TO RUE ARCHIBALD) INKSTER AVENUE – WESTBOUND (SINCLAIR STREET TO AIRLIES STREET) ASPHALT RESURFACING AND ASSOCIATED WORKS
Pursuant to the request of and for the account of our customer,
(Name of Bidder)
(Address of Bidder) WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate
Canadian dollars.
This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.
The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.
Partial drawings are permitted.
We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:
(Address)
and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B10)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on June 7th, 2004.

If our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name	of bank or financial institution)
Per:	
ı Cı.	(A. the eximed Circuits officer)
	(Authorized Signing Officer)
Per:	
_	(Authorized Signing Officer)