



ROOF FRAMING PLAN
SCALE : 1:50

STEEL BEAM SCHEDULE			
MARK	SIZE	FINISH	REMARKS
SB-5	W360x57	PAINTED, REFER TO SPEC.	

STEEL JOIST SCHEDULE				
MARK	DEPTH	SPACING	FINISH	REMARKS
J-1	600	1200 MAX.	PAINTED, REFER TO SPEC.	

LINTEL SCHEDULE					
MARK	TYPE	SIZE	REINFORCING	MIN. BEARING OR SUPPORT	REMARKS
L-1	MASONRY	200x200 DEEP	1-20M BOTTOM		REFER TO STANDARD DETAILS
L-2	STEEL	SPECIAL			REFER TO SECTION

DRAWING NOTES:
1. REFER TO DRAWING S7.01 FOR GRID LINE DIMENSIONS.



B.M. ELEV.					
DESIGNED BY	AP/GGP	CHECKED BY	MK		
DRAWN BY	CT	APPROVED BY	D. TANIGUCHI		
SCALE:	AS NOTED	RELEASED FOR CONSTRUCTION BY:	K. MARTENS		
00 ISSUED FOR TENDER	05/12/2	CT			
NO. REVISIONS	DATE	BY	DATE	2005/09/22	DATE 05/12/02

EarthTech
A Tyco International Ltd. Company

ENGINEER'S SEAL

ORIGINAL SIGNED BY
M. KLASSON
2005/12/02

CONSULTANT DRAWING NO.
CS7.05

THE CITY OF WINNIPEG
WATER AND WASTE DEPARTMENT
ENGINEERING DIVISION

NEWPCC CENTRATE NUTRIENT TREATMENT
PHOSPHORUS REMOVAL FACILITY
CONTRACT No. 1

STRUCTURAL
CHEMICAL STORAGE BUILDING
ROOF FRAMING PLAN & SCHEDULES

CITY FILE NUMBER
SHEET OF
CITY DRAWING NUMBER
1-001F-B-80007-001-00-D