



DRAWING NOTES

- (1) DISCONNECT EXISTING RAS PUMPS S710, S720 AND S730 AND MAKE READY FOR REMOVAL. WIRE AND CONNECT NEW UNITS AND ASSOCIATED VFD'S. REFER TO DEMOLITION DRAWING SP0.02. RE-USE EXISTING POWER CABLE FROM MOTORS TO EXISTING VFD'S LOCATED IN SECONDARY CLARIFIER ELECTRIAL ROOM. CONTROL WIRING TO REMAIN.
- 2 DISCONNECT EXISTING WAS PUMPS S810 AND S820 AND ASSOCIATED CONTROLS AND MAKE READY FOR REMOVAL. REFER TO DEMOLITION DRAWING SPO.02. REMOVE POWER AND CONTROL CABLE TO MCC-1S AND MCC-2S.
- (3) DISCONNECT EXISTING MOTORS ON CLARIFIER MECHANISMS S510 AND S520 AND MAKE READY FOR REMOVAL. WIRE AND CONNECT NEW UNITS AND ASSOCIATED CONTROLS. REFER TO DEMOLITION DRAWING SP0.02.
- 4 DISCONNECT EXISTING FLUSHING WATER PUMP S230 AND MAKE READY FOR REMOVAL. WIRE AND CONNECT NEW UNIT AND ASSOCIATED CONTROLS. REFER TO DEMOLITION DRAWING SPO.02. REMOVE EXISTING POWER CABLES FROM MOTOR S230-FWP TO MCC-1S AND MACMETIC STARTER. PROVIDE POWER WIRING FROM MOTOR TO CONTROLS AND TO NEW VFD IN SECONDARY CLARIFIER ELECTRICAL ROOM.
- (5) WIRE AND CONNECT NEW RAS PUMPS S740 AND S750 AND ASSOCIATED VFD'S (IN EXISTING ELECTRICAL ROOM) TO MCC-1S AND MCC-2S.
- 6 DISCONNECT EXISTING WAS PUMPS S850 AND S860 AND ASSOCIATED CONTROLS AND MAKE READY FOR REMOVAL. REMOVE POWER AND CONTROL CABLE TO MCC-1S AND MCC-2S. REFER TO DEMOLITION DRAWING SPO.02.
- (7) EXISTING POWER CABLETRAY.
- (8) EXISTING CONTROL CABLETRAY.
- 9 REFER TO MOTOR CONTROL SCHEDULE FOR INFORMATION ON POWER CABLES, STARTERS AND REQUIRED CONTROLS.

GENERAL NOTES

- 1. COORDINATE WITH OTHER TRADES TO PREVENT CONFLICTS.
- 2. USE PVC JACKETED HITECK CABLE FOR ALL POWER WIRING.
- 3. WIRING FOR LIGHTING, RECEPTACLES AND COMMUNICATIONS TO IN RGID ALUMINUM CONDUIT.
- 4. ALL CONDUIT TO BE 21mmø MINIMUM UNLESS OTHERWISE NOTED.

Certificate of Authorization							
No. 730 Expiry: April 30, 2006							

B.M. ELEV.				EarthTech			ENGINEER'S SEAL ORIGINAL	
-				A Tyco International Ltd. Company				SIGNED BY
				DESIGNED BY	GSN	CHECKED BY	PS	P. STRYK
				DRAWN BY	ERC	APPROVED BY	JEH	2006/04/26
				HOR. SCALE:	AS NOTED	RELEASED FOR		
01	21-2006 ADDENDUM 3 ISSUED FOR TENDER	06/05/19 06/04/26		VERTICAL SCAL		CONSTRUCTION BY: J. VEILLEUX	CONSULTANT DRAWING NO.	

2005/12/19

DATE 2006/04/26

DATE BY DATE

10. REVISIONS

SE3.02

THE CITY OF WINNIPEG WATER AND WASTE DEPARTMENT Winnipeg ENGINEERING DIVISION

CITY FILE NUMBER WEWPCC BIOLOGICAL NUTRIENT REMOVAL UPGRADE SHEET OF CONTRACT 3 CITY DRAWING NUMBER ELECTRICAL

AREA S - SECONDARY CLARIFIERS PUMP ROOM POWER PLAN