


NOTE: 1. SHORE EXIST. CONC. AS REQUIRED.



MIN. HEIGHT

-19mm DEEP SAWCUT

-EXISTING 250 THICK CONC. SLAB

PRIOR TO CASTING OF REPAIR MORTAR.

-EXISTING CONCRETE SURFACE TO BE INTENTIONALLY

CLEAN, SOUND AND FREE OF LAITANCE. EXISTING

ROUGHENED TO A FULL AMPLITUDE OF 5mm AND TO BE

CONCRETE TO BE IN A S.S.D. CONDITION FOR 24 HOURS

MORTAR -


APPROACH

SUPPORT DETAIL AT EXISTING CONC. BEYOND. SEE STANDARD DETAILS.—

EXISTING 800x800 CONC. BEAM

GRAVEL

EXTERIOR VENEER



	B.M. ELEV.		S Earth Tech A Tyco International Ltd. Company				ORIGINAL SIGNED BY	THE CITY OF WINNIPEG WATER AND WASTE DEPARTMENT ENGINEERING DIVISION	
			DESIGNED BY	AA/JB	CHECKED BY	AA/JB	J. BETKE	WEWPCC BIOLOGICAL NUTRIENT REMOVAL UPGRADE	CITY FILE NUMBER
Certificate of Authorization			DRAWN BY	KK	APPROVED BY	JEH	2006/04/26	CONTRACT 3	SHEET OF
Earth Tech Canada Inc.	01 21-2006 ADDENDUM 3	06/05/19 SRP	HOR. SCALE: AS NOTED VERTICAL SCALE:		RELEASED CONSTRUCT	ON BY:		STRUCTURAL	CITY DRAWING NUMBER
	NO. REVISIONS	06/04/26         KK           DATE         BY	DATE <b>200</b>	6/04/20		2006/04/26	SS3.06	AREA S — BIOREACTORS  DETAILS & SECTIONS	