

-19mm DEEP SAWCUT

-EXISTING 250 THICK CONC. SLAB

PRIOR TO CASTING OF REPAIR MORTAR.

-EXISTING CONCRETE SURFACE TO BE INTENTIONALLY

CLEAN, SOUND AND FREE OF LAITANCE. EXISTING

ROUGHENED TO A FULL AMPLITUDE OF 5mm AND TO BE

CONCRETE TO BE IN A S.S.D. CONDITION FOR 24 HOURS


GRAVEL

EXTERIOR VENEER

APPROACH

SUPPORT DETAIL AT EXISTING CONC. BEYOND. SEE STANDARD DETAILS.—

EXISTING 800x800 CONC. BEAM



	B.M. ELEV.		EarthTech A Tyco International Ltd. Company					Winnipeg WATER AND WASTE DEPARTMENT ENGINEERING DIVISION	
			DESIGNED BY	AA/JB	CHECKED BY	AA/JB	J. BETKE	WEWPCC CITY FILE NUMBER	CITY FILE NUMBER
			DRAWN BY	KK	APPROVED BY	JEH	2006/04/26	BIOLOGICAL NUTRIENT REMOVAL UPGRADE CONTRACT 3	SHEET OF
Certificate of Authorization	02 21-2006 ADDENDUM 6	06/06/30 CMF	HOD COME AC MOTED		RELEASED FOR				CITY DRAWING NUMBER
Earth Tech Canada Inc.	01 21-2006 ADDENDUM 3	06/05/19 SRP	HOR. SCALE: AS NOTED VERTICAL SCALE:		CONSTRUCTION BY: J. VEILLEUX		CONCULTANT DRAWING NO	STRUCTURAL	CITE DRAWING NUMBER
	OO ISSUED FOR TENDER	06/04/26 KK					CONSULTANT DRAWING NO.	AREA S — BIOREACTORS	
No. 730 Expiry: April 30, 2006	NO. REVISIONS	DATE BY	DATE 200	6/04/20	DATE 2	2006/04/26	SS3.06	DETAILS & SECTIONS	