

ROOF FRAMING PLAN
SCALE: 1:50

- ROOF DESIGN LOADS**
 DL ROOF = 1.0 kPa
 DL PIPING ALLOWANCE = 1.0 kPa
 LL = 1.56 kPa U/N BY SNOW BUILD-UP
 DL CRANE ALONG RUNWAY BEAM (MOVING LOAD) = 9.0 kN
 LL CRANE CAPACITY ALONG RUNWAY BEAM (MOVING LOAD) = 9.0 kN

- DRAWING NOTES:**
 1. REFER TO DRAWING LS1.01 FOR GENERAL NOTES.
 2. REFER TO DRAWING LS1.05 DETAIL A/STD FOR MASONRY & VENEER SUPPORT LINTELS.


STEEL JOIST SCHEDULE				
MARK	DEPTH	SPACING	FINISH	REMARKS
J-1	900	AS SHOWN	PAINTED SEE SPEC.	
J-2	600	AS SHOWN	PAINTED SEE SPEC.	
J-3	450	AS SHOWN	PAINTED SEE SPEC.	



B.M. ELEV.	DATE	BY
00	ISSUED FOR TENDER	06/04/26
	NO. REVISIONS	DATE

EarthTech
A Tyco International Ltd. Company

DESIGNED BY: ARA CHECKED BY: LR
 DRAWN BY: NDH APPROVED BY:
 HOR. SCALE: AS NOTED RELEASED FOR CONSTRUCTION BY:
 VERTICAL SCALE:
 DATE: 2006/03/13 DATE:



THE CITY OF WINNIPEG
 WATER AND WASTE DEPARTMENT
 ENGINEERING DIVISION

WEWPC
 BIOLOGICAL NUTRIENT REMOVAL UPGRADE
 CONTRACT 3

STRUCTURAL
 AREA T - DAF THICKENER BUILDING
 ROOF FRAMING PLAN AND SCHEDULES

CITY FILE NUMBER: SHEET OF CITY DRAWING NUMBER:

CONSULTANT DRAWING NO. TS2.05