

FORM A: BID
(See B7)

1. Project Title Province of Manitoba/City of Winnipeg 2006 Residential Street Renewal Program – Part 1: McGillivray Place and Grierson Avenue, Part 2: Jessie Avenue and Townsend Avenue, Part 3: Sewer Works

2. Bidder

Name of Bidder

Street

City

Province

Postal Code

Facsimile Number

(Mailing address if different)

Street or P.O. Box

City

Province

Postal Code

The Bidder is:

(Choose one)

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person

Title

Telephone Number

Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.

5. Offer

The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

Template Version: C420041231

Template Version: C420041231

6. Bid Security

In accordance with B10.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract

The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4.

8. Commencement of the Work

The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract

The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission.

10. Addenda

The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.		Dated	
_____		_____	
_____		_____	
_____		_____	

11. Time

This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

Template Version: C420041231

Template Version: C420041231

12. Signatures

In witness whereof the Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____.

(If no corporate seal)
Signed and sealed in
the presence of:

(Witness)

(Witness)

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

SEAL

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 1 CITY FUNDED WORK						
A	<u>Grierson Avenue Reconstruction - From University Crescent to King's Drive</u>					
	EARTH AND BASE WORKS					
A1	Excavation	CW 3110-R8	m ³	110.0		
A2	Crushed Sub-base Material	CW 3110-R8				
	i) 50 mm - Limestone		tonne	250.0		
A3	Supplying and Placing Base Course Material	CW 3110-R8	m ³	210.0		
A4	Grading of Boulevards	CW 3110-R8	m ²	1000.0		
A5	Preparation of Existing Roadway	CW 3150-R4	m ²	1225.0		
	ROADWORKS - REMOVALS/RENEWALS					
A6	Pavement Removal	CW 3110-R8				
	i) Concrete Pavement		m ²	150.0		
	ii) Asphalt Pavement		m ²	1600.0		
A7	Slab Replacement	CW 3230-R5				
	i) 150 mm Concrete Pavement (Reinforced)		m ²	160.0		
A8	Drilled Tie Bars	CW 3230-R5				
	i) 20 M Deformed Tie Bar		each	120		
A9	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m ²	10.0		
A10	Concrete Curb Removal	CW 3240-R6				
	i) Curb and Gutter		m	470.0		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A11	Concrete Curb Installation	CW 3240-R6				
	i) Curb and Gutter (150 mm ht, Barrier, Integral, 600mm width, 150mm Plain Concrete Pavement) Slip-Form Paving	SD-200	m	370.0		
	ii) Curb and Gutter (150 mm ht, Modified Barrier, Integral, 600mm width, 150mm Plain Concrete Pavement)	SD-200 SD-203B	m	50.0		
	iii) Curb and Gutter (40mm ht, Lip Curb, Integral, 600mm width, 150mm Plain Concrete Pavement) Slip-Form Paving	SD-200	m	100.0		
	iv) Curb and Gutter (10mm ht, Curb Ramp, Integral, 600mm width, 150mm Plain Concrete Pavement)	SD-200	m	10.0		
A12	Concrete Curb Renewal	CW 3240-R6				
	i) Barrier (150 mm ht, Dowelled)	SD-205, SD206A				
	a) 3 m to 30 m		m	25.0		
A13	Regrading Existing Interlocking Paving Stones	CW 3330-R3	m ²	20.0		
A13	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i) Main Line Paving					
	a) Type IA		tonne	150.0		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	70.0		
	JOINT AND CRACK SEALING					
A14	Reflective Crack Maintenance	CW 3250-R6	m	150.0		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A15	Catch Pit	CW 2130-R10				
	i) SD-023		each	4		
A16	Drainage Connection Pipe	CW 2130-R10	m	12.0		
A17	Replacing Standard Frames & Covers	CW 2130-R10				
	i) AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
	ii) AP-005 - Standard Solid Cover for Standard Frame		each	4		
A18	Connecting to Existing Catch Basin	CW 2130-R10				
	i) 250 mm Drainage Connection Pipe		each	4		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A19	Abandoning Existing Catchbasins	CW 2130-R10	each	1		
A20	Abandoning Existing Catch Pit	CW 2130-R10	each	1		
A21	Abandonment of Existing Drainage Inlets	CW 2130-R10	each	3		
A22	Installation of Subdrains	CW 3120-R1	m	36.0		
ADJUSTMENTS						
A23	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	1		
A24	Replacing Existing Risers	CW 2130-R10				
	i) Pre-cast concrete risers		vert. m	1.0		
A25	Lifter Rings	CW 3210-R6				
	i) 38mm		each	1		
	ii) 51mm		each	1		
LANDSCAPING						
A26	Sodding	CW 3510-R8				
	i) width > or = 600mm		m ²	1000.0		
A	Grierson Avenue Reconstruction - From University Crescent to King's Drive				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B	<u>McGillivray Place Reconstruction - From Biscayne Bay (E leg) to Vincent Street</u>					
	EARTH AND BASE WORKS					
B1	Excavation	CW 3110-R8	m ³	120.0		
B2	Crushed Sub-base Material	CW 3110-R8				
	i) 50 mm - Limestone		tonne	270.0		
B3	Supplying and Placing Base Course Material	CW 3110-R8	m ³	175.0		
B4	Grading of Boulevards	CW 3110-R8	m ²	1000.0		
B5	Preparation of Existing Roadway	CW 3150-R4	m ²	1225.0		
	ROADWORKS - REMOVALS/RENEWALS					
B6	Pavement Removal	CW 3110-R8				
	i) Concrete Pavement		m ²	100.0		
	ii) Asphalt Pavement		m ²	1600.0		
B7	Slab Replacement	CW 3230-R5				
	i) 150 mm Concrete Pavement (Reinforced)		m ²	100.0		
B8	Drilled Tie Bars	CW 3230-R5				
	i) 20 M Deformed Tie Bar		each	50		
B9	Concrete Curb Removal	CW 3240-R6				
	i) Curb and Gutter		m	500.0		
B10	Concrete Curb Installation	CW 3240-R6				
	i) Curb and Gutter (100 mm ht, Barrier, Integral, 600mm width, 150mm Plain Concrete Pavement) Slip-Form Paving	SD-200	m	450.0		
	ii) Curb and Gutter (100 mm ht, Modified Barrier, Integral, 600mm width, 150mm Plain Concrete Pavement)	SD-200 SD-203B	m	50.0		
	iii) Curb and Gutter (40mm ht, Lip Curb, Integral, 600mm width, 150mm Plain Concrete Pavement) Slip-Form Paving	SD-200	m	50.0		
B11	Concrete Curb Renewal	CW 3240-R6				
	i) Barrier (100 mm ht, Dowelled)	SD-205, SD206A				
	a) 3 m to 30 m		m	30.0		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B12	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i) Main Line Paving					
	a) Type IA		tonne	430.0		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	40.0		
	JOINT AND CRACK SEALING					
B13	Reflective Crack Maintenance	CW 3250-R6	m	150.0		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
B14	Replacing Standard Frames & Covers	CW 2130-R10				
	i) AP-005 - Standard Solid Cover for Standard Frame		each	16		
	ii) AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	9		
	iii) AP-009 - Barrier Curb and Gutter Inlet Cover		each	9		
	ADJUSTMENTS					
B15	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	3		
B16	Replacing Existing Risers	CW 2130-R10				
	i) Pre-cast concrete risers		vert. m	1.0		
B17	Lifter Rings	CW 3210-R6				
	i) 38mm		each	1		
	ii) 51mm		each	1		
B18	Adjustment of Valve Boxes	CW 3210-R6	each	1		
	LANDSCAPING					
B19	Sodding	CW 3510-R8				
	i) width < 600mm		m ²	50.0		
	ii) width > or = 600mm		m ²	950.0		
B	<i>McGillivray Place Reconstruction - From Biscayne Bay (E leg) to Vincent Street</i>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 2 PROVINCIALY FUNDED WORK (See D2)						
C	<u>Jessie Street Reconstruction - Wilton Avenue to Rockwood Avenue</u>					
	EARTH AND BASE WORKS					
C1	Excavation	CW 3110-R8	m ³	450.0		
C2	Sub-Grade Compaction	CW 3110-R8	m ²	1600.0		
C3	Crushed Sub-base Material	CW 3110-R8				
	i) 50 mm - Limestone		tonne	700.0		
C4	Supplying and Placing Base Course Material	CW 3110-R8	m ³	120.0		
C5	Grading of Boulevards	CW 3110-R8	m ²	800.0		
C6	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m ²	1600.0		
	ROADWORKS - REMOVALS/RENEWALS					
C7	Pavement Removal	CW 3110-R8				
	i) Concrete Pavement		m ²	1425.0		
C8	Drilled Dowels	CW 3230-R5				
	i) 19.1 mm Diameter		each	80		
C9	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Sidewalk	SD-228A				
	a) Greater than 20 sq.m.		m ²	510.0		
C10	Regrading Existing Interlocking Paving Stones	CW 3330-R3	m ²	4.0		
	ROADWORKS - NEW CONSTRUCTION					
C11	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R10				
	i) Construction of 150 mm Concrete Pavement (Reinforced)		m ²	1425.0		
C12	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R10				
	i) Construction of Barrier (180 mm ht, Separate) Slip-form Paving	SD-203A	m	360.0		
	ii) Construction of Curb Ramp (10mm ht, Dowelled)	SD-229E	m	20.0		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
C13	Catch Pit	CW 2130-R10				
	i) SD-023		each	4		
C14	Drainage Connection Pipe	CW 2130-R10	m	20.0		
C15	Connecting to Existing Catch Basin	CW 2130-R10				
	i) 250 mm Drainage Connection Pipe		each	4		
C16	Abandonment of Existing Drainage Inlets	CW 2130-R10	each	4		
C17	Installation of Subdrains	CW 3120-R1	m	48.0		
ADJUSTMENTS						
C18	Replacing Existing Risers	CW 2130-R10				
	i) Pre-cast concrete risers		vert. m	0.5		
C19	Adjustment of Curb Stop Boxes	CW 3210-R6	each	20		
C20	Curb Stop Extensions	CW 3210-R6	each	20		
LANDSCAPING						
C21	Sodding	CW 3510-R8				
	i) width > or = 600mm		m ²	800.0		
C	<u>Jessie Street Reconstruction - Wilton Avenue to Rockwood Avenue</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D	<u>Townsend Avenue Reconstruction - From Aurora Street to King's Drive</u>					
	EARTH AND BASE WORKS					
D1	Excavation	CW 3110-R8	m ³	170.0		
D2	Crushed Sub-base Material	CW 3110-R8				
	i) 50 mm - Limestone		tonne	370.0		
D3	Supplying and Placing Base Course Material	CW 3110-R8	m ³	315.0		
D4	Grading of Boulevards	CW 3110-R8	m ²	1600.0		
D5	Preparation of Existing Roadway	CW 3150-R4	m ²	1950.0		
	ROADWORKS - REMOVALS/RENEWALS					
D6	Pavement Removal	CW 3110-R8				
	i) Concrete Pavement		m ²	120.0		
	ii) Asphalt Pavement		m ²	2400.0		
D7	Slab Replacement	CW 3230-R5				
	i) 150 mm Concrete Pavement (Reinforced)		m ²	175.0		
D8	Drilled Dowels	CW 3230-R5				
	i) 19.1 mm Diameter		each	30		
D9	Drilled Tie Bars	CW 3230-R5				
	i) 20 M Deformed Tie Bar		each	120		
D10	Miscellaneous Concrete Slab Removal	CW 3235-R6				
	i) Sidewalk		m ²	890.0		
D11	Miscellaneous Concrete Slab Installation	CW 3235-R6				
	i) Sidewalk	SD-228A	m ²	1110.0		
D12	Adjustment of Precast Sidewalk Blocks	CW 3235-R6	m ²	30.0		
D13	Supply of Precast Sidewalk Blocks	CW 3235-R6	m ²	15.0		
D14	Concrete Curb Removal	CW 3240-R6				
	i) Curb and Gutter		m	750.0		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D15	Concrete Curb Installation	CW 3240-R6				
	i) Curb and Gutter (150 mm ht, Barrier, Integral, 600mm width, 150mm Plain Concrete Pavement) Slip-Form Paving	SD-200	m	660.0		
	ii) Curb and Gutter (150 mm ht, Modified Barrier, Integral, 600mm width, 150mm Plain Concrete Pavement)	SD-200 SD-203B	m	15.0		
	iii) Curb and Gutter (40mm ht, Lip Curb, Integral, 600mm width, 150mm Plain Concrete Pavement) Slip-Form Paving	SD-200	m	80.0		
	iv) Curb and Gutter (10mm ht, Curb Ramp, Integral, 600mm width, 150mm Plain Concrete Pavement)	SD-200	m	10.0		
D16	Concrete Curb Renewal	CW 3240-R6				
	i) Barrier (150 mm ht, Dowelled)	SD-205, SD206A				
	a) 3 m to 30 m		m	50.0		
	ii) Curb Ramp (10mm ht, Dowelled)	SD-229 E	m	10.0		
D17	Regrading Existing Interlocking Paving Stones	CW 3330-R3	m ²	5.0		
D18	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i) Main Line Paving					
	a) Type IA		tonne	640.0		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	100.0		
	JOINT AND CRACK SEALING					
D19	Reflective Crack Maintenance	CW 3250-R6	m	250.0		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
D20	Catch Pit	CW 2130-R10				
	i) SD-023		each	5		
D21	Drainage Connection Pipe	CW 2130-R10	m	8.0		
D22	Replacing Standard Frames & Covers	CW 2130-R10				
	i) AP-005 - Standard Solid Cover for Standard Frame		each	3		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D23	Connecting to Existing Catch Basin	CW 2130-R10				
	i) 250 mm Drainage Connection Pipe		each	5		
D24	Abandonment of Existing Drainage Inlets	CW 2130-R10	each	2		
D25	Installation of Subdrains	CW 3120-R1	m	72.0		
ADJUSTMENTS						
D26	Replacing Existing Risers	CW 2130-R10				
	i) Pre-cast concrete risers		vert. m	1.0		
D27	Lifter Rings	CW 3210-R6				
	i) 38mm		each	2		
D28	Adjustment of Curb Stop Boxes	CW 3210-R6	each	30		
D29	Curb Stop Extensions	CW 3210-R6	each	30		
LANDSCAPING						
D30	Sodding	CW 3510-R8				
	i) width > or = 600mm		m ²	1600.0		
D	<u>Townsend Avenue Reconstruction - From Aurora Street to King's Drive</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 3 SEWER WORK (See D2)						
E	<u>External Point Repairs</u>					
	Grierson Avenue External Point Repair					
E1	Sewer Repair - Up to 3.0 Meters long	CW 2130-R10				
	i) 200 mm					
	a) Class 3 backfill		each	1		
E2	Sewer Inspection	CW 2145-R3				
	Waste Water Sewer					
	i) 200 mm		m	96.0		
	McGillivray Place External Point Repair					
E3	Sewer Repair - Up to 3.0 Meters long	CW 2130-R10				
	i) 300 mm					
	a) Class 3 backfill		each	1		
E4	Sewer Inspection	CW 2145-R3				
	Waste Water Sewer					
	i) 300 mm		m	35.0		
E	<u>External Point Repairs</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
SUMMARY						
PART 1 CITY FUNDED WORK						
A	<u>Grierson Avenue Reconstruction - From University Crescent to King's Drive</u>				Subtotal:	
B	<u>McGillivray Place Reconstruction - From Biscayne Bay (E leg) to Vincent Street</u>				Subtotal:	
					Total Part 1	
PART 2 PROVINCIAALLY FUNDED WORK (See D2)						
C	<u>Jessie Street Reconstruction - Wilton Avenue to Rockwood Avenue</u>				Subtotal:	
D	<u>Townsend Avenue Reconstruction - From Aurora Street to King's Drive</u>				Subtotal:	
					Total Part 2	
PART 3 SEWER WORK (See D2)						
E	<u>External Point Repairs</u>				Subtotal:	
					Total Part 3	
<p>TOTAL BID PRICE (GST extra) (in figures) \$ _____</p> <p>(in words) _____</p> <p>_____</p>						

 Name of Bidder

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B10)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid Submission hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee dated the

_____ day of _____, 20_____ for

BID OPPORTUNITY NO. 5-2006

PROVINCE OF MANITOBA/CITY OF WINNIPEG 2006 RESIDENTIAL STREET RENEWAL PROGRAM – PART 1: MCGILLIVRAY PLACE AND GRIERSON AVENUE, PART 2: JESSIE AVENUE AND TOWNSEND AVENUE, PART 3: SEWER WORKS

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____ .

SIGNED AND SEALED
in the presence of:

(Witness)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B10)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 5-2006

PROVINCE OF MANITOBA/CITY OF WINNIPEG 2006 RESIDENTIAL STREET RENEWAL PROGRAM –
PART 1: MCGILLIVRAY PLACE AND GRIERSON AVENUE, PART 2: JESSIE AVENUE AND
TOWNSEND AVENUE, PART 3: SEWER WORKS

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____ .

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B10)**

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Branch
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 5-2006

PROVINCE OF MANITOBA/CITY OF WINNIPEG 2006 RESIDENTIAL STREET RENEWAL PROGRAM – PART 1: MCGILLIVRAY PLACE AND GRIERSON AVENUE, PART 2: JESSIE AVENUE AND TOWNSEND AVENUE, PART 3: SEWER WORKS

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B10)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 4, 2006

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)