

FORM A: BID
(See B8)

1. Project Title 2006 COMBINED SEWER RENEWALS AND SEWER REPAIRS,
CONTRACT NO. 12

2. Bidder

Name of Bidder

Street

City

Province

Postal Code

Facsimile Number

(Mailing address if different)

Street or P.O. Box

City

Province

Postal Code

The Bidder is:

(Choose one)

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person

Title

Telephone Number

Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.

5. Offer

The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

Template Version: C120060615

6. Bid Security

In accordance with B11.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract

The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4.

8. Commencement of the Work

The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract

The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission.

10. Addenda

The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

| | | | |
|-----|-------|-------|-------|
| No. | _____ | Dated | _____ |
| | _____ | | _____ |
| | _____ | | _____ |

11. Time

This offer shall be open for acceptance, binding and irrevocable for a period of forty-five (45) Calendar Days following the Submission Deadline.

12. Signatures

In witness whereof the Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____ .

(If no corporate seal)
Signed and sealed in
the presence of:

(Witness)

(Witness)

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

SEAL

FORM B: PRICES (UNIT PRICE)
 (SEE B9)

2006 COMBINED SEWER RENEWALS AND SEWER REPAIRS - CONTRACT NO. 12

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|-------------------------------------------------------------------|------------|----------------|------------------|------------|--------|
| A | Balfour Avenue - MH at Hay St to 1st MH E of Hay St | | | | | |
| A. 1 | Combined Sewers | CW 2130 | | | | |
| a) | 375mm, C76 CL IV Concrete or SDR 35 PVC pipe | | | | | |
| i) | trenchless installation, Class B Type 2 bedding, Class 3 backfill | | m | 94.0 | | |
| A. 2 | Manhole | CW 2130 | | | | |
| a) | SD-010 | | | | | |
| i) | 1200mm diameter base | | vert. m | 5.0 | | |
| A. 3 | Catch Basin | CW 2130 | | | | |
| a) | SD-024 | | each | 2 | | |
| A. 4 | Sewer Services | CW 2130 | | | | |
| a) | 150mm | | | | | |
| i) | trenchless installation, Class B Type 2 bedding, Class 3 backfill | | m | 70.0 | | |
| ii) | trenchless installation, Class B Type 2 bedding, Class 5 backfill | | m | 30.0 | | |
| b) | 250mm | | | | | |
| i) | trenchless installation, Class B Type 2 bedding, Class 3 backfill | | m | 18.0 | | |
| A. 5 | Sewer Service Risers | CW 2130 | | | | |
| a) | SD-014 | | | | | |
| i) | 150mm | | vert. m | 7.0 | | |
| A. 6 | Connecting to Existing Manhole | CW 2130 | | | | |
| a) | 375mm | | each | 2 | | |
| A. 7 | Connecting New Sewer Service to Existing Sewer Service | CW 2130 | | | | |
| a) | 150mm | | each | 9 | | |
| A. 8 | Abandoning Existing Sewers with Cement-Stabilized Flowable Fill | CW 2130 | m ³ | 12.0 | | |
| A. 9 | Abandoning Existing Manholes | CW 2130 | each | 1 | | |
| A. 10 | Abandoning Existing Catch Basins | CW 2130 | each | 2 | | |

 Name of Bidder

FORM B: PRICES (UNIT PRICE)
 (SEE B9)

2006 COMBINED SEWER RENEWALS AND SEWER REPAIRS - CONTRACT NO. 12

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|-------------------------------|-------------------------------------------------------------------|------------|----------------|------------------|------------|--------|
| A. 11 | Sewer Inspection | CW 2145 | | | | |
| a) | 375mm | | m | 94.0 | | |
| A. 12 | Partial Slab Patches | E7 | | | | |
| a) | 150mm reinforced concrete pavement | | m ² | 15.0 | | |
| A. 13 | Miscellaneous Concrete Slab Renewal | E8 | | | | |
| a) | Sidewalk (SD-228A) | | m ² | 65.0 | | |
| A. 14 | Concrete Curb Renewal | E9 | | | | |
| a) | Barrier curb (SD-204) | | m ² | 10.0 | | |
| A. 15 | Construction of Asphaltic Concrete Patches Type 1A | CW 3410 | | | | |
| | | | m ² | 15.0 | | |
| Part A: Balfour Avenue | | | | Subtotal: | | |
| B | Bartlet Avenue - MH at Hay St to 1st MH E of Hay St | | | | | |
| B. 1 | Combined Sewers | CW 2130 | | | | |
| a) | 375mm, C76 CL II Concrete or SDR 35 PVC pipe | | | | | |
| i) | trenchless installation, Class B Type 2 bedding, Class 3 backfill | | m | 23.0 | | |
| ii) | trenchless installation, Class B Type 2 bedding, Class 5 backfill | | m | 70.0 | | |
| B. 2 | Manhole | CW 2130 | | | | |
| a) | SD-010 | | | | | |
| i) | 1200mm diameter base | | vert. m | 8.0 | | |

 Name of Bidder

FORM B: PRICES (UNIT PRICE)
 (SEE B9)

2006 COMBINED SEWER RENEWALS AND SEWER REPAIRS - CONTRACT NO. 12

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|--------------------------------|-------------------------------------------------------------------|------------|----------------|------------------|------------------|--------|
| B. 3 | Sewer Services | CW 2130 | | | | |
| a) | 150mm | | | | | |
| i) | trenchless installation, Class B Type 2 bedding, Class 3 backfill | | m | 55.0 | | |
| ii) | trenchless installation, Class B Type 2 bedding, Class 5 backfill | | m | 60.0 | | |
| b) | 250mm | | | | | |
| i) | trenchless installation, Class B Type 2 bedding, Class 3 backfill | | m | 10.0 | | |
| ii) | trenchless installation, Class B Type 2 bedding, Class 5 backfill | | m | 4.0 | | |
| B. 4 | Connecting to Existing Manhole | CW 2130 | | | | |
| a) | 375mm | | each | 2 | | |
| B. 5 | Connecting to Existing Catch Basin | CW 2130 | | | | |
| a) | 250mm | | each | 2 | | |
| B. 6 | Connecting New Sewer Service to Existing Sewer Service | CW 2130 | | | | |
| a) | 150mm | | each | 10 | | |
| B. 7 | Abandoning Existing Sewers with Cement-Stabilized Flowable Fill | CW 2130 | m ³ | 10.0 | | |
| B. 8 | Sewer Inspection | CW 2145 | | | | |
| a) | 375mm | | m | 86.0 | | |
| B. 9 | Partial Slab Patches | E7 | | | | |
| a) | 150mm reinforced concrete pavement | | m ² | 20.0 | | |
| B. 10 | Miscellaneous Concrete Slab Renewal | E8 | | | | |
| a) | Sidewalk (SD-228A) | | m ² | 75.0 | | |
| B. 11 | Concrete Curb Renewal | E9 | | | | |
| a) | Barrier curb (SD-204) | | m ² | 10.0 | | |
| B. 12 | Construction of Asphaltic Concrete Patches Type 1A | CW 3410 | m ² | 20.0 | | |
| Part B: Bartlett Avenue | | | | | Subtotal: | |

FORM B: PRICES (UNIT PRICE)
 (SEE B9)

2006 COMBINED SEWER RENEWALS AND SEWER REPAIRS - CONTRACT NO. 12

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|---------------------------------------------------------------------|------------|---------|------------------|------------|--------|
| C | Beresford Avenue - 2nd MH E of Nassau St to MH at Osborne St | | | | | |
| C. 1 | Combined Sewers | CW 2130 | | | | |
| a) | 300mm, C76 CL IV Concrete or SDR 35 PVC pipe | | | | | |
| i) | trenchless installation, Class B Type 2 bedding, Class 3 backfill | | m | 8.0 | | |
| b) | 450mm, C76 CL IV Concrete or SDR 35 PVC pipe | | | | | |
| i) | trenchless installation, Class B Type 2 bedding, Class 3 backfill | | m | 104.0 | | |
| C. 2 | Manhole | CW 2130 | | | | |
| a) | SD-010 | | | | | |
| i) | 1200mm diameter base | | vert. m | 11.0 | | |
| C. 3 | New Manhole on Existing Sewer | CW 2130 | | | | |
| a) | SD-010 | | | | | |
| i) | 1500mm diameter base | | vert. m | 6.0 | | |
| C. 4 | Catch Basin | CW 2130 | | | | |
| a) | SD-024 | | each | 2 | | |
| C. 5 | Sewer Services | CW 2130 | | | | |
| a) | 150mm | | | | | |
| i) | trenchless installation, Class B Type 2 bedding, Class 3 backfill | | m | 75.0 | | |
| ii) | trenchless installation, Class B Type 2 bedding, Class 5 backfill | | m | 20.0 | | |
| b) | 250mm | | | | | |
| i) | trenchless installation, Class B Type 2 bedding, Class 3 backfill | | m | 10.0 | | |
| ii) | trenchless installation, Class B Type 2 bedding, Class 5 backfill | | m | 5.0 | | |
| C. 6 | Connecting to Existing Manhole | CW 2130 | | | | |
| a) | 450mm | | each | 1 | | |

 Name of Bidder

FORM B: PRICES (UNIT PRICE)
 (SEE B9)

2006 COMBINED SEWER RENEWALS AND SEWER REPAIRS - CONTRACT NO. 12

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|-------------------|-------------------------------------------------------------------------------------------------------------------------------|------------|----------------------------------|------------------|------------------|--------|
| C. 7 a) | Connecting to Existing Sewer 300mm (Conc) to 300mm (Conc) | CW 2130 | each | 1 | | |
| C. 8 a) | Connecting New Sewer Service to Existing Sewer Service 150mm | CW 2130 | each | 10 | | |
| C. 9 | Abandoning Existing Sewers with Cement-Stabilized Flowable Fill | CW 2130 | m ³ | 16.0 | | |
| C. 10 | Abandoning Existing Catch Basins | CW 2130 | each | 2 | | |
| C. 11 a) b) | Sewer Inspection 300mm 450mm | CW 2145 | m m | 8.0 104.0 | | |
| C. 12 a) b) | Partial Slab Patches 150mm reinforced concrete pavement 200mm reinforced concrete pavement for early opening (24 hours) | E7 | m ² m ² | 10.0 10.0 | | |
| C. 13 a) | Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A) | E8 | m ² | 80.0 | | |
| C. 14 a) | Concrete Curb Renewal Barrier curb (SD-204) | E9 | m ² | 10.0 | | |
| C. 15 | Construction of Asphaltic Concrete Patches Type 1A | CW 3410 | m ² | 20.0 | | |
| | Part C: Beresford Avenue | | | | Subtotal: | |

FORM B: PRICES (UNIT PRICE)
 (SEE B9)

2006 COMBINED SEWER RENEWALS AND SEWER REPAIRS - CONTRACT NO. 12

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|-------------------------------------------------------------------|------------|---------|------------------|------------|--------|
| D | Maplewood Avenue - 1st MH W of Hay St to MH at Hay St | | | | | |
| D. 1 | Combined Sewers | CW 2130 | | | | |
| a) | 300mm, C76 CL IV Concrete or SDR 35 PVC pipe | | | | | |
| i) | trenchless installation, Class B Type 2 bedding, Class 3 backfill | | m | 60.0 | | |
| ii) | trenchless installation, Class B Type 2 bedding, Class 5 backfill | | m | 40.0 | | |
| b) | 375mm, C76 CL IV Concrete or SDR 35 PVC pipe | | | | | |
| i) | trenchless installation, Class B Type 2 bedding, Class 3 backfill | | m | 21.0 | | |
| D. 2 | Storm Relief Sewers | CW 2130 | | | | |
| a) | 600mm | | | | | |
| i) | trenchless installation, Class B Type 2 bedding, Class 3 backfill | | m | 7.0 | | |
| D. 3 | Manhole | CW 2130 | | | | |
| a) | SD-010 | | | | | |
| i) | 1200mm diameter base | | vert. m | 8.0 | | |
| ii) | 1500mm diameter base | | vert. m | 5.0 | | |
| D. 4 | Catch Basin | CW 2130 | | | | |
| a) | SD-024 | | each | 2 | | |
| D. 5 | Sewer Services | CW 2130 | | | | |
| a) | 150mm | | | | | |
| i) | trenchless installation, Class B Type 2 bedding, Class 3 backfill | | m | 50.0 | | |
| ii) | trenchless installation, Class B Type 2 bedding, Class 5 backfill | | m | 55.0 | | |
| b) | 250mm | | | | | |
| i) | trenchless installation, Class B Type 2 bedding, Class 3 backfill | | m | 13.0 | | |

FORM B: PRICES (UNIT PRICE)
 (SEE B9)

2006 COMBINED SEWER RENEWALS AND SEWER REPAIRS - CONTRACT NO. 12

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|---------------------------------|-----------------------------------------------------------------|------------|----------------|------------------|------------------|--------|
| D. 6 | Sewer Service Risers | CW 2130 | | | | |
| a) | SD-014 | | | | | |
| i) | 150mm | | vert. m | 5.0 | | |
| D. 7 | Connecting to Existing Manhole | CW 2130 | | | | |
| a) | 375mm | | each | 2 | | |
| b) | 600mm | | each | 1 | | |
| D. 8 | Connecting New Sewer Service to Existing Sewer Service | CW 2130 | | | | |
| a) | 150mm | | each | 10 | | |
| D. 9 | Abandoning Existing Sewers with Cement-Stabilized Flowable Fill | CW 2130 | m ³ | 10.0 | | |
| D. 10 | Abandoning Existing Manholes | CW 2130 | each | 1 | | |
| D. 11 | Abandoning Existing Catch Basins | CW 2130 | each | 2 | | |
| D. 12 | Sewer Inspection | CW 2145 | | | | |
| a) | 300mm | | m | 100.0 | | |
| b) | 375mm | | m | 21.0 | | |
| c) | 600mm | | m | 7.0 | | |
| D. 13 | Partial Slab Patches | E7 | | | | |
| a) | 150mm reinforced concrete pavement | | m ² | 30.0 | | |
| D. 14 | Miscellaneous Concrete Slab Renewal | E8 | | | | |
| a) | Sidewalk (SD-228A) | | m ² | 70.0 | | |
| D. 15 | Concrete Curb Renewal | E9 | | | | |
| a) | Barrier curb (SD-204) | | m ² | 10.0 | | |
| D. 16 | Construction of Asphaltic Concrete Patches Type 1A | CW 3410 | m ² | 30.0 | | |
| Part D: Maplewood Avenue | | | | | Subtotal: | |

 Name of Bidder

FORM B: PRICES (UNIT PRICE)
 (SEE B9)

2006 COMBINED SEWER RENEWALS AND SEWER REPAIRS - CONTRACT NO. 12

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|-------------------------------------------------------------------|------------|----------------|------------------|------------|--------|
| E | Morley Avenue - MH at Hay St to 1st MH E of Morley St | | | | | |
| E. 1 | Combined Sewers | CW 2130 | | | | |
| a) | 375mm, C76 CL II Concrete or SDR 35 PVC pipe | | | | | |
| i) | trenchless installation, Class B Type 2 bedding, Class 3 backfill | | m | 97.0 | | |
| E. 2 | Manhole | CW 2130 | | | | |
| a) | SD-010 | | | | | |
| i) | 1200mm diameter base | | vert. m | 3.0 | | |
| E. 3 | Sewer Services | CW 2130 | | | | |
| a) | 150mm | | | | | |
| i) | trenchless installation, Class B Type 2 bedding, Class 3 backfill | | m | 100.0 | | |
| ii) | trenchless installation, Class B Type 2 bedding, Class 5 backfill | | m | 85.0 | | |
| E. 4 | Connecting to Existing Manhole | CW 2130 | | | | |
| a) | 375mm | | each | 2 | | |
| E. 5 | Connecting New Sewer Service to Existing Sewer Service | CW 2130 | | | | |
| a) | 150mm | | each | 19 | | |
| E. 6 | Abandoning Existing Sewers with Cement-Stabilized Flowable Fill | CW 2130 | m ³ | 10.0 | | |
| E. 7 | Abandoning Existing Manholes | CW 2130 | each | 1 | | |
| E. 8 | Sewer Inspection | CW 2145 | | | | |
| a) | 375mm | | m | 97.0 | | |
| E. 9 | Partial Slab Patches | E7 | | | | |
| a) | 150mm reinforced concrete pavement | | m ² | 10.0 | | |
| E. 10 | Miscellaneous Concrete Slab Renewal | E8 | | | | |
| a) | Sidewalk (SD-228A) | | m ² | 130.0 | | |
| E. 11 | Concrete Curb Renewal | E9 | | | | |
| a) | Barrier curb (SD-204) | | m ² | 10.0 | | |

Name of Bidder

FORM B: PRICES (UNIT PRICE)
 (SEE B9)

2006 COMBINED SEWER RENEWALS AND SEWER REPAIRS - CONTRACT NO. 12

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------------------------------|-----------------------------------------------------------------------|------------------|----------------|------------------|------------|--------|
| E. 12 | Construction of Asphaltic Concrete Patches Type 1A | CW 3410 | m ² | 10.0 | | |
| Part E: Morley Avenue | | Subtotal: | | | | |
| F | Morley Avenue - 2nd MH W of Nassau St to 1st MH W of Nassau St | | | | | |
| F. 1 | Combined Sewers | CW 2130 | | | | |
| a) | 300mm, C76 CL II Concrete or SDR 35 PVC pipe | | | | | |
| i) | trenchless installation, Class B Type 2 bedding, Class 3 backfill | | m | 10.0 | | |
| ii) | trenchless installation, Class B Type 2 bedding, Class 5 backfill | | m | 73.0 | | |
| F. 2 | Manhole | CW 2130 | | | | |
| a) | SD-010 | | | | | |
| i) | 1200mm diameter base | | vert. m | 4.0 | | |
| F. 3 | Sewer Services | CW 2130 | | | | |
| a) | 150mm | | | | | |
| i) | trenchless installation, Class B Type 2 bedding, Class 3 backfill | | m | 87.0 | | |
| ii) | trenchless installation, Class B Type 2 bedding, Class 5 backfill | | m | 50.0 | | |
| b) | 250mm | | | | | |
| i) | trenchless installation, Class B Type 2 bedding, Class 3 backfill | | m | 11.0 | | |
| F. 4 | Connecting to Existing Manhole | CW 2130 | | | | |
| a) | 300mm | | each | 2 | | |
| F. 5 | Connecting to Existing Catch Basin | CW 2130 | | | | |
| a) | 250mm | | each | 1 | | |
| F. 6 | Connecting New Sewer Service to Existing Sewer Service | CW 2130 | | | | |
| a) | 150mm | | each | 14 | | |
| F. 7 | Abandoning Existing Sewers with Cement-Stabilized Flowable Fill | CW 2130 | m ³ | 6.0 | | |

 Name of Bidder

FORM B: PRICES (UNIT PRICE)
 (SEE B9)

2006 COMBINED SEWER RENEWALS AND SEWER REPAIRS - CONTRACT NO. 12

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------------------------------|-------------------------------------------------------------------|------------|----------------|------------------|------------------|--------|
| F. 8 | Abandoning Existing Manholes | CW 2130 | each | 1 | | |
| F. 9 | Sewer Inspection | CW 2145 | | | | |
| a) | 300mm | | m | 83.0 | | |
| F. 10 | Partial Slab Patches | E7 | | | | |
| a) | 150mm reinforced concrete pavement | | m ² | 10.0 | | |
| F. 11 | Miscellaneous Concrete Slab Renewal | E8 | | | | |
| a) | Sidewalk (SD-228A) | | m ² | 95.0 | | |
| F. 12 | Concrete Curb Renewal | E9 | | | | |
| a) | Barrier curb (SD-204) | | m ² | 5.0 | | |
| F. 13 | Construction of Asphaltic Concrete Patches Type 1A | CW 3410 | m ² | 10.0 | | |
| Part F: Morley Avenue | | | | | Subtotal: | |
| G | Rosedale Avenue - MH at Nassau St to MH at Osborne St | | | | | |
| G. 1 | Combined Sewers | CW 2130 | | | | |
| a) | 375mm, C76 CL IV Concrete or SDR 35 PVC pipe | | | | | |
| i) | trenchless installation, Class B Type 2 bedding, Class 3 backfill | | m | 104.0 | | |
| b) | 450mm, C76 CL IV Concrete or SDR 35 PVC pipe | | | | | |
| i) | trenchless installation, Class B Type 2 bedding, Class 3 backfill | | m | 194.0 | | |
| G. 2 | Storm Relief Sewers | CW 2130 | | | | |
| a) | 375mm | | | | | |
| i) | trenchless installation, Class B Type 2 bedding, Class 3 backfill | | m | 5.0 | | |
| G. 3 | Manhole | CW 2130 | | | | |
| a) | SD-010 | | | | | |
| i) | 1200mm diameter base | | vert. m | 9.0 | | |

 Name of Bidder

FORM B: PRICES (UNIT PRICE)
 (SEE B9)

2006 COMBINED SEWER RENEWALS AND SEWER REPAIRS - CONTRACT NO. 12

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|-------|-------------------------------------------------------------------|------------|----------------|------------------|------------|--------|
| G. 4 | New Manhole on Existing Sewer | CW 2130 | | | | |
| a) | SD-010 | | | | | |
| i) | 1500mm diameter base | | vert. m | 5.5 | | |
| G. 5 | Sewer Services | CW 2130 | | | | |
| a) | 150mm | | | | | |
| i) | trenchless installation, Class B Type 2 bedding, Class 3 backfill | | m | 210.0 | | |
| ii) | trenchless installation, Class B Type 2 bedding, Class 5 backfill | | m | 300.0 | | |
| G. 6 | Sewer Service Risers | CW 2130 | | | | |
| a) | SD-014 | | | | | |
| i) | 150mm | | vert. m | 20.0 | | |
| G. 7 | Connecting to Existing Manhole | CW 2130 | | | | |
| a) | 375mm | | each | 1 | | |
| G. 8 | Connecting New Sewer Service to Existing Sewer Service | CW 2130 | | | | |
| a) | 150mm | | each | 43 | | |
| G. 9 | Connecting to Existing Sewer | CW 2130 | | | | |
| a) | 375mm (PVC) to 900mm (Conc) | | each | 1 | | |
| G. 10 | Abandoning Existing Sewers with Cement-Stabilized Flowable Fill | CW 2130 | m ³ | 45.0 | | |
| G. 11 | Abandoning Existing Manholes | CW 2130 | each | 4 | | |
| G. 12 | Sewer Inspection | CW 2145 | | | | |
| a) | 375mm | | m | 104.0 | | |
| b) | 450mm | | m | 194.0 | | |
| G. 13 | Backfill for Parallel Pipes | CW 2030 | m | 4.0 | | |
| G. 14 | Partial Slab Patches | E7 | | | | |
| a) | 150mm reinforced concrete pavement | | m ² | 30.0 | | |
| b) | 200mm reinforced concrete pavement for early opening (24 hours) | | m ² | 15.0 | | |

 Name of Bidder

FORM B: PRICES (UNIT PRICE)
 (SEE B9)

2006 COMBINED SEWER RENEWALS AND SEWER REPAIRS - CONTRACT NO. 12

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|---------------------------------|----------------------------------------------------------|------------|----------------|------------------|------------------|--------|
| G. 15 | Miscellaneous Concrete Slab Renewal | E8 | | | | |
| a) | Sidewalk (SD-228A) | | m ² | 260.0 | | |
| G. 16 | Concrete Curb Renewal | E9 | | | | |
| a) | Barrier curb (SD-204) | | m ² | 20.0 | | |
| G. 17 | Construction of Asphaltic Concrete Patches Type 1A | CW 3410 | m ² | 45.0 | | |
| Part G: Rosedale Avenue | | | | | Subtotal: | |
| H | Beresford Avenue - Sewer ID S-MA60012298 | | | | | |
| H. 1 | Sewer Repair - Up to 3.0 metres Long (SD-022A) | CW 2130 | | | | |
| a) | 375mm | | | | | |
| i) | Class 3 backfill | | each | 2 | | |
| H. 2 | Sewer Repair - In Addition to First 3.0 metres (SD-022A) | CW 2130 | | | | |
| a) | 375mm | | | | | |
| i) | Class 3 backfill | | m | 7.0 | | |
| H. 3 | Sewer Inspection | CW 2145 | | | | |
| a) | 375mm | | m | 96.9 | | |
| H. 4 | Connecting New Sewer Service to Existing Sewer Service | CW 2130 | | | | |
| a) | 150mm | | each | 1 | | |
| H. 5 | Partial Slab Patches | E7 | | | | |
| a) | 150mm reinforced concrete pavement | | m ² | 33.0 | | |
| H. 6 | Construction of Asphaltic Concrete Patches Type 1A | CW 3410 | m ² | 33.0 | | |
| Part H: Beresford Avenue | | | | | Subtotal: | |

 Name of Bidder

FORM B: PRICES (UNIT PRICE)
 (SEE B9)

2006 COMBINED SEWER RENEWALS AND SEWER REPAIRS - CONTRACT NO. 12

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|-----------------------------------|-------------------------------------------------------------------|------------|------------------|------------------|------------|--------|
| I | Hethrington Avenue - Sewer ID S-MA60009352 | | | | | |
| I. 1 | Sewer Repair - Up to 3.0 metres Long (SD-022A) | CW 2130 | | | | |
| a) | 450mm | | | | | |
| i) | Class 3 backfill | | each | 1 | | |
| I. 2 | Connecting New Sewer Service to Existing Sewer Service | CW 2130 | | | | |
| a) | 150mm | | each | 2 | | |
| I. 3 | Sewer Inspection | CW 2145 | | | | |
| a) | 450mm | | m | 109.7 | | |
| I. 4 | Partial Slab Patches | E7 | | | | |
| a) | 150mm reinforced concrete pavement | | m ² | 8.0 | | |
| I. 5 | Construction of Asphaltic Concrete Patches Type 1A | CW 3410 | | | | |
| | | | m ² | 8.0 | | |
| Part I: Hethrington Avenue | | | Subtotal: | | | |
| H | Provisional Items | | | | | |
| H. 1 | Granular Backfill Material | CW 2030 | m ³ | 50.0 | | |
| H. 2 | Cement Stabilized Backfill Material | CW 2030 | m ³ | 50.0 | | |
| H. 3 | Sewer Services | CW 2130 | | | | |
| a) | 200mm | | | | | |
| i) | trenchless installation, Class B Type 2 bedding, Class 3 backfill | | m | 15.0 | | |
| H. 4 | Sodding | CW 3510 | m ² | 50.0 | | |
| H. 5 | Regrading Existing Interlocking Paving Stone Installations | CW 3330 | m ² | 5.0 | | |
| H. 6 | Adjustment of Precast Sidewalk Blocks | CW 3330 | m ² | 5.0 | | |

 Name of Bidder

FORM B: PRICES (UNIT PRICE)
 (SEE B9)

2006 COMBINED SEWER RENEWALS AND SEWER REPAIRS - CONTRACT NO. 12

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|-----------------------------------|------------|----------------|------------------|-----------------|--------|
| H. 7 | Supply of Precast Sidewalk Blocks | CW 3330 | m ² | 5.0 | | |
| H. 8 | Street Light Cable Trenching | E10 | | | | |
| | i) trenching | | m | 100.0 | | |
| | ii) coring | | m | 30.0 | | |
| | Part H: Provisional Items | | | | Subtotal | |

TOTAL BID PRICE (GST extra)

(in figures)\$

(in words)

 Name of Bidder

 Name of Bidder

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid Submission hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee dated the

_____ day of _____, 20_____ for

BID OPPORTUNITY NO. 540-2006

2006 COMBINED SEWER RENEWALS AND SEWER REPAIRS, CONTRACT NO. 12

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____.

SIGNED AND SEALED
in the presence of:

(Witness)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 540-2006

2006 COMBINED SEWER RENEWALS AND SEWER REPAIRS, CONTRACT NO. 12

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within forty-five (45) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____ .

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B11)**

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Branch
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY - BID OPPORTUNITY NO. 540-2006

2006 COMBINED SEWER RENEWALS AND SEWER REPAIRS, CONTRACT NO. 12

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

_____ Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B11)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on October 30, 2006.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)