

**FORM A: BID**  
(See B8)

1. Project Title 2006 COMBINED SEWER RENEWALS - CONTRACT 11

2. Bidder

\_\_\_\_\_  
Name of Bidder

\_\_\_\_\_  
Street

\_\_\_\_\_  
City

\_\_\_\_\_  
Province

\_\_\_\_\_  
Postal Code

\_\_\_\_\_  
Facsimile Number

(Mailing address if different)

\_\_\_\_\_  
Street or P.O. Box

\_\_\_\_\_  
City

\_\_\_\_\_  
Province

\_\_\_\_\_  
Postal Code

The Bidder is:

(Choose one)

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

\_\_\_\_\_  
Contact Person

\_\_\_\_\_  
Title

\_\_\_\_\_  
Telephone Number

\_\_\_\_\_  
Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.

5. Offer

The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

Template Version: C120060615

6. Bid Security

In accordance with B11.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract

The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4.

8. Commencement of the Work

The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract

The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission.

10. Addenda

The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	_____	Dated	_____
	_____		_____
	_____		_____

11. Time

This offer shall be open for acceptance, binding and irrevocable for a period of forty-five (45) Calendar Days following the Submission Deadline.

12. Signatures

In witness whereof the Bidder or the Bidder's authorized official or officials have signed this

\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_.

(If no corporate seal)  
Signed and sealed in  
the presence of:

\_\_\_\_\_  
(Witness)

\_\_\_\_\_  
(Witness)

Signature of Bidder or  
Bidder's Authorized Official or Officials

\_\_\_\_\_  
(Print here name and official capacity of individual whose signature appears above)

\_\_\_\_\_  
(Print here name and official capacity of individual whose signature appears above)

SEAL

**FORM B: PRICES**  
 (SEE B9)

2006 COMBINED SEWER RENEWALS - CONTRACT 11

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>A</b>	<b>BERRYDALE AVENUE - S-MA50014478, S-MA50014479, S-MA50014480</b>					
A. 1	Wastewater Sewers	CW 2130, E2				
a)	300mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	265.0		
A. 2	Manhole	CW 2130				
a)	SD-010					
i)	1200mm diameter base		vert. m	13.4		
A. 3	New Manhole on Existing Sewer	CW 2130				
a)	SD-010					
i)	1200mm diameter base		vert. m	3.4		
A. 4	Sewer Services	CW 2130				
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	240.0		
A. 5	Connecting to Existing Manhole	CW 2130				
a)	300mm		each	2		
A. 6	Connecting New Sewer Service to Existing Sewer Service	CW 2130				
a)	150mm		each	28		
A. 7	Abandoning Existing Sewers with Cement-Stabilized Flowable Fill	CW 2130				
			m <sup>3</sup>	18.0		
A. 8	Abandoning Existing Manholes	CW 2130				
			each	2		
A. 9	Sewer Inspection	CW 2145				
a)	300mm		m	265.0		
A. 10	Partial Slab Patches	E6, E7				
a)	150mm reinforced concrete pavement		m <sup>2</sup>	50.0		
b)	200mm reinforced concrete pavement		m <sup>2</sup>	20.0		

**FORM B: PRICES**  
 (SEE B9)

2006 COMBINED SEWER RENEWALS - CONTRACT 11

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A. 11	Miscellaneous Concrete Slab Renewal	CW 3235, E6				
a)	Sidewalk (SD-228A)					
i)	less than 5 m <sup>2</sup>		m <sup>2</sup>	150.0		
A. 12	Concrete Curb Renewal	CW 3240				
a)	Barrier curb (SD-204)					
i)	less than 3 m		m	10.0		
A. 13	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	3.0		
Subtotal:						
<b>B</b>	<b>NICHOL AVENUE - S-MA50013644, S-MA50013639</b>					
B. 1	Wastewater Sewers	CW 2130, E2				
a)	250mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	280.0		
B. 2	Manhole	CW 2130				
a)	SD-010					
i)	1200mm diameter base		vert. m	11.0		
B. 3	Sewer Services	CW 2130				
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	315.0		
B. 4	Connecting to Existing Manhole	CW 2130				
a)	250mm		each	1		
B. 5	Connecting New Sewer Service to Existing Sewer Service	CW 2130				
a)	150mm		each	30		
B. 6	Abandoning Existing Sewers with Cement-Stabilized Flowable Fill	CW 2130	m <sup>3</sup>	20.0		
B. 7	Abandoning Existing Manholes	CW 2130	each	2		
B. 8	Sewer Inspection	CW 2145				
a)	250mm		m	280.0		

**FORM B: PRICES**  
 (SEE B9)

2006 COMBINED SEWER RENEWALS - CONTRACT 11

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B. 9	Partial Slab Patches	E6, E7				
a)	150mm reinforced concrete pavement		m <sup>2</sup>	50.0		
B. 10	Miscellaneous Concrete Slab Renewal	CW 3235, E6				
a)	Sidewalk (SD-228A)					
i)	Less than 5 m <sup>2</sup>		m <sup>2</sup>	150.0		
B. 11	Concrete Curb Renewal	CW 3240				
a)	Barrier curb (SD-204)					
i)	Less than 3 m		m	10.0		
B. 12	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	5.0		
Subtotal:						
<b>C</b>	<b>ROSLYN ROAD - S-MA60020558, S-MA60020557</b>					
C. 1	Combined Sewers	CW 2130, E2				
a)	300mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	90.0		
C. 2	Manhole	CW 2130				
a)	SD-010					
i)	1200mm diameter base		vert. m	9.0		
C. 3	Sewer Services	CW 2130				
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	30.0		
b)	200mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	40.0		
c)	250mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	10.0		

**FORM B: PRICES**  
 (SEE B9)

2006 COMBINED SEWER RENEWALS - CONTRACT 11

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C. 4	Connecting to Existing Sewer	CW 2130				
a)	300mm PVC to 300mm Clay		each	1		
C. 5	Connecting to Existing Catch Basin	CW 2130				
a)	250mm		each	2		
C. 6	Connecting New Sewer Service to Existing Sewer Service	CW 2130				
a)	150mm		each	4		
b)	200mm		each	4		
C. 7	Abandoning Existing Sewers with Cement-Stabilized Flowable Fill	CW 2130	m <sup>3</sup>	8.0		
C. 8	Removal of Existing Manholes	CW 2130	each	1		
C. 9	Abandoning Existing Manholes	CW 2130	each	1		
C. 10	Abandoning Existing Flush Tanks	E9	each	1		
C. 11	Sewer Inspection	CW 2145				
a)	300mm		m	90.0		
C. 12	Partial Slab Patches	E6, E7				
a)	150mm reinforced concrete pavement		m <sup>2</sup>	70.0		
C. 13	Miscellaneous Concrete Slab Renewal	CW 3235, E6				
a)	Sidewalk (SD-228A)					
i)	less than 5 m <sup>2</sup>		m <sup>2</sup>	40.0		
C. 14	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	1.0		
Subtotal:						
<b>D</b>	<b>SPRINGSIDE DRIVE - S-MA50014341, S-MA50014339</b>					
D. 1	Combined Sewers	CW 2130, E2				
a)	375mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	37.3		

**FORM B: PRICES**  
 (SEE B9)

2006 COMBINED SEWER RENEWALS - CONTRACT 11

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D. 2	Connecting to Existing Sewer	CW 2130				
a)	375mm PVC to 375 Clay		each	2		
D. 3	Connecting New Sewer Service to Existing Sewer Service	CW 2130				
a)	150mm		each	6		
D. 4	Removal of Existing Manholes	CW 2130	each	1		
D. 5	Sewer Service Inspection	E5				
a)	150mm		m	60.0		
D. 6	Sewer Inspection	CW 2145				
a)	375mm		m	110.0		
D. 7	Partial Slab Patches	E6, E7				
a)	150mm reinforced concrete pavement		m <sup>2</sup>	50.0		
D. 8	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	9.0		
Subtotal:						
<b><u>E</u></b>	<b>ELM PARK ROAD - S-MA50014350</b>					
E. 1	Sewer Repair - Up to 3.0 metres Long	CW 2130				
a)	300mm					
i)	Class 3 backfill		each	1		
E. 2	Sewer Repair - In Addition to First 3.0 metres	CW 2130				
a)	300mm					
i)	Class 3 backfill		m	3.0		
E. 3	Connecting New Sewer Service to Existing Sewer Service	CW 2130				
a)	150mm		each	1		
E. 4	Regrading of Existing Sewer Service - Up to 1.5 metres Long	CW 2110				
a)	250mm		each	1		



**FORM B: PRICES**  
 (SEE B9)

2006 COMBINED SEWER RENEWALS - CONTRACT 11

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E. 5	Sewer Service Inspection	E5				
a)	150mm		m	10.0		
E. 6	Sewer Inspection	CW 2145				
a)	300mm		m	113.0		
E. 7	Partial Slab Patches	E6, E7				
a)	150mm reinforced concrete pavement		m <sup>2</sup>	10.0		
E. 8	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	2.0		
Subtotal:						
<b><u>F</u></b>	<b>HULL AVENUE - S-MA50010155</b>					
F. 1	Sewer Repair - Up to 3.0 metres Long	CW 2130				
a)	250mm					
i)	Class 3 backfill		each	1		
F. 2	Water Service Repair	E10				
a)	19mm					
i)	trench installation, Class B sand bedding, Class 3 backfill		m	2.0		
F. 3	Sewer Inspection	CW 2145				
a)	250mm		m	113.0		
F. 4	Partial Slab Patches	E6, E7				
a)	150mm reinforced concrete pavement		m <sup>2</sup>	10.0		
F. 5	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	2.0		
Subtotal:						

**FORM B: PRICES**  
 (SEE B9)

2006 COMBINED SEWER RENEWALS - CONTRACT 11

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>G</b>	<b>IMPERIAL AVENUE - S-MA50013184</b>					
G. 1	Sewer Repair - Up to 3.0 metres Long	CW 2130				
a)	300mm					
i)	Class 3 backfill		each	1		
G. 2	Sewer Inspection	CW 2145				
a)	300mm		m	102.4		
G. 3	Partial Slab Patches	E6, E7				
a)	150mm reinforced concrete pavement		m <sup>2</sup>	5.0		
G. 4	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	1.0		
Subtotal:						
<b>H</b>	<b>KINGSTON CRESCENT - S-MA50001854</b>					
H. 1	Sewer Repair - Up to 3.0 metres Long	CW 2130				
a)	300mm					
i)	Class 3 backfill		each	1		
H. 2	Sewer Repair - In Addition to First 3.0 metres	CW 2130				
a)	300mm					
i)	Class 3 backfill		m	0.5		
H. 3	Connecting New Sewer Service to Existing Sewer Service	CW 2130				
a)	150mm		each	2		
H. 4	Sewer Service Inspection	E5				
a)	150mm		m	20.0		
H. 5	Sewer Inspection	CW 2145				
a)	300mm		m	122.5		
H. 6	Partial Slab Patches	E6, E7				
a)	150mm reinforced concrete pavement		m <sup>2</sup>	7.0		

**FORM B: PRICES**  
 (SEE B9)

2006 COMBINED SEWER RENEWALS - CONTRACT 11

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
H. 7	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	1.0		
Subtotal:						
<b>I</b>	<b>MORIER AVENUE - S-MA50010531</b>					
I. 1	Sewer Repair - Up to 3.0 metres Long	CW 2130				
a)	450mm					
i)	Class 3 backfill		each	1		
I. 2	Sewer Repair - In Addition to First 3.0 metres	CW 2130				
a)	450mm					
i)	Class 3 backfill		m	7.2		
I. 3	Sewer Services	CW 2130				
a)	250mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	10.0		
I. 4	Connecting to Existing Catch Basin	CW 2130				
a)	250mm		each	2		
I. 5	Connecting New Sewer Service to Existing Sewer Service	CW 2130				
a)	150mm		each	1		
I. 6	Sewer Service Inspection	E5				
a)	150mm		m	10.0		
I. 7	Sewer Inspection	CW 2145				
a)	300mm		m	118.0		
I. 8	Partial Slab Patches	E6, E7				
a)	150mm reinforced concrete pavement		m <sup>2</sup>	25.0		
I. 9	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	4.0		
Subtotal:						

**FORM B: PRICES**  
 (SEE B9)

2006 COMBINED SEWER RENEWALS - CONTRACT 11

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b><u>J</u> OUSTIC AVENUE - S-MA50014472</b>						
J. 1	Sewer Repair - Up to 3.0 metres Long	CW 2130				
a)	250mm					
i)	Class 3 backfill		each	1		
J. 2	Sewer Inspection	CW 2145				
a)	250mm		m	16.2		
J. 3	Partial Slab Patches	E6, E7				
a)	150mm reinforced concrete pavement		m <sup>2</sup>	5.0		
J. 4	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	1.0		
Subtotal:						
<b><u>K</u> PUBLIC LANE S. OF PORTAGE W. OF LIBRARY - S-MA50014472</b>						
K. 1	Sewer Repair - Up to 3.0 metres Long	CW 2130				
a)	250mm					
i)	Class 3 backfill		each	1		
K. 2	Sewer Inspection	CW 2145				
a)	300mm		m	68.8		
K. 3	Partial Slab Patches	E7				
a)	150mm reinforced concrete pavement		m <sup>2</sup>	5.0		
Subtotal:						
<b><u>L</u> ST. MARKS PLACE - S-MA50014472</b>						
L. 1	Sewer Repair - Up to 3.0 metres Long	CW 2130				
a)	300mm					
i)	Class 3 backfill		each	1		
L. 2	Connecting New Sewer Service to Existing Sewer Service	CW 2130				
a)	150mm		each	1		

**FORM B: PRICES**  
 (SEE B9)

2006 COMBINED SEWER RENEWALS - CONTRACT 11

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
L. 3	Sewer Service Inspection	E5				
a)	150mm		m	10.0		
L. 4	Sewer Inspection	CW 2145				
a)	300mm		m	39.2		
L. 5	Partial Slab Patches	E6, E7				
a)	150mm reinforced concrete pavement		m <sup>2</sup>	5.0		
L. 6	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	1.0		
<b>Subtotal:</b>						
<b>M</b>	<b>SPRINGSIDE DRIVE - S-MA50014339</b>					
M. 1	Sewer Repair - Up to 3.0 metres Long	CW 2130				
a)	375mm					
i)	Class 3 backfill		each	1		
M. 2	Sewer Repair - In Addition to First 3.0 metres	CW 2130				
a)	375mm					
i)	Class 3 backfill		m	2.2		
M. 3	Connecting New Sewer Service to Existing Sewer Service	CW 2130				
a)	150mm		each	2		
M. 4	Sewer Service Inspection	E5				
a)	150mm		m	20.0		
M. 5	Sewer Inspection	CW 2145				
a)	375mm		m	109.0		
M. 6	Partial Slab Patches	E6, E7				
a)	150mm reinforced concrete pavement		m <sup>2</sup>	5.0		
M. 7	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	1.0		
<b>Subtotal:</b>						

**FORM B: PRICES**  
 (SEE B9)

2006 COMBINED SEWER RENEWALS - CONTRACT 11

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b><u>N</u></b>	<b>WEST FERNWOOD AVENUE - S-MA50012143</b>					
N. 1	Sewer Repair - Up to 3.0 metres Long	CW 2130				
a)	300mm					
i)	Class 3 backfill		each	1		
N. 2	Sewer Repair - In Addition to First 3.0 metres	CW 2130				
a)	300mm					
i)	Class 3 backfill		m	1.1		
N. 3	Connecting New Sewer Service to Existing Sewer Service	CW 2130				
a)	150mm		each	2		
N. 4	Sewer Service Inspection	E5				
a)	150mm		m	20.0		
N. 5	Sewer Inspection	CW 2145				
a)	300mm		m	107.0		
N. 6	Partial Slab Patches	E6, E7				
a)	150mm reinforced concrete pavement		m <sup>2</sup>	6.0		
Subtotal:						
<b><u>O</u></b>	<b>WORTHINGTON AVENUE - S-MA50018474</b>					
O. 1	Combined Sewers	CW 2130				
a)	300mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	13.4		
O. 2	New Manhole on Existing Sewer	CW 2130				
a)	SD-010					
i)	1200mm diameter base		vert. m	4.0		

**FORM B: PRICES**  
 (SEE B9)

2006 COMBINED SEWER RENEWALS - CONTRACT 11

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
O. 3	Sewer Services	CW 2130				
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 5 backfill		m	5.0		
O. 4	Sewer Repair - Up to 3.0 metres Long	CW 2130				
a)	300mm					
i)	Class 3 backfill		each	1		
O. 5	Connecting to Existing Sewer	CW 2130				
a)	300mm PVC to 600 CONC		each	1		
O. 6	Connecting New Sewer Service to Existing Sewer Service	CW 2130				
a)	150mm		each	1		
O. 7	Sewer Inspection	CW 2145				
a)	300mm		m	140.0		
O. 8	Partial Slab Patches	E6, E7				
a)	150mm reinforced concrete pavement		m <sup>2</sup>	20.0		
O. 9	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	4.0		
Subtotal:						
<b>P</b>	<b>PROVISIONAL ITEMS</b>					
P. 1	Sewer Services (for on-line repairs)	CW 2130				
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	50.0		
P. 2	Miscellaneous Concrete Slab Renewal (for on-line repairs)	CW 3235, E6				
a)	Sidewalk (SD-228A)					
i)	Less than 5 m <sup>2</sup>		m <sup>2</sup>	25.0		

**FORM B: PRICES**  
 (SEE B9)

2006 COMBINED SEWER RENEWALS - CONTRACT 11

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
P. 3 a)	Partial Slab Patches 200mm reinforced concrete pavement for early opening (24 hours)	E6, E7	m <sup>2</sup>	10.0		
P. 4	Concrete Pipe Three-Edge Bearing Test	CW 2130	each	1		
P. 5 a)	Street Light Cable trenchless installation	E8	m	50.0		
P. 6	Sodding	CW 3510	m <sup>2</sup>	50.0		
P. 7	Catchpits (SD-023)	CW 2130	each	1		
P. 8 a)	Catch Basin SD-024	CW 2130	each	2		
P. 9	Cement Stabilized Fill	CW 2030	m <sup>3</sup>	20.0		
Subtotal:						

TOTAL BID PRICE (GST extra) (in figures)\$ \_\_\_\_\_

(in words) \_\_\_\_\_

\_\_\_\_\_  
 Name of Bidder



**FORM G1: BID BOND AND AGREEMENT TO BOND**

(Page 1 of 2)  
(See B11)

**BID BOND**

KNOW ALL MEN BY THESE PRESENTS THAT

\_\_\_\_\_ (hereinafter called the "Principal") and

\_\_\_\_\_ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid Submission hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee dated the

\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_ for

BID OPPORTUNITY NO. 638-2006

2006 COMBINED SEWER RENEWALS - CONTRACT 11

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_ .

SIGNED AND SEALED  
in the presence of:

\_\_\_\_\_  
(Witness)

\_\_\_\_\_  
(Name of Principal)

Per: \_\_\_\_\_ (Seal)

Per: \_\_\_\_\_

\_\_\_\_\_  
(Name of Surety)

By: \_\_\_\_\_ (Seal)  
(Attorney-in-Fact)

**FORM G1: BID BOND AND AGREEMENT TO BOND**

(Page 2 of 2)  
(See B11)

**AGREEMENT TO BOND**

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

\_\_\_\_\_ of  
(Name of Bidder)

\_\_\_\_\_  
(Place)

the Bidder to you on \_\_\_\_\_, 20\_\_\_\_ for

BID OPPORTUNITY NO. 638-2006

2006 COMBINED SEWER RENEWALS - CONTRACT 11

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within forty-five (45) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_.

\_\_\_\_\_  
(Name of Surety)

By: \_\_\_\_\_ (Seal)  
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING  
(BID SECURITY) (Page 1 of 2)  
(See B11)**

\_\_\_\_\_  
(Date)

The City of Winnipeg  
Corporate Finance Department  
Materials Management Branch  
185 King Street, Main Floor  
Winnipeg MB R3B 1J1

RE: BID SECURITY - BID OPPORTUNITY NO. 638-2006  
2006 COMBINED SEWER RENEWALS - CONTRACT 11

Pursuant to the request of and for the account of our customer,

\_\_\_\_\_  
(Name of Bidder)

\_\_\_\_\_  
(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

\_\_\_\_\_ Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

\_\_\_\_\_  
(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING  
(BID SECURITY) (Page 2 of 2)  
(See B11)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on December 24, 2006.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

\_\_\_\_\_  
(Name of bank or financial institution)

Per: \_\_\_\_\_  
(Authorized Signing Officer)

Per: \_\_\_\_\_  
(Authorized Signing Officer)