



233-2008 ADDENDUM 1

CHAIN LINK FENCING OF BRADY LANDFILL

URGENT

**PLEASE FORWARD THIS DOCUMENT TO
WHOEVER IS IN POSSESSION OF THE BID
OPPORTUNITY**

ISSUED: June 13, 2008
BY: Coleen Groening
TELEPHONE NO. (204) 986-2491

**THIS ADDENDUM SHALL BE INCORPORATED
INTO THE BID OPPORTUNITY AND SHALL
FORM A PART OF THE CONTRACT
DOCUMENTS**

Template Version: A20070419

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 8 of Form A: Bid may render your Bid non-responsive.

PART E – SPECIFICATIONS

Revise: E8.1 to read: End, Gate, Corner and Straining posts shall be **3-1/2"** O.D. galvanized steel pipe 3'-6" longer than the height of fabric used. Where barbed wire overhang is specified, the end and gateposts shall be 4'-6" longer than the height of fabric used. 4-1/2' O.D. gateposts shall be used for single panel gates over 12' wide and for double gates over 24' wide or when the area of the gate panel exceeds 72 square feet.