FORM A: BID (See B8)

1.	Contract Title	Sturgeon Road Bridge Replace	ment
2.	Bidder	Name of Bidder	
		Usual Business Name of Bidder as it a	opears on Invoice (if different from above)
		Street	
		City	Province Postal Cod
	(Mailing address if different)	Facsimile Number	
		Street or P.O. Box	
		City	Province Postal Cod
	(Choose one)	The Bidder is:	
		a sole proprietor	
		a partnership	
		a corporation	
		carrying on business under the	above name.
3.	Contact Person	The Bidder hereby authorizes the Bidder for purposes of the B	the following contact person to represen Bid.
		Contact Person	Title
		Telephone Number	Facsimile Number
4.	Definitions	All capitalized terms used in ascribed to them in the Genera	the Contract shall have the meaning I Conditions and D3.
5.	Offer		erform the Work in accordance with the e, in Canadian funds, set out on Form B

6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of Sixty (60) Calendar Days following the Submission Deadline.

12. Signatures The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____ , 20_____ .

Signature of Bidder or Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

UNIT PRI ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Α	BRIDGE WORKS					
A.1	Bridge Demolition	E10	l.s.	1.0		
A.2	Structural Excavation	E12	l.s.	1.0		
A.3	Granular Backifll	E13	m ³	900.0		
A.4	Free Draining Granular Backfill	E13	m ³	150.0		
A.5	Clay Backfill or Suitable Site Material	E13	m ³	450.0		
A.6	Supply Steel Piles	E14	m	655.0		
۹.7	Drive Steel Piles	E14	m	655.0		
A.8	Supply Precast Concrete Girders	E15	each	60		
A.9	Erection of Precast Concrete Girders	E15	each	60		
A.10	Supply and Place Black Steel Reinforcing	E16	kg	32562.0		
A.11	Supply and Place Stainless Steel Reinforcing	E16	kg	45042.0		
A.12	Supply and Place Structural Concrete	E17				
i)	Pier Caps		l.s.	1.0		
ii)	Abutment Bearing Seats		l.s.	1.0		
iii)	Abutment Wingwalls		l.s.	1.0		
iv)	Approach Slabs		l.s.	1.0		
v)	Structural Roadway Slab		l.s.	1.0		
vi)	Deck and Backwall		l.s.	1.0		
vii)	Sidewalks		l.s.	1.0		
viii)	Traffic Barriers		l.s.	1.0		
A.13	Supply and Install Moveable Deck Hoarding for Deck and Approach Slab Concrete	E17	l.s.	1.0		
A.14	Supply and Install Anchor Units for Pedestrian Handrail	E17	l.s.	1.0		
A.15	Supply and Install Expansion Joints	E18	m	64.0		
A.16	Supply and Place Pier Bearings	E19	each	160		
A.17	Supply and Place Abutment Bearing	E19	each	4		
A.18	Supply and Place High Performance Concrete (HPC) Overlay	E20	l.s.	1.0		

UNIT PRI	(SEE B9)					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.19	Supply and Install Moveable Deck Hoarding for High Performance Concrete (HPC) Overlay	E20	l.s.	1.0		
A.20	Miscellaneous Metal	E21	l.s.	1.0		
A.21	Supply and Install Aluminum Pedestrian Handrail	E22	m	125.0		
A.22	Supply and Install Aluminum Art	E22	each	6		
A.23	Supply and Install Bridge Aluminum Balance Barrier	E23	l.s.	1.0		
A.24	Silt Fence Barrier	E24	m	170.0		
A.25	Modular Block Retaining Wall	E25	l.s.	1.0		
A.26	Supply and Install Rock-Socketed Caissons	E26	l.s.	1.0		
A.27	Supply and Install Erosion Control Blanket	E27	m²	200.0		
A.28	Supply and Install Chain Link Fence	E28	l.s.	1.0		
A.29	Random Stone Riprap and Geotextile	E29	m³	686.0		
Α	BRIDGE WORKS		1		Subtotal:	

	(366 09)					
UNIT PRIC	CES					
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
В	RIVERBANK STABILITY WORKS					
B.1	Rockfill Trench Shear Key	E45				
i)	Common Excavation- Suitable Site Material		m ³	4000.0		
ii)	Rockfill		tonne	8000.0		
B.2	2.7 m diameter Rockfill Columns	E46				
i)	Shaft Drilling		m	300.0		
ii)	Rockfill		tonne	4000.0		
iii)	Sleeves		each	38		
В	RIVERBANK STABILITY WORKS		1		Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С	ROAD WORKS					
	EARTH AND BASE WORKS					
C.1	Excavation	CW 3110-R14	m³	950.0		
C.2	Sub-Grade Compaction	CW 3110-R14	m²	4800.0		
C.3	Crushed Sub-base Material	CW 3110-R14				
i)	50 mm		tonne	1860.0		
ii)	150 mm - Limestone		tonne	5600.0		
C.4	Supplying and Placing Base Course Material	CW 3110-R14	m³	400.0		
C.5	Grading of Boulevards	CW 3110-R14	m²	750.0		
C.6	Ditch Grading	CW 3110-R14	m²	250.0		
C.7	Removal of Existing Concrete Bases	CW 3110-R14				
i)	600 mm Diameter or Less		each	4		
C.8	Separation Geotextile Fabric	CW 3130-R3	m²	5200.0		
C.9	Topsoil Excavation	CW 3170-R3	m³	970.0		
C.10	Common Excavation- Suitable site material	CW 3170-R3	m³	990.0		
C.11	Fill Material	CW 3170-R3				
i)	Placing Suitable Site Material		m³	4990.0		
ii)	Supplying and Placing Imported Material		m³	6900.0		
C.12	Preparation of Existing Ground Surface	CW 3170-R3	m²	9000.0		
C.13	Temporary Grade Separation Wall	E11	l.s.	1.0		
	ROADWORKS - REMOVALS/RENEWALS					
C.14	Pavement Removal	CW 3110-R14				
i)	Concrete Pavement		m²	4074.0		
ii)	Asphalt Pavement		m²	157.0		
, C.15	Drilled Dowels	CW 3230-R6				
i)	19.1 mm Diameter		each	76		

JNIT PRIC	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
C.16	Drilled Tie Bars	CW 3230-R6				
i)	20 M Deformed Tie Bar		each	164		
C.17	Miscellaneous Concrete Slab Removal	CW 3235-R8				
i)	Median Slab		m²	410.0		
ii)	100 mm Sidewalk		m²	850.0		
iii)	Bullnose		m²	3.0		
C.18	Miscellaneous Concrete Slab Renewal	CW 3235-R8				
i)	Monolithic Median Slab	SD-226A	m²	80.0		
ii)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m²	50.0		
C.19	Concrete Curb Removal	CW 3240-R8				
i)	Barrier		m	25.0		
ii)	Curb Ramp		m	10.0		
C.20	Concrete Curb Renewal	CW 3240-R8				
i)	Barrier (150 mm ht, Dowelled)	SD-205,				
a)	3 m to 30 m	SD-206A	m	30.0		
ii)	Curb Ramp (10-15 mm ht, Integral)	SD-229C,D	m	20.0		
C.21	Construction of Asphaltic Concrete Overlay	CW 3410-R8				
i)	Main Line Paving					
a)	Туре ІА		tonne	165.0		
ii)	Tie-ins and Approaches					
a)	Туре ІА		tonne	70.0		
0.22	Construction of Asphalt Patches	CW 3410-R8	m²	350.0		
C.23	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	670.0		
0.24	Detectable Warning Surface Tiles	E9				
i)	610 mm X 1220 mm		each	12		

FORM B: PRICES

(SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
				QUANTIT		
	ROADWORKS - NEW CONSTRUCTION					
C.25	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R14				
i)	Construction of 230 mm Concrete Pavement (Plain-Dowelled)		m²	2280.0		
ii)	Construction of 230 mm Concrete Pavement (Plain-Dowelled) Slip Form Paving		m²	1920.0		
iii)	Construction of 200 mm Concrete Pavement (Reinforced)		m²	60.0		
iv)	Construction of Concrete Safety Medians	SD-226B	m²	41.0		
V)	Construction of Monolithic Concrete Bull- noses	SD-227C	m²	10.0		
C.26	Concrete Pavements for Early Opening	CW 3310-R14				
i)	Construction of 230 mm Concrete Pavement for Early Opening 72 hour (Plain-Dowelled)		m²	50.0		
ii)	Construction of 230 mm Concrete Pavement for Early Opening 72 hour (Plain-Dowelled) Slip Form Paving		m²	100.0		
iii)	Construction of 200 mm Concrete Pavement for Early Opening 24 hour (Reinforced)		m²	350.0		
C.27	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R14				
i)	Construction of Barrier (180 mm ht, Separate)	SD-203A	m	210.0		
ii)	Construction of Modified Barrier (180 mm ht, Integral)	SD-203B	m	170.0		
iii)	Construction of Modified Barrier (180 mm ht, Separate)	SD-203B	m	25.0		
iv)	Construction of Curb Ramp (10-15 mm ht, Integral)	SD-229C	m	58.0		
V)	Construction of Splash Strip (180 mm ht, Monolithic Barrier Curb, 750 mm width)	SD-223A	m	470.0		
vi)	Construction of Splash Strip (180 mm ht, Monolithic Modified Barrier Curb, 750 mm width)	SD-223A	m	20.0		
vii)	Construction of Splash Strip, (Separate, 600 mm width)	SD-223B	m	45.0		
C.28	Supply and Installation of Dowel Assemblies	CW 3310-R14	m	970.0		
C.29	100 mm Concrete Sidewalk	CW 3325-R3	m²	1130.0		
C.30	Interlocking Paving Stones	CW 3335-R1	m²	165.0		
C.31	Lean Concrete Base	CW 3335-R1	m²	165.0		

(SEE B9)

ITEM	CES DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
C.32	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	8		
C.33	Catch Pit	CW 2130-R12				
i)	SD-023		each	2		
C.34	Sewer Service	CW 2130-R12				
i)	300 mm, SDR 35					
a)	In a Trench, Class B Bedding, Class 3 Backfill		m	65.0		
b)	Trenchless Installation, Class B Bedding, Class 3 Backfill		m	48.0		
C.35	Drainage Connection Pipe	CW 2130-R12	m	4.0		
C.36	Connecting to Existing Manhole	CW 2130-R12				
i)	300 mm Catch Basin Lead		each	1		
C.37	Connecting to Land Drainage Sewer	CW 2130-R12				
i)	300 mm (Type SDR 35) Connecting Pipe					
a)	Connecting to 1200 mm Sewer		each	3		
b)	Connecting to 1500 mm Sewer		each	4		
C.38	Removal of Existing Catch Basins	CW 2130-R12	each	9		
C.39	Removal of Existing Catch Pit	CW 2130-R12	each	1		
C.40	Abandoning Existing Drainage Inlets	CW 2130-R12	each	9		
C.41	Installation of Subdrains	CW 3120-R4	m	156.0		
C.42	Sewer Cleaning	CW 2140-R3	m	50.0		
	ADJUSTMENTS					
C.43	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	8.0		
C.44	Adjustment of Curb Stop Boxes	CW 3210-R7	each	2		
C.45	Curb Stop Extensions	CW 3210-R7	each	1		
C.46	Remove Existing Hydrant Assembly	CW 2110-R11	each	1		

С	ROAD WORKS				Subtotal:	
C.57	Installation of Concrete Bases	CW 3620-R8	each	2		
C.56	Tree Removal	E51	m	1.0		
C.55	Timber Bumper Fence	E49	m	13.0		
C.54	Removal of Existing Timber Bumper Fence	E49	m	13.0		
C.53	Installation of Barrier Rails	CW 3650-R5	m	171.0		
C.52	Supply of Barrier Rails	CW 3650-R5	m	171.0		
C.51	Installation of Barrier Posts	CW 3650-R5	each	54		
C.50	Supply of Barrier Posts	CW 3650-R5	each	54		
	MISCELLANEOUS					
i)	width > or = 600 mm		m²	750.0		
C.49	Sodding	CW 3510-R9				
	LANDSCAPING					
C.48	Raising of Existing Hydrant	CW 2110-R11	each	1		
C.47	Install New Hydrant Assembly	CW 2110-R11	each	1		
		REF.		QUANTITY		
UNIT PRI	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT

UNIT PRI						
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D	MULTI-USE SIDEWALK					
D.1	Excavation	CW 3110-R14	m³	128.0		
D.2	Sub-Grade Compaction	CW 3110-R14	m²	1800.0		
D.3	Crushed Sub-base Material	CW 3110-R14				
i)	50 mm		tonne	660.0		
D.4	Supplying and Placing Base Course Material	CW 3110-R14	m³	150.0		
D.5	Separation Geotextile Fabric	CW 3130-R3	m²	1800.0		
D.6	Pavement Removal	CW 3110-R14				
i)	Asphalt Pavement		m²	242.0		
D.7	Construction of Asphaltic Concrete Pavements	CW 3410-R8				
i)	Main Line Paving					
a)	Туре ІА		tonne	260.0		
D.8	Reflective Crack Maintenance	CW 3250-R7	m	400.0		
D.9	Corrugated Steel Pipe - Supply	CW 3610-R3				
i)	(300 mm, 2 mm gauge)		m	10.5		
D.10	Corrugated Steel Pipe - Install	CW 3610-R3				
i)	(300 mm, 2 mm gauge)		m	10.5		
D.11	Tree Removal	E51	m	7.0		
D	MULTI-USE SIDEWALK	l			Subtotal:	
Е	ELECTRICAL WORKS					
E.1	Utility Conduits	E44				
i)	100 mm FRE Conduit		m	350.0		
ii)	125 mm FRE Conduit		m	500.0		
E.2	Supply and Place Pull Boxes	E44	each	8		
E.3	Bridge Lighting	E44	l.s.	1.0		
Е	ELECTRICAL WORKS	1			Subtotal:	

	(SEE D9)						
UNIT PRI	UNIT PRICES						
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT	
		REF.		QUANTITY			
F	LANDSCAPING						
F.1	Deciduous Tree (c/w warranty), Populous Deltoid	E36	each	14			
F.2	Sod	CW 3510-R9 CW 3540-R5	m²	5926.0			
F.3	1/4" Clear Crush Black Granite	CW 3150-R4	m²	809.0			
F	LANDSCAPING	Subtotal:					
G	TRAFFIC OPERATIONS						
G.1	Traffic Control	E8	l.s.	1.0			
G.2	Mobilization and Demobilization	E4	l.s.	1.0			
G.3	Place Pre-Cast Concrete Traffic Barriers	E30	each	120			
G	TRAFFIC OPERATIONS				Subtotal:		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
н	PRIVATE PARKING LOT					
H.1	Excavation	CW 3110-R14	m³	200.0		
H.2	Sub-Grade Compaction	CW 3110-R14	m²	500.0		
H.3	Crushed Sub-base Material	CW 3110-R14				
i)	50 mm		tonne	375.0		
H.4	Supplying and Placing Base Course Material	CW 3110-R14	m³	50.0		
H.5	Grading of Boulevards	CW 3110-R14	m²	450.0		
H.6	Separation Geotextile Fabric	CW 3130-R3	m²	500.0		
H.7	Fill Material	CW 3170-R3				
i)	Supplying and Placing Imported Material		m³	200.0		
H.8	Pavement Removal	CW 3110-R14				
i)	Asphalt Pavement		m²	406.0		
H.9	Concrete Curb Removal	CW 3240-R8				
i)	Barrier Separate		m	125.0		
H.10	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R14				
i)	Construction of 200 mm Concrete Pavement (Reinforced)		m²	15.0		
H.11	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R14				
i)	Construction of Curb and Gutter (150 mm ht, Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200	m	97.0		
H.12	100 mm Concrete Sidewalk	CW 3325-R3	m²	76.0		

	(SEE B9) CES					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
H.13	Construction of Asphaltic Concrete Pavements	CW 3410-R8				
i)	Main Line Paving					
a)	Туре ІА		tonne	90.0		
ii)	Tie-ins and Approaches					
a)	Туре ІА		tonne	10.0		
H.14	Catch Basin	CW 2130-R12				
i)	SD-024		each	1		
H.15	Sewer Service	CW 2130-R12				
i)	300 mm, SDR 35					
a)	In a Trench, Class B Bedding, Class 3 Backfill		m	22.0		
H.16	Sewer Service	CW 2130-R12				
i)	375 mm, SDR 35					
a)	In a Trench, Class B Bedding, Class 4 Backfill		m	9.0		
H.17	Connecting to Existing Sewer	CW 2130-R12				
i)	375 mm (Type SDR 35) Connecting Pipe					
a)	Connecting to 375 mm Sewer		each	2		
H.18	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	2		
H.19	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m²	450.0		
H.20	Reinforced Concrete Retaining Wall	E58	m	12.0		
H.21	Supply and Install Aluminum Pedestrian Handrail	E22	m	12.0		
H.22	Supply and Install Bollards	E59	each	4		
н	PRIVATE PARKING LOT	1			Subtotal:	

UNIT PRIC	(SEE B9) CES					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
I	PROVISIONAL ITEMS					
1.1	Increase Caisson Length	E26				
i)	914 dia. Caisson Length Increase		m	6.0		
ii)	762 dia. Rock-Socket Length Increase		m	6.0		
1.2	Polyethylene Waterline	CW 3530-R3	m	50.0		
1.3	Sprinkler Assemblies	CW 3530-R3	each	2		
1.4	Watermain Renewal	CW 2110-R11				
i)	300mm					
a)	In a Trench, Class B Bedding, Class 3 Backfill		m	35.0		
1.5	New Hydrant Assembly on Existing Watermain	CW 2110-R11				
ii)	SD-006		each	1		
1.6	Fittings	CW 2110-R11				
i)	Bends (SD-004)					
a)	300mm - 45°		each	4		
b)	300mm - 90°		each	1		
1.7	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110-R11				
i)	In-line connection - no plug existing					
a)	300mm		each	2		
I	PROVISIONAL ITEMS	1		· · · · · · · · · · · · · · · · · · ·	Subtotal:	

FORM B: PRICES

(SEE B9)

UNIT PRI ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	SUMMARY					
Α	BRIDGE WORKS				Subtotal:	
В	RIVERBANK STABILITY WORKS				Subtotal:	
С	ROAD WORKS				Subtotal:	
D	MULTI-USE SIDEWALK				Subtotal:	
Е	ELECTRICAL WORKS				Subtotal:	
F	LANDSCAPING				Subtotal:	
G	TRAFFIC OPERATIONS				Subtotal:	
Н	PRIVATE PARKING LOT				Subtotal:	
I	PROVISIONAL ITEMS				Subtotal:	
TOTAL B	ID PRICE (GST extra)		(i	n figures) _		

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 1021-2011

Sturgeon Road Bridge Replacement

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

, 20	
(Name of Principal)	
Per:	(Seal)
Per:	
(Name of Surety)	
By:(Attorney-in-Fact)	(Seal)
	(Name of Principal) Per: Per: (Name of Surety) By:

_____ of

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on ______, 20_____, for

BID OPPORTUNITY NO. 1021-2011

Sturgeon Road Bridge Replacement

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within Sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this ______ day of ______, 20_____,

(Name of Surety)

By: (Seal) (Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(Date)

The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 1021-2011

Sturgeon Road Bridge Replacement

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

_____ Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on March 25, 2012

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)

Per:

(Authorized Signing Officer)

Per:

(Authorized Signing Officer)