FORM A: BID (See B8)

1.	Contract Title	2012 WATERMAIN RENEWAL	S – CONTRACT NO. 3	
2.	Bidder	Name of Bidder		
		Usual Business Name of Bidder as it a	ppears on Invoice (if different from abo	ve)
		Street		
		City	Province	Postal Code
	(Mailing address if different)	Facsimile Number		
		Street or P.O. Box		
		City	Province	Postal Code
		GST Registration Number (if applicable)	
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business under the	above name.	
3.	Contact Person	The Bidder hereby authorizes the Bidder for purposes of the B		o represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms used in ascribed to them in the Genera		meanings
5.	Offer	The Bidder hereby offers to p Contract for the Total Bid Price Prices, appended hereto.		

6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of forty-five (45) Calendar Days following the Submission Deadline.

12. Signatures The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____ , 20_____ .

Signature of Bidder or Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<u>A</u>	Ellice Ave- 7 E of Dominion St to Sher	burn St				
A. 1	Watermain Renewal	CW 2110				
a) i)	150mm trenchless installation, Class B sand bedding, Class 3 backfill		m	23.0		
b) i)	200mm trenchless installation, Class B sand bedding, Class 3 backfill		m	237.0		
c) i)	250mm trenchless installation, Class B sand bedding, Class 3 backfill		m	2.0		
d) i)	300mm trenchless installation, Class B sand bedding, Class 3 backfill		m	5.0		
e) i)	350mm trenchless installation, Class B sand bedding, Class 3 backfill		m	39.0		
f) i)	400mm trenchless installation, Class B sand bedding, Class 3 backfill		m	2.0		
A. 2	Watermain Valve	CW 2110				
a)	150mm		each	2		
b)	200mm		each	3		
c)	350mm with by-pass arrangement (SD-017)		each	1		
A. 3	Fittings	CW 2110				
a)	Tees					
i)	200mm X 200mm X 150mm		each	2		
ii)	250mm x 250mm x150 mm		each	1		
iii)	350mm x 350mm x 350 mm		each	2		
b)	Bends (SD-004)					
i)	150mm - 45°		each	4		
ii)	200mm - 45°		each	2		
iii)	300mm - 45° 350mm - 45°		each each	2 2		
iv) c)	Crosses		each	2		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT	AMOUNT
	200mm x 200mm X 150mm X	REF.		QUANTITY	PRICE	
i)	150mm		each	1		
d)	Reducers					
i)	250mm - 200mm		each	1		
ii)	350mm - 250mm		each	1		
iii)	350mm - 300mm		each	1		
iv)	400mm - 350mm		each	1		
A. 4	Water Services	CW 2110				
a)	19mm					
í)	trenchless installation, Class B sand bedding, Class 3 backfill		m	30.0		
A. 5	Corporation Stops	CW 2110				
a)	19mm		each	4		
-						
A. 6	Curb Stops	CW 2110				
a)	19mm		each	3		
A. 7	Curb Stop Boxes	CW 2110				
a)	19mm		each	3		
A. 8	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)	150mm		each	5		
ii)	200mm		each	1		
iii)	300mm		each	1		
iv)	350mm		each	1		
v)	400mm		each	1		
A. 9	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	4		
-	Partial Slab Patches	E6				
i)	200mm reinforced concrete pavement for early opening (24 hours)		m²	100.0		
A. 11 a)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A)	CW 3235	m²	225.0		
A. 12	Concrete Curb Renewal	CW 3240				

ITEM DESCRIPTION SPEC. REF. UNIT QUANTITY OUANTITY OUANTITY OUANTITY OUANTITY PRICE AMOUNT a) Barrier curb (SD-204) Ramp curb m 15.0 15.0 b) Ramp curb CW 3410 tonne 10.0 10.0 A. 13 Construction of Asphaltic Concrete Overlays Type 1A CW 3410 tonne 10.0 10.0 B Sherburn St- Ellice Ave to 314 N of Ellice Ave CW 2110 m 207.0 B. 1 Watermain Renewal 200mm CW 2110 m 207.0 a) 200mm CW 2110 m 207.0 a) SD-007 CW 2110 a a a) 200mm CW 2110 a a a) 200mm CW 2110 a a b) Imm Imm 185.0 a b) Imm Imm 185.0 a b) Imm CW 2110 a a a) Imm Imm 185.0 a b) Imm CW 2110								
a)Barrier curb (SD-204) Ramp curbm15.0 mm15.0 40.0A. 13Construction of Asphaltic Concrete Overlays Type 1ACW 3410tonne10.0Ellice Ave- 7 E of Dominion St to Sherburn StSubtotal A:BSherburn St- Ellice Ave to 314 N of Ellice AveB. 1Watermain Renewal 200mm in trenchless installation, Class B sand bedding, Class 3 backfillCW 2110 eachm207.0B. 2Hydrant Assembly a) SD-007CW 2110 eachm207.0B. 3Watermain Valve a) 200mmCW 2110 eachaaB. 4Fittings 100mmCW 2110 eachaaB. 4Fittings 100mmCW 2110 eachaaB. 5Water Services 100mmCW 2110 eachaaa)200mmCW 2110 eachaab)Bends (SD-004) i) 200mm - 45°CW 2110 eachaab)Bends (SD-004) i) 100mmCW 2110 eachaab)Bends (SD-004) i) 200mm - 45°CW 2110 	ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
A. 13Construction of Asphaltic Concrete Coverlays Type 1ACW 3410tonne10.0Interpretation of the Sphere Subtotal A:Subtotal A:Subtotal A:Subtotal A:Subtotal A:Subtotal A:Subtotal A:Subtotal A:Subtotal A:Subtotal A:B. 1Watermain Renewal 200mm it renchless installation, Class B sand bedring, Class 3 backfillCW 2110 eachm207.0B. 2Hydrant Assembly 200mmCW 2110 200mmeach33B. 3Watermain Valve 200mmCW 2110 200mmeach3B. 4Fittings 	<td>a)</td> <td>Barrier curb (SD-204)</td> <td></td> <td>m</td> <td>15.0</td> <td></td> <td></td>	a)	Barrier curb (SD-204)		m	15.0		
Overlays Type 1ASubtoold A:Ellice Ave- 7 E of Dominion St to Sherburn StSubtotal A:BSherburn St- Ellice Ave to 314 N of Ellice AveB. 1Watermain Renewal 200mm it renchless installation, Class B sand bedding, Class 3 backfillCW 2110 eachm207.0B. 2Hydrant Assembly 200mm a) 200mmCW 2110 200mmm207.0B. 3Watermain Valve 200mmCW 2110 eachaaB. 4Fittings 200mmCW 2110 200mmeach3B. 4Fittings 1000mmCW 2110 200mmm185.0B. 5Water Services a) 19mmCW 2110 200mmm185.0B. 6Corporation Stops 19mmCW 2110 200mmm185.0B. 6Curb Stops 19mmCW 2110 200mmm185.0B. 6Curb Stops 19mmCW 2110 200mmeach43B. 7Curb Stops 19mmCW 2110 200mmeach26B. 8Curb Stops Boxes 19mmCW 2110 200mmeach26B. 8Curb Stops Boxes 19mmCW 2110 200meach26B. 8Curb Stop Boxes 19mmCW 2110 200mmeach26B. 9Connecting to Existing Watermains and Large Diameter Water Services 19-10m connection - no plug existingCW 2110 200meach26B. 9Connecting to Existing Watermains and Large Diameter Water Services 19-10mCW 2110 200meach26	b)	Ramp curb		m	40.0			
B Sherburn St- Ellice Ave to 314 N of Ellice Ave B. 1 Watermain Renewal 200mm CW 2110 m 207.0 i) Hydrant Assembly sbedding, Class 3 backfill CW 2110 m 207.0 B. 2 Hydrant Assembly SD-007 CW 2110 m 207.0 a) SD-007 CW 2110 each 3 B. 3 Watermain Valve 200mm CW 2110 each 3 B. 4 Fittings Bends (SD-004) CW 2110 each 4 i) Zomm - 45° CW 2110 m 185.0 B. 5 Water Services (1) mm CW 2110 m 185.0 i) Demonstratilation, Class B sand bedding, Class 3 backfill CW 2110 m 185.0 B. 6 Corporation Stops (1) mm CW 2110 m 185.0 i) Ternchless installation, Class B sand bedding, Class 3 backfill CW 2110 each 43 B. 7 Curb Stops (1) mm CW 2110 each 26 26 B. 8 Curb Stop Boxes (1) mm CW 2110 each 26 26 26 26 26 <td>A. 13</td> <td></td> <td>CW 3410</td> <td>tonne</td> <td>10.0</td> <td></td> <td></td>	A. 13		CW 3410	tonne	10.0			
B. 1 a)Watermain Renewal 200mm it renchless installation, Class B sand bedding, Class 3 backfillCW 2110 m207.0B. 2 a)Hydrant Assembly SD-007CW 2110 eachaB. 3 a)Watermain Valve 200mmCW 2110 eachaa)200mmCW 2110 eachab)200mmCW 2110 eachaa)200mmCW 2110 eachab)200mmCW 2110 eachaa)Bends (SD-004) i) 200mm - 45°CW 2110 eachaa)Bends (SD-004) i) 200mm - 45°CW 2110 eachab)19mm trenchless installation, Class B sand bedding, Class 3 backfillmB. 6 a)Corporation Stops 19mmCW 2110 eachaB. 7 a)Curb Stops 19mmCW 2110 each26B. 8 b)Curb Stop Boxes 19mmCW 2110 each26B. 9 a)Connecting to Existing Watermains and 		Ellice Ave- 7 E of Dominion St to Sher	burn St		· · · · ·	Subtotal A:		
a)200mm trenchless installation, Class B sand bedding, Class 3 backfillm207.0B. 2Hydrant Assembly SD-007CW 2110 eacheach3B. 3Watermain Valve 200mmCW 2110 Bends (SD-004) 200mm - 45°CW 2110 Pands (SD-004) 200mm - 45°CW 2110 PandsAB. 5Water Services 19mm trenchless installation, Class B sand bedding, Class 3 backfillCW 2110 PandsAAB. 6Corporation Stops 19mmCW 2110 PandsM185.0AB. 7Curb Stops 19mmCW 2110 19mmeachA3B. 7Curb Stops 19mmCW 2110 PandsPandsA3B. 7Curb Stops 19mmCW 2110 PandsPandsA3B. 7Curb Stops Boxes 19mmCW 2110 PandsPandsPandsB. 8Curb Stop Boxes 19mmCW 2110 PandsPandsPandsB. 9Connecting to Existing Watermains and Pander Water Services PandsCW 2110 PandsPandsPandsPandsPander Pander Water Services Pander Pander Water Services Pander Pander Water ServicesPandsPandsPands	B	Sherburn St- Ellice Ave to 314 N of Ell	ice Ave					
itrenchless installation, Class B sand bedding, Class 3 backfillm207.0B. 2 a)Hydrant Assembly SD-007CW 2110 eacheach3B. 3 a)Watermain Valve 200mmCW 2110 Bends (SD-004) 200mm - 45°CW 2110 each3B. 4 a) i)Fittings Bends (SD-004) 200mm - 45°CW 2110 Pannet trenchless installation, Class B sand bedding, Class 3 backfillCW 2110 maB. 5 a) i)Water Services 19mm trenchless installation, Class B sand bedding, Class 3 backfillCW 2110 Pannet mm185.0B. 6 a)Corporation Stops 19mmCW 2110 Panneta43B. 7 a)Curb Stops 19mmCW 2110 Pannetach Pannet26B. 8 a)Curb Stop Boxes 19mmCW 2110 Pannetach Pannet26B. 9 a)Connecting to Existing Watermains and Large Diameter Water Services In-line connection - no plug existingCW 2110 Pannetach Pannet	B. 1	Watermain Renewal	CW 2110					
bedding, Class 3 backfillCW 2110aGB. 2 a)Hydrant Assembly SD-007CW 2110each3B. 3 a)Watermain Valve 200mmCW 2110each3B. 4 a)Fittings Bends (SD-004) 200mm - 45°CW 2110each4B. 5 a)Water Services 19mm bedding, Class 3 backfillCW 2110 CW 2110m185.0B. 6 b a)Corporation Stops 19mmCW 2110 bedding, Class 3 backfillCW 2110 each43B. 7 a)Curb Stops 19mmCW 2110 cacheach43B. 7 a)Curb Stops 19mmCW 2110 each26B. 8 a)Curb Stops Boxes 19mmCW 2110 each26B. 9 a)Connecting to Existing Watermains and Large Diameter Water Services a) In-line connection - no plug existingCW 2110 curb 2110each	a)	200mm						
a)SD-007eachaB. 3 a)Watermain Valve 200mmCW 2110 eacheach3B. 4 a)Fittings Bends (SD-004) 200mm - 45°CW 2110 Pandseach4B. 5 a)Water Services 19mm trenchless installation, Class B sand bedding, Class 3 backfillCW 2110 Pandsm185.0B. 6 a)Corporation Stops 19mmCW 2110 Pandsm185.0B. 6 a)Corporation Stops 19mmCW 2110 Pandseach43B. 7 a)Curb Stops 19mmCW 2110 Pandseach26B. 8 a)Curb Stop Boxes 19mmCW 2110 Pandseach26B. 9 a)Connecting to Existing Watermains and Large Diameter Water Services a)CW 2110 Pandseach26B. 9 a)Connecting to Existing Watermains and Large Diameter Water Services PandsCW 2110 Pandseach26	i)			m	207.0			
B. 3 a)Watermain Valve 200mmCW 2110 200mmeach3B. 4 a)Fittings Bends (SD-004) 200mm - 45°CW 2110 200mm - 45°each4B. 5 a) i)Water Services 19mm trenchless installation, Class B sand bedding, Class 3 backfillCW 2110 CW 2110m185.0B. 6 a)Corporation Stops 19mmCW 2110 eachm185.0B. 7 a)Curb Stops 19mmCW 2110 19mmeach43B. 7 a)Curb Stop Boxes 19mmCW 2110 each26B. 8 a)Curb Stop Boxes 19mmCW 2110 each26B. 9 a)Connecting to Existing Watermains and Large Diameter Water Services an a)CW 2110 each26	B. 2	Hydrant Assembly	CW 2110					
a)200mmeach3B. 4 a) i)Fittings Bends (SD-004) 200mm - 45°CW 2110 Pamm trenchless installation, Class B sand bedding, Class 3 backfillCW 2110 mAB. 5 a)Water Services 19mm trenchless installation, Class B sand bedding, Class 3 backfillCW 2110 Pamm mMater Services Pamm mMater Services Pamm mB. 6 a)Corporation Stops 19mmCW 2110 PammPaechA3B. 7 a)Curb Stops 19mmCW 2110 PammPaechA3B. 8 a)Curb Stop Boxes 19mmCW 2110 PammPaech26B. 9 a)Connecting to Existing Watermains and Large Diameter Water Services In-line connection - no plug existingCW 2110 PammPaech26	a)	SD-007		each	3			
B. 4 a)Fittings Bends (SD-004) 200mm - 45°CW 2110 PeachPeach4B. 5 a)Water Services 19mm trenchless installation, Class B sand bedding, Class 3 backfillCW 2110 mm185.0B. 6 a)Croporation Stops 19mmCW 2110 eachm185.0B. 7 a)Curb Stops 19mmCW 2110 19mmeach43B. 7 a)Curb Stops 19mmCW 2110 eacheach26B. 8 a)Curb Stop Boxes 19mmCW 2110 eacheach26B. 9 a)Connecting to Existing Watermains and Large Diameter Water Services anCW 2110 eacheach26	B. 3	Watermain Valve	CW 2110					
a)Bends (SD-004) 200mm - 45°each4B. 5Water Services 19mm trenchless installation, Class B sand bedding, Class 3 backfillCW 2110m185.0B. 6Corporation Stops 19mmCW 2110each43B. 7Curb Stops 19mmCW 2110each43B. 7Curb Stops 19mmCW 2110each26B. 8Curb Stop Boxes 19mmCW 2110each26B. 8Curb Stop Boxes 19mmCW 2110each26B. 9Connecting to Existing Watermains and Large Diameter Water Services a)CW 2110each26	a)	200mm		each	3			
i)200mm - 45°each4B. 5 (19mm) (1)19mm (19mm) (19mm) (19mm) (19mm)19mm (19mm)CW 2110 (19mm)m185.0B. 6 (a)Corporation Stops (19mm)CW 2110 (19mm)each43B. 7 (19mm)Curb Stops (19mm)CW 2110 (19mm)each26B. 8 (a)Curb Stop Boxes (19mm)CW 2110 (19mm)each26B. 8 (a)Connecting to Existing Watermains and Large Diameter Water Services (19mm)CW 2110 (19mm)each26	B. 4	Fittings	CW 2110					
i)200mm - 45°each4B. 5 (19mm) (1)19mm (19mm) (19mm) (19mm) (19mm)19mm (19mm)CW 2110 (19mm)m185.0B. 6 (a)Corporation Stops (19mm)CW 2110 (19mm)each43B. 7 (19mm)Curb Stops (19mm)CW 2110 (19mm)each26B. 8 (a)Curb Stop Boxes (19mm)CW 2110 (19mm)each26B. 8 (a)Connecting to Existing Watermains and Large Diameter Water Services (19mm)CW 2110 (19mm)each26	a)	Bends (SD-004)						
a)19mm trenchless installation, Class B sand bedding, Class 3 backfillm185.0B. 6Corporation Stops 19mmCW 2110 eacheach43B. 7Curb Stops 19mmCW 2110 19mmeach26B. 8Curb Stop Boxes 19mmCW 2110 eacheach26B. 9Connecting to Existing Watermains and In-line connection - no plug existingCW 2110 cW 2110each26	,	· · · · · ·		each	4			
i)trenchless installation, Class B sand bedding, Class 3 backfillm185.0B. 6 a)Corporation Stops 19mmCW 2110 each43B. 7 a)Curb Stops 19mmCW 2110 19mmeach26B. 8 a)Curb Stop Boxes 19mmCW 2110 eacheach26B. 9 a)Connecting to Existing Watermains and Large Diameter Water Services a)CW 2110 eacheach26	B. 5	Water Services	CW 2110					
i)trenchless installation, Class B sand bedding, Class 3 backfillm185.0B. 6 a)Corporation Stops 19mmCW 2110 each43B. 7 a)Curb Stops 19mmCW 2110 19mmeach26B. 8 a)Curb Stop Boxes 19mmCW 2110 eacheach26B. 9 a)Connecting to Existing Watermains and Large Diameter Water Services a)CW 2110 eacheach26	a)	19mm						
a)19mmeach43B. 7 a)Curb Stops 19mmCW 2110 each26B. 8 a)Curb Stop Boxes 19mmCW 2110 each26B. 9 b. 9 a)Connecting to Existing Watermains and Large Diameter Water Services In-line connection - no plug existingCW 2110 cW 211026				m	185.0			
a)19mmeach43B. 7 a)Curb Stops 19mmCW 2110 each26B. 8 a)Curb Stop Boxes 19mmCW 2110 each26B. 9 b. 9 a)Connecting to Existing Watermains and Large Diameter Water Services an In-line connection - no plug existingCW 2110 curb 211026	B. 6	Corporation Stops	CW 2110					
a)19mmeach26B. 8 a)Curb Stop Boxes 19mmCW 2110 eacheach26B. 9 b. 9 a)Connecting to Existing Watermains and Large Diameter Water Services In-line connection - no plug existingCW 2110each26	a)	19mm		each	43			
a)19mmeach26B. 8 a)Curb Stop Boxes 19mmCW 2110 eacheach26B. 9 b. 9Connecting to Existing Watermains and Large Diameter Water Services In-line connection - no plug existingCW 2110each26	B. 7	Curb Stops	CW 2110					
a)19mmeach26B. 9Connecting to Existing Watermains and Large Diameter Water Services In-line connection - no plug existingCW 2110Image: CW 2110		-		each	26			
a)19mmeach26B. 9Connecting to Existing Watermains and Large Diameter Water Services In-line connection - no plug existingCW 2110Image: CW 2110	B. 8	Curb Stop Boxes	CW 2110					
Large Diameter Water Services a) In-line connection - no plug existing				each	26			
	B. 9		CW 2110					
i) 200mm each 2	a)	In-line connection - no plug existing						
	i)	200mm		each	2			

		SPEC.		APPROX.	UNIT	
ITEM	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
B. 10	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	43		
B. 11	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Metallic Watermains		each	1.0		
b)	On Water Services		each	36.0		
B. 12	Continuity Bonding	CW 2110	each	11		
B. 13 a)	Partial Slab Patches 150mm reinforced concrete pavement	E6	m²	5.0		
B. 14 a)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A)	CW 3235	m²	150.0		
B. 15 a) m	Concrete Curb Renewal Barrier curb (SD-204) Ramp curb	CW 3240	m m	20.0 5.0		
B. 16	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	1.0		
	Sherburn St- Ellice Ave to 314 N of Ell	ice Ave		1	Subtotal B:	
CI	Victor St- St. Matthews Ave to 250 N o	f St. Matthew	s Ave			
C. 1	Watermain Renewal	CW 2110				
a) i)	150mm trenchless installation, Class B sand bedding, Class 3 backfill		m	1.0		
b) i)	200mm trenchless installation, Class B sand bedding, Class 3 backfill		m	235.0		
C. 2 a)	Hydrant Assembly SD-007	CW 2110	each	3		
C. 3 a)	Watermain Valve 200mm	CW 2110	each	3		
C. 4	Fittings	CW 2110				

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT	AMOUNT
		REF.	-	QUANTITY	PRICE	
a)	Tees		aaab	4		
i)	200mm X 200mm X 150mm		each	1		
C. 5	Water Services	CW 2110				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	223.0		
b)	25mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	1.0		
C. 6	Corporation Stops	CW 2110				
a)	19mm		each	54		
b)	25mm		each	1		
0 7		014/04/40				
C. 7	Curb Stops 19mm	CW 2110	each	21		
a)	191111		each	21		
C. 8	Curb Stop Boxes	CW 2110				
a)	19mm		each	21		
C. 9	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)	150mm		each	1		
ii)	200mm		each	2		
C. 10	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	54		
b)	25mm		each	1		
0 11	10.0 Kilogram Saarifisial Zina Anadaa	CW 2110				
C. 11 a)	10.9 Kilogram Sacrificial Zinc Anodes On Water Services	GVV 2110	a a a b	50.0		
a)	On water Services		each	56.0		
C. 12	Continuity Bonding	CW 2110	each	13		
C. 13	Partial Slab Patches	E6				
a)	150mm reinforced concrete		m²	5.0		
,	pavement					
C. 14 a)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A)	CW 3235	m²	110.0		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.		AMOUNT
		REF.		QUANTITY	PRICE	
C. 15	Concrete Curb Renewal	CW 3240				
a)	Barrier curb (SD-204)		m	10.0		
b)	Ramp curb		m	5.0		
C. 16	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	1.0		
	Victor St- St. Matthews Ave to 250 N o	f St. Matthew	vs Ave		Subtotal C:	
D	Wall St- 100 N of Ellice Ave to 250 N of	Ellice Ave				
D. 1	Watermain Renewal	CW 2110				
р. т а)	150mm	0112110				
i)			m	1.0		
.,	bedding, Class 3 backfill					
b)	200mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	148.0		
D. 2	Hydrant Assembly	CW 2110				
a)	SD-007		each	2		
D. 3	Watermain Valve	CW 2110	1			
a)	150mm		each	1		
b)	200mm		each	2		
D. 4	Fittings	CW 2110				
a)	Tees					
i)	200mm X 200mm X 150mm		each	1		
b)	Bends (SD-004)					
i)	200mm - 11 1/4°		each	2		
D. 5	Water Services	CW 2110				
a)	25mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	2.0		
b)	38mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	1.0		
c)	50mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	2.0		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT	AMOUNT
		REF.		QUANTITY	PRICE	
D. 6	Corporation Stops	CW 2110				
a)	25mm		each	3		
b)	38mm		each	1		
c)	50mm		each	1		
D. 7	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)	150mm		each	1		
ii)	200mm		each	2		
D. 8	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	25mm		each	3		
b)	38mm		each	1		
c)	50mm		each	1		
D. 9 a)	10.9 Kilogram Sacrificial Zinc Anodes On Water Services	CW 2110	each	4.0		
ч)			each	4.0		
D. 10 a)	Partial Slab Patches 200mm reinforced concrete pavement	E6	m²	30.0		
D. 11 a)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A)	CW 3235	m²	30.0		
D. 12 a)	Concrete Curb Renewal Barrier curb (SD-204)	CW 3240	m	10.0		
D. 13	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	1.0		
	Wall St- 100 N of Ellice Ave to 250 N of	f Ellice Ave			Subtotal D:	
<u>E</u>	Fort St- Graham Ave to Portage Ave					
E. 1 a) i)	Watermain Renewal 150mm trenchless installation, Class B sand	CW 2110	m	25.0		
)	bedding, Class 3 backfill			20.0		
b)	250mm					

					1 1 1 11-	
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT	AMOUNT
		REF.		QUANTITY	PRICE	
i)	trenchless installation, Class B sand		m	222.0		
	bedding, Class 3 backfill					
E. 2	Hydrant Assembly	CW 2110				
a)	SD-006		each	3		
E. 3	Watermain Valve	CW 2110				
a)	150mm		each	1		
,	250mm		each	2		
b)	2501111		each	2		
E. 4	Fittings	CW 2110				
	-	CVV 2110				
a)	Tees					
i)	250mm x 250mm x150 mm		each	5		
ii)	250mm x 250mm x 250 mm		each	1		
b)	Bends (SD-004)					
í)	150mm - 22 1/2°		each	1		
ii)	150mm - 45°		each	6		
,	250mm - 22 1/2°					
iii)			each	1		
iv)	250mm - 45°		each	2		
c)	Reducers					
i)	150mm - 100mm		each	1		
E. 5	Water Services	CW 2110				
a)	25mm					
i)	trenchless installation, Class B sand		m	17.0		
	bedding, Class 3 backfill					
b)	50mm					
i)	trenchless installation, Class B sand		m	2.0		
''	bedding, Class 3 backfill			2.0		
E. 6	Corporation Stops	CW 2110				
			acab			
a)	25mm		each	2		
b)	50mm		each	2		
E. 7	Curb Stops	CW 2110				
a)	25mm		each	1		
E. 8	Curb Stop Boxes	CW 2110				
a)	25mm		each	1		
E. 9	Connecting to Existing Watermains and	CW 2110				
	Large Diameter Water Services					
		-		-		-

		SPEC.		APPROX.	UNIT	
ITEM	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
a)	In-line connection - no plug existing					
i)	150mm		each	5		
ii)	250mm		each	3		
E. 10	Connecting Existing Copper Water Services to New Watermains	CW 2110				
			aaab	2		
a)	25mm		each	2		
b)	50mm		each	2		
E. 11	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Metallic Watermains		each	1.0		
b)	On Water Services		each	4.0		
,	Fort St- Graham Ave to Portage Ave				Subtotal E:	
F	Provisional Items					
F. 1	Fittings	CW 2110				
г. т а)	Bends (SD-005)	GW 2110				
i)	, , ,		each	2		
ii)	200mm - 45°		each	2		
iii)			each	2		
iv)	350mm - 45°		each	2		
		_	3			
F. 2	Granular Backfill Material	E_	m ³	50.0		
F. 3	Cement Stabilized Fill	E_	m ³	50.0		
F. 4	Temporary Pavement Restoration	E				
a)	Street Pavement		m²	230.0		
b)	Sidewalk		m²	10.0		
F. 5	Sodding	CW 3510	m²	50.0		
F. 6	Regrading of Existing Sewer Service - Up to 1.5 metres Long	CW 2110				
a)	150mm		each	1		
b)	200mm		each	1		
F. 7	Regrading of Existing Sewer Service - Longer Than 1.5 metres	CW 2110				
a)	150mm		m	1		

2012 WATERMAIN RENEWALS - CONTRACT NO. 3

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
b)	200mm		m	1			
F. 8	Remove and Replace Existing Catch Basin	CW 2130					
a)	SD-024		each	1			
b)	SD-025		each	1			
	Remove and Replace Existing Catch Pit	CW 2130					
a)	SD-023		each	1			
F. 10	Drainage Connection Pipe	CW 2130					
a)	250mm		m	10.0			
	Provisional Items				Subtotal F:		
	Grand Total:						
TOTAL	TOTAL BID PRICE (GST extra) (in figures)\$						

(in words)_____

Name of Bidder

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 131-2012

2012 WATERMAIN RENEWALS - CONTRACT NO. 3

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of ______ , 20_____ .

SIGNED AND SEALED in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)	
Per:	(Seal)
Per:	
(Name of Surety)	
By: (Attorney-in-Fact)	(Seal)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on ______, 20_____ , 20_____ for

BID OPPORTUNITY NO. 131-2012

2012 WATERMAIN RENEWALS - CONTRACT NO. 3

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within forty-five (45) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____,

(Name of Surety)

By: (Seal) (Seal)

_____ of

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(Date)

The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1

RE: BID SECURITY - BID OPPORTUNITY NO. 131-2012

2012 WATERMAIN RENEWALS – CONTRACT NO. 3

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on May 28, 2012

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)

Per:

(Authorized Signing Officer)

Per:

(Authorized Signing Officer)