

**FORM A: BID**  
(See B7)

1. Contract Title

**2012 REGIONAL STREET RENEWAL PROGRAM: CORYDON AVENUE WESTBOUND – NIAGARA STREET TO CORDOVA STREET, PAVEMENT RECONSTRUCTION / ST. JAMES STREET – SARGENT AVENUE TO WELLINGTON AVENUE, MAJOR REHABILITATION**

2. Bidder

\_\_\_\_\_  
Name of Bidder

\_\_\_\_\_  
Usual Business Name of Bidder as it appears on Invoice (if different from above)

\_\_\_\_\_  
Street

\_\_\_\_\_  
City

\_\_\_\_\_  
Province

\_\_\_\_\_  
Postal Code

(Mailing address if different)

\_\_\_\_\_  
Facsimile Number

\_\_\_\_\_  
Street or P.O. Box

\_\_\_\_\_  
City

\_\_\_\_\_  
Province

\_\_\_\_\_  
Postal Code

(Choose one)

The Bidder is:

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

\_\_\_\_\_  
Contact Person

\_\_\_\_\_  
Title

\_\_\_\_\_  
Telephone Number

\_\_\_\_\_  
Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.

5. Offer

The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security In accordance with B10.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.

8. Commencement of the Work The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.		Dated	
_____		_____	_____
_____		_____	_____
_____		_____	_____

11. Time This offer shall be open for acceptance, binding and irrevocable for a period of Sixty (60) Calendar Days following the Submission Deadline.

12. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_ .

Signature of Bidder or  
Bidder's Authorized Official or Officials

\_\_\_\_\_

(Print here name and official capacity of individual whose signature appears above)

\_\_\_\_\_

(Print here name and official capacity of individual whose signature appears above)

**FORM B: PRICES**

**2012 REGIONAL STREET RENEWAL PROGRAM: CORYDON AVENUE WESTBOUND - NIAGARA STREET TO CORDOVA STREET, PAVEMENT RECONSTRUCTION / ST. JAMES STREET - SARGENT AVENUE TO WELLINGTON AVENUE, MAJOR REHABILITATION**

(SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>CITY FUNDED WORK</b>						
<b>A PAVEMENT RECONSTRUCTION: CORYDON AVENUE WESTBOUND - NIAGARA STREET / CORDOVA STREET</b>						
<b>EARTH AND BASE WORKS</b>						
A.1	Excavation	CW 3110-R15	m <sup>3</sup>	2,250		
A.2	Sub-Grade Compaction	CW 3110-R15	m <sup>2</sup>	1,000		
A.3	Crushed Sub-base Material	CW 3110-R15				
	i) 50 mm		tonne	1,300		
	ii) 100 mm		tonne	3,400		
A.4	Supplying and Placing Limestone Base Course Material	CW 3110-R15	m <sup>3</sup>	270		
A.5	Grading of Boulevards	CW 3110-R15	m <sup>2</sup>	860		
A.6	Imported Fill Material	CW 3110-R15	m <sup>3</sup>	75		
A.7	Separation Geotextile Fabric	CW 3130-R4	m <sup>2</sup>	3,400		
A.8	Supply and Install Geogrid	CW 3135-R1	m <sup>2</sup>	2,250		
<b>ROADWORKS - REMOVALS / RENEWALS</b>						
A.9	Pavement Removal	CW 3110-R15				
	i) Concrete Pavement		m <sup>2</sup>	2,770		
	ii) Asphalt Pavement		m <sup>2</sup>	145		
A.10	Drilled Dowels	CW 3230-R7				
	i) 19.1 mm Diameter		each	90		
A.11	Drilled Tie Bars	CW 3230-R7				
	i) 20 M Deformed Tie Bar		each	110		
A.12	Miscellaneous Concrete Slab Removal	CW 3235-R9				
	i) 100 mm Sidewalk		m <sup>2</sup>	5		

**FORM B: PRICES**

**2012 REGIONAL STREET RENEWAL PROGRAM: CORYDON AVENUE WESTBOUND - NIAGARA STREET TO CORDOVA STREET, PAVEMENT RECONSTRUCTION / ST. JAMES STREET - SARGENT AVENUE TO WELLINGTON AVENUE, MAJOR REHABILITATION**

(SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	<b>ROADWORKS - REMOVALS / RENEWALS</b> (Cont'd.)					
A.13	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
	i) 100 mm Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m <sup>2</sup>	40		
	b) 5 sq.m. to 20 sq.m.		m <sup>2</sup>	125		
	c) Greater than 20 sq.m.		m <sup>2</sup>	420		
A.14	Removal of Precast Sidewalk Blocks	CW 3235-R9	m <sup>2</sup>	16		
A.15	Concrete Curb Removal	CW 3240-R9				
	i) Barrier Separate		m	40		
	ii) Splash Strip Separate		m	35		
A.16	Concrete Curb Installation	CW 3240-R9				
	i) Barrier (150 mm Reveal ht, Dowelled)	SD-205	m	25		
	ii) Splash Strip (180 mm Reveal ht, Monolithic Barrier Curb, 750 mm width)	SD-223A	m	35		
A.17	Concrete Curb Renewal	CW 3240-R9				
	i) Barrier (150 mm Reveal ht, Dowelled)	SD-205, SD-206A				
	a) Less than 3 m		m	30		
	b) 3 m to 30 m		m	20		
	ii) Curb Ramp (10-15 mm Reveal ht, Integral)	SD-229C,D	m	40		
	iii) Splash Strip (180 mm Reveal ht, Monolithic Barrier Curb, 750 mm width)	SD-223A	m	4		
A.18	Planing of Pavement	CW 3450-R5				
	i) 0 - 50 mm Depth (Asphalt)		m <sup>2</sup>	740		
	<b>ROADWORK - NEW CONSTRUCTION</b>					
A.19	Detectable Warning Surface Tiles	E12				
	i) 610 mm X 1220 mm		each	46		

**FORM B: PRICES**

**2012 REGIONAL STREET RENEWAL PROGRAM: CORYDON AVENUE WESTBOUND - NIAGARA STREET TO CORDOVA STREET, PAVEMENT RECONSTRUCTION / ST. JAMES STREET - SARGENT AVENUE TO WELLINGTON AVENUE, MAJOR REHABILITATION**

(SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	<b>ROADWORK - NEW CONSTRUCTION</b> (Cont'd.)					
A.20	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R14, E18				
	i) Construction of 230 mm Concrete Pavement (Plain-Dowelled), Slip Form Paving		m <sup>2</sup>	2,150		
	ii) Construction of 230 mm Concrete Pavement (Plain-Dowelled)		m <sup>2</sup>	110		
	iii) Construction of 230 mm Concrete Pavement for Early Opening 72 Hour (Plain-Dowelled)		m <sup>2</sup>	200		
	iv) Construction of 200 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m <sup>2</sup>	125		
	v) Construction of 200 mm Concrete Pavement for Early Opening 72 Hour (Plain-Dowelled)		m <sup>2</sup>	310		
A.21	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R14				
	i) Construction of Modified Barrier (180 mm ht, Dowelled)	SD-203B	m	60		
	ii) Construction of Curb Ramp (10-15 mm ht, Integral)	SD-229C	m	100		
	iii) Slip Form Paving Construction of Splash Strip (180 mm ht, Monolithic Barrier Curb, 750 mm width)	SD-223A	m	360		
	iv) Construction of Splash Strip (180 mm ht, Monolithic Modified Barrier Curb, 750 mm width)	SD-223A	m	75		
A.22	Supply and Installation of Dowel Assemblies	CW 3310-R14	m	500		
A.23	100 mm Concrete Sidewalk	CW 3325-R5	m <sup>2</sup>	60		
A.24	Construction of Asphaltic Concrete Pavements	CW 3410-R9				
	i) Main Line Paving					
	a) Type IA		tonne	80		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	60		

**FORM B: PRICES**

**2012 REGIONAL STREET RENEWAL PROGRAM: CORYDON AVENUE WESTBOUND - NIAGARA STREET TO CORDOVA STREET, PAVEMENT RECONSTRUCTION / ST. JAMES STREET - SARGENT AVENUE TO WELLINGTON AVENUE, MAJOR REHABILITATION**

(SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>JOINT AND CRACK SEALING</b>						
A.25	Reflective Crack Maintenance	CW 3250-R7	m	100		
<b>ASSOCIATED DRAINAGE AND UNDERGROUND WORKS</b>						
A.26	Catch Basin	CW 2130-R12				
	i) SD-024, 1800 mm deep		each	4		
A.27	Sewer Service	CW 2130-R12				
	i) 250 mm, PVC LDS					
	a) In a Trench, Class B Type 3 Bedding, Class 3 Backfill		m	40		
A.28	Sewer Service Risers	CW 2130-R12				
	i) 250 mm					
	a) SD-015		vert m	9		
A.29	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
	i) AP-004 - Standard Frame for Manhole and Catch Basin		each	8		
	ii) AP-005 - Standard Solid Cover for Standard Frame		each	7		
	iii) AP-006 - Standard Grated Cover for Standard Frame		each	1		
A.30	Connecting to Existing Sewer	CW 2130-R12, E16				
	i) 250 mm PVC Connecting Pipe					
	a) Connecting to 2750 mm Concrete Sewer		each	3		
A.31	Connecting New Sewer Service to Existing Sewer Service	CW 2130-R12				
	i) 250 mm		each	4		
A.32	Removal of Existing Catch Basins	CW 2130-R12	each	3		

**FORM B: PRICES**

**2012 REGIONAL STREET RENEWAL PROGRAM: CORYDON AVENUE WESTBOUND - NIAGARA STREET TO CORDOVA STREET, PAVEMENT RECONSTRUCTION / ST. JAMES STREET - SARGENT AVENUE TO WELLINGTON AVENUE, MAJOR REHABILITATION**

(SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	<b>ASSOCIATED DRAINAGE AND UNDERGROUND WORKS (Cont'd.)</b>					
A.33	Removal of Existing Catch Pit	CW 2130-R12	each	3		
A.34	Installation of Subdrains	CW 3120-R4	m	72		
A.35	Abandoning Existing Sewer Services Under Pavement	CW 2130-R12	each	4		
A.36	Removal of Existing Sewer Service	CW 2130-R12	m	15		
	<b>ADJUSTMENTS</b>					
A.37	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	8		
A.38	Replacing Existing Risers	CW 2130-R12				
	i) Pre-cast Concrete Risers		vert. m	5		
A.39	Lifter Rings	CW 3210-R7				
	i) 51 mm		each	8		
A.40	Adjustment of Valve Boxes	CW 3210-R7	each	3		
A.41	Adjustment of Curb Stop Boxes	CW 3210-R7	each	2		
	<b>LANDSCAPING</b>					
A.42	Sodding	CW 3510-R9				
	i) width < 600 mm		m <sup>2</sup>	150		
	ii) width > or = 600 mm		m <sup>2</sup>	1,100		
	<b>MISCELLANEOUS</b>					
A.43	Bus Stop Upgrade	E17.	l. sum	1		
<b>A</b>	<b>PAVEMENT RECONSTRUCTION: CORYDON AVENUE WESTBOUND - NIAGARA STREET / CORDOVA STREET</b>				Sub-Total:	



**FORM B: PRICES**

**2012 REGIONAL STREET RENEWAL PROGRAM: CORYDON AVENUE WESTBOUND - NIAGARA STREET TO CORDOVA STREET, PAVEMENT RECONSTRUCTION / ST. JAMES STREET - SARGENT AVENUE TO WELLINGTON AVENUE, MAJOR REHABILITATION**

(SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>B REHABILITATION: ST. JAMES STREET - SARGENT AVENUE / WELLINGTON AVENUE</b>						
<b>EARTH AND BASE WORKS</b>						
B.1	Excavation	CW 3110-R15	m <sup>3</sup>	540		
B.2	Sub-Grade Compaction	CW 3110-R15	m <sup>2</sup>	1810		
B.3	Supplying and Placing Base Course Material	CW 3110-R15	m <sup>3</sup>	200		
B.4	Crushed Sub-base Material	CW 3110-R15				
i)	50 mm		tonne	970		
B.5	Separation Geotextile Fabric	CW 3130-R4	m <sup>2</sup>	1810		
<b>ROADWORKS - REMOVALS / RENEWALS</b>						
B.6	Pavement Removal	CW 3110-R15				
i)	Concrete Pavement		m <sup>2</sup>	1475		
B.7	Slab Replacement	CW 3230-R7				
i)	230 mm Concrete Pavement (Plain-Dowelled)		m <sup>2</sup>	300		
B.8	Partial Slab Patches	CW 3230-R7				
i)	230 mm Concrete Pavement (Type A)		m <sup>2</sup>	25		
ii)	230 mm Concrete Pavement (Type B)		m <sup>2</sup>	180		
iii)	230 mm Concrete Pavement (Type C)		m <sup>2</sup>	20		
iv)	230 mm Concrete Pavement (Type D)		m <sup>2</sup>	90		
B.9	Slab Replacement - Early Opening (72 hour)	CW 3230-R7				
i)	230 mm Concrete Pavement (Plain-Dowelled)		m <sup>2</sup>	60		

**FORM B: PRICES**

**2012 REGIONAL STREET RENEWAL PROGRAM: CORYDON AVENUE WESTBOUND - NIAGARA STREET TO CORDOVA STREET, PAVEMENT RECONSTRUCTION / ST. JAMES STREET - SARGENT AVENUE TO WELLINGTON AVENUE, MAJOR REHABILITATION**

(SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	<b>ROADWORKS - REMOVALS / RENEWALS</b> (Cont'd.)					
B.10	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R7				
	i) 230 mm Concrete Pavement (Type A)		m <sup>2</sup>	10		
	ii) 230 mm Concrete Pavement (Type B)		m <sup>2</sup>	60		
	iii) 230 mm Concrete Pavement (Type C)		m <sup>2</sup>	10		
	iv) 230 mm Concrete Pavement (Type D)		m <sup>2</sup>	35		
B.11	Drilled Dowels	CW 3230-R7				
	i) 19.1 mm Diameter		each	400		
B.12	Drilled Tie Bars	CW 3230-R7				
	i) 20 M Deformed Tie Bar		each	1150		
B.13	Miscellaneous Concrete Slab Removal	CW 3235-R9				
	i) 100 mm Sidewalk		m <sup>2</sup>	420		
	ii) Monolithic Curb and Sidewalk		m <sup>2</sup>	985		
B.14	Miscellaneous Concrete Slab Installation	CW 3235-R9				
	i) 100 mm Sidewalk	SD-228A	m <sup>2</sup>	1650		
B.15	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
	i) 100 mm Sidewalk	SD-228A				
	a) 5 sq.m. to 20 sq.m.		m <sup>2</sup>	65		
B.16	Concrete Curb Removal	CW 3240-R9				
	i) Barrier Separate		m	250		
B.17	Concrete Curb Installation	CW 3240-R9, E15				
	i) Barrier (180 mm Reveal ht, Dowelled), Slip Form Paving	SD-205	m	265		
	ii) Barrier (180 mm Reveal ht, Dowelled)	SD-205	m	50		

**FORM B: PRICES**

**2012 REGIONAL STREET RENEWAL PROGRAM: CORYDON AVENUE WESTBOUND - NIAGARA STREET TO CORDOVA STREET, PAVEMENT RECONSTRUCTION / ST. JAMES STREET - SARGENT AVENUE TO WELLINGTON AVENUE, MAJOR REHABILITATION**

(SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	<b>ROADWORKS - REMOVALS / RENEWALS</b> (Cont'd.)					
B.18	Concrete Curb Renewal	CW 3240-R9, E15				
	i) Barrier (180 mm Reveal ht, Separate), Slip Form Paving	SD-203A				
	a) 3 m to 30 m		m	310		
	ii) Modified Barrier (150 mm Reveal ht, Dowelled)	SD-203B	m	90		
	iii) Curb Ramp (10-15 mm Reveal ht, Integral)	SD-229C,D	m	105		
B.19	Construction of Asphaltic Concrete Overlay	CW 3410-R9				
	i) Main Line Paving					
	a) Type IA		tonne	1500		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	200		
B.20	Planing of Pavement	CW 3450-R5				
	i) 0 - 50 mm Depth (Asphalt)		m <sup>2</sup>	5500		
	ii) 50 - 100 mm Depth (Asphalt)		m <sup>2</sup>	500		
B.21	Detectable Warning Surface Tiles	E12				
	i) 610 mm X 1220 mm		each	8		
	<b>ROADWORK - NEW CONSTRUCTION</b>					
B.22	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R14				
	i) Construction of 230 mm Concrete Pavement (Plain-Dowelled)		m <sup>2</sup>	730		
	ii) Construction of 230 mm Concrete Pavement for Early Opening 72 Hour (Plain-Dowelled)		m <sup>2</sup>	730		
B.23	Supply and Installation of Dowel Assemblies	CW 3310-R14	m	165		

**FORM B: PRICES**

**2012 REGIONAL STREET RENEWAL PROGRAM: CORYDON AVENUE WESTBOUND - NIAGARA STREET TO CORDOVA STREET, PAVEMENT RECONSTRUCTION / ST. JAMES STREET - SARGENT AVENUE TO WELLINGTON AVENUE, MAJOR REHABILITATION**

(SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	<b>JOINT AND CRACK SEALING</b>					
B.24	Reflective Crack Maintenance	CW 3250-R7	m	1200		
	<b>ASSOCIATED DRAINAGE AND UNDERGROUND WORKS</b>					
B.25	Catch Basin	CW 2130-R12				
	i) SD-024, 1800 mm deep		each	5		
	ii) SD-025, 1800 mm deep		each	1		
B.26	Drainage Connection Pipe	CW 2130-R12	m	25		
B.27	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
	i) AP-004 - Standard Frame for Manhole and Catch Basin		each	9		
	ii) AP-005 - Standard Solid Cover for Standard Frame		each	7		
	iii) AP-006 - Standard Grated Cover for Standard Frame		each	2		
	iv) AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	2		
	v) AP-009 - Barrier Curb and Gutter Inlet Cover		each	2		
B.28	Connecting New Sewer Service to Existing Sewer Service	CW 2130-R12				
	i) 250 mm PVC Connecting Pipe					
	a) Connecting to 450 mm Concrete Sewer		each	1		
B.29	Connecting New Sewer Service to Existing Sewer Service	CW 2130-R12				
	i) 250 mm		each	3		
B.30	Removal of Existing Catch Basins	CW 2130-R12	each	5		
B.31	Removal of Existing Catch Pit	CW 2130-R12	each	3		
B.32	Installation of Subdrains	CW 3120-R4	m	48		

**FORM B: PRICES**

**2012 REGIONAL STREET RENEWAL PROGRAM: CORYDON AVENUE WESTBOUND - NIAGARA STREET TO CORDOVA STREET, PAVEMENT RECONSTRUCTION / ST. JAMES STREET - SARGENT AVENUE TO WELLINGTON AVENUE, MAJOR REHABILITATION**

(SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	<b>ADJUSTMENTS</b>					
B.33	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	9		
B.34	Replacing Existing Risers	CW 2130-R12				
	i) Pre-cast Concrete Risers		vert. m	3		
B.35	Lifter Rings	CW 3210-R7				
	i) 51 mm		each	8		
	ii) 64 mm		each	2		
B.36	Adjustment of Valve Boxes	CW 3210-R7	each	15		
B.37	Valve Box Extensions	CW 3210-R7	each	5		
B.38	Adjustment of Curb Stop Boxes	CW 3210-R7	each	6		
B.39	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	2		
B.40	Curb Stop Extensions	CW 3210-R7	each	2		
B.41	Adjustment of Traffic Signal Service Box Frames	CW 3210-R7	each	4		
	<b>LANDSCAPING</b>					
B.42	Salt Tolerant Grass Seeding	E11	m <sup>2</sup>	970		
<b>B</b>	<b>REHABILITATION: ST. JAMES STREET - SARGENT AVENUE / WELLINGTON AVENUE</b>				Sub-Total:	

**FORM B: PRICES**

**2012 REGIONAL STREET RENEWAL PROGRAM: CORYDON AVENUE WESTBOUND - NIAGARA STREET TO CORDOVA STREET, PAVEMENT RECONSTRUCTION / ST. JAMES STREET - SARGENT AVENUE TO WELLINGTON AVENUE, MAJOR REHABILITATION**

(SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>C SEWER REPAIRS: NIAGARA STREET AND ST. JAMES STREET</b>						
<b>NIAGARA STREET (MA60008153 &amp; MA60008163)</b>						
C.1	Sewer Inspection	CW 2145-R3				
	i) 300 mm					
	a) Post Repair		m	119		
C.2	Sewer Repair - Up to 3 Metres Long	CW 2130-R12				
	i) 300 mm					
	a) Class 3 Backfill		each	2		
C.3	Remove and Replace Existing Manhole	CW 2130-R12				
	i) SD-010					
	a) 1200 mm Base		vert m	4		
<b>ST. JAMES STREET (MA20009851)</b>						
C.4	Waste Water Sewer	CW 2130-R12				
	i) 250 mm SDR 35 PVC					
	a) Trenchless Installation, Class B Type 3 Bedding, Class 3 backfill		m	73		
C.5	Manholes	CW 2130-R12				
	i) SD-010					
	a) 1200 mm Base (MH.1)		vert. m	3.8		
	b) 1200 mm Base (MH.2)		vert. m	3.6		
C.6	Sewer Services	CW 2130-R12				
	i) 150 mm					
	a) Trenchless Installation, Class B Type 3 Bedding, Class 3 backfill		m	40		
	ii) 250 mm Catchbasin Lead					
	a) Trenchless Installation, Class B Type 3 Bedding, Class 3 backfill		m	15		

**FORM B: PRICES**

**2012 REGIONAL STREET RENEWAL PROGRAM: CORYDON AVENUE WESTBOUND - NIAGARA STREET TO CORDOVA STREET, PAVEMENT RECONSTRUCTION / ST. JAMES STREET - SARGENT AVENUE TO WELLINGTON AVENUE, MAJOR REHABILITATION**

(SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	<b>ST. JAMES STREET (MA20009851)</b> (Cont'd.)					
C.7	Connecting to Existing Manhole	CW 2130-R12				
	i) 250 mm		each	1		
C.8	Abandoning Existing Sewers with Cement-Stabilized Flowable Fill	CW 2130-R12				
	i) 250 mm Combined Sewer		m <sup>3</sup>	3.6		
	ii) 250 mm CB Leads		m <sup>3</sup>	1.4		
C.9	Abandoning Existing Manholes	CW 2130-R12	each	1		
C.10	Sewer Inspection	CW 2145-R3				
	i) Waste Water Sewers					
	a) 250 mm (New Sewer)		m	72.4		
C.11	Manhole Inspection	CW 2145-R3				
	i) New Manhole (MH.1)		each	1		
	ii) New Manhole (MH.2)		each	1		
<b>C</b>	<b>SEWER REPAIRS: NIAGARA STREET AND ST. JAMES STREET</b>				Sub-Total:	

**FORM B: PRICES**

**2012 REGIONAL STREET RENEWAL PROGRAM: CORYDON AVENUE WESTBOUND - NIAGARA STREET TO CORDOVA STREET, PAVEMENT RECONSTRUCTION / ST. JAMES STREET - SARGENT AVENUE TO WELLINGTON AVENUE, MAJOR REHABILITATION**

(SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>SUMMARY</b>						
<b>A</b>	<b>PAVEMENT RECONSTRUCTION: CORYDON AVENUE WESTBOUND - NIAGARA STREET / CORDOVA STREET</b>				Sub-Total:	
<b>B</b>	<b>REHABILITATION: ST. JAMES STREET - SARGENT AVENUE / WELLINGTON AVENUE</b>				Sub-Total:	
<b>C</b>	<b>SEWER REPAIRS: NIAGARA STREET AND ST. JAMES STREET</b>				Sub-Total:	
TOTAL BID PRICE (GST extra) <span style="float: right;">(in figures) _____</span>						
(in words) _____						
_____						

\_\_\_\_\_  
 Name of Bidder



**FORM G1: BID BOND AND AGREEMENT TO BOND**

(Page 1 of 2)  
(See B10)

**BID BOND**

KNOW ALL MEN BY THESE PRESENTS THAT

\_\_\_\_\_ (hereinafter called the "Principal") and

\_\_\_\_\_ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 159-2012

**2012 REGIONAL STREET RENEWAL PROGRAM: CORYDON AVENUE WESTBOUND – NIAGARA STREET TO CORDOVA STREET, PAVEMENT RECONSTRUCTION / ST. JAMES STREET – SARGENT AVENUE TO WELLINGTON AVENUE, MAJOR REHABILITATION**

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_.

SIGNED AND SEALED  
in the presence of:

\_\_\_\_\_  
(Witness as to Principal if no seal)

\_\_\_\_\_  
(Name of Principal)

Per: \_\_\_\_\_ (Seal)

Per: \_\_\_\_\_

\_\_\_\_\_  
(Name of Surety)

By: \_\_\_\_\_ (Seal)  
(Attorney-in-Fact)

**FORM G1: BID BOND AND AGREEMENT TO BOND**

(Page 2 of 2)  
(See B10)

**AGREEMENT TO BOND**

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

\_\_\_\_\_ of  
(Name of Bidder)

\_\_\_\_\_  
(Place)

the Bidder to you on \_\_\_\_\_, 20\_\_\_\_ for

BID OPPORTUNITY NO. 159-2012

**2012 REGIONAL STREET RENEWAL PROGRAM: CORYDON AVENUE WESTBOUND – NIAGARA STREET TO CORDOVA STREET, PAVEMENT RECONSTRUCTION / ST. JAMES STREET – SARGENT AVENUE TO WELLINGTON AVENUE, MAJOR REHABILITATION**

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within Sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_.

\_\_\_\_\_  
(Name of Surety)

By: \_\_\_\_\_ (Seal)  
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING  
(BID SECURITY) (Page 1 of 2)  
(See B10)**

\_\_\_\_\_  
(Date)

The City of Winnipeg  
Corporate Finance Department  
Materials Management Division  
185 King Street, Main Floor  
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 159-2012

**2012 REGIONAL STREET RENEWAL PROGRAM: CORYDON AVENUE WESTBOUND – NIAGARA STREET TO CORDOVA STREET, PAVEMENT RECONSTRUCTION / ST. JAMES STREET – SARGENT AVENUE TO WELLINGTON AVENUE, MAJOR REHABILITATION**

Pursuant to the request of and for the account of our customer,

\_\_\_\_\_  
(Name of Bidder)

\_\_\_\_\_  
(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

\_\_\_\_\_  
Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

\_\_\_\_\_  
(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING  
(BID SECURITY) (Page 2 of 2)  
(See B10)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 24, 2012

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

\_\_\_\_\_  
(Name of bank or financial institution)

Per: \_\_\_\_\_  
(Authorized Signing Officer)

Per: \_\_\_\_\_  
(Authorized Signing Officer)