FORM A: BID (See B8)

1.	Contract Title	2012 WATERMAIN RENEWALS – CO	NTRACT NO. 6
2.	Bidder		
		Name of Bidder	
		Usual Business Name of Bidder as it appears or	Invoice (if different from above)
		Street	
		City Province	e Postal Code
	(Mailing address if different)	Facsimile Number	
		Street or P.O. Box	
		City Province	e Postal Code
		GST Registration Number (if applicable)	
		The Bidder is:	
	(Choose one)	a sole proprietor	
		a partnership	
		a corporation	
		carrying on business under the above	name.
3.	Contact Person	The Bidder hereby authorizes the follothe Bidder for purposes of the Bid.	owing contact person to represent
		Contact Person Title	
		Telephone Number Facsimi	le Number
4.	Definitions	All capitalized terms used in the Coascribed to them in the General Condit	
5.	Offer	The Bidder hereby offers to perform Contract for the Total Bid Price, in Ca Prices, appended hereto.	

6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of forty-five (45) Calendar Days following the Submission Deadline.

12.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

(SEE B9)

2012 WATERMAIN RENEWALS - CONTRACT NO. 6

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	Donald Day 405 F of Donald Citie Do		l	Q 0 / 11 1 1		
<u>A</u>	Bardal Bay- 105 E of Degraff St to De 0	Fratt St				
A. 1	Watermain Renewal	CW 2110				
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	400.0		
b)	250mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	3.0		
A. 2	Hydrant Assembly	CW 2110				
a)	SD-006		each	5		
A 0	NA/ ata was a im N/ali va	CW 2440				
A. 3 a)	Watermain Valve 150mm	CW 2110	each	3		
a)	13011111		eacii	3		
A. 4	Fittings	CW 2110				
a)	Tees					
i)			each	1		
b)	Bends (SD-004)					
i)			each	2		
ii)			each	1		
iii) iv)			each	1 1		
iv)	13011111 - 90		each	'		
A. 5	Water Services	CW 2110				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	20.0		
A. 6	Corporation Stops	CW 2110				
a)	19mm		each	42		
A. 7	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)	150mm		each	1		
ii)	250mm		each	2		
A. 8	Connecting Existing Copper Water Services to New Watermains	CW 2110				

(SEE B9)

2012 WATERMAIN RENEWALS - CONTRACT NO. 6

UNIT P	RICES					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
a)	19mm		each	42		
A. 9	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Metallic Watermains		each	2.0		
b)	On Water Services		each	22.0		
A. 10	Continuity Bonding	CW 2110	each	20		
A. 11 a)	Sewer Inspection 250mm to 900mm	CW 2145	m	325		
,						
A. 12 a)	Partial Slab Patches 150mm reinforced concrete pavement	E6	m²	60.0		
A. 13 a)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A)	CW 3235	m²	5.0		
A. 14 a)	Concrete Curb Renewal Barrier curb (SD-204)	CW 3240	m	20.0		
A. 15	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	7.5		
	Bardal Bay- 105 E of Degraff St to De	Graff St			Subtotal A:	
<u>B</u>	De Graff PI- De Graff Bay (S Leg) to De	e Graff Bay (N	l Leg)			
B. 1	Watermain Renewal	CW 2110				
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	407.0		
b)	250mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	18.0		
B. 2	Hydrant Assembly	CW 2110				
a)	SD-006		each	3		
b)	SD-007		each	1		
B. 3	New Hydrant Assembly on Existing Watermain	CW 2110				

FORM B: PRICES (SEE B9)

2012 WATERMAIN RENEWALS - CONTRACT NO. 6

a) SD-007 B. 4 Watermain Valve 150mm b) 250mm CW 2110 B. 5 Fittings Bends (SD-004) ii) 150mm - 11 1/4° ii) 150mm - 90° 250mm - 45° b) Bends (SD-005) iii) 150mm - 11 1/4° iii) 150mm - 21 1/2° c) Crosses 250mm X250mm X 250mm X 250mm M 250mm X 250mm d) Reducers i) 250mm - 150mm each 1 B. 6 Water Services 19mm i) 19mm ii) 50mm trenchless installation, Class B sand bedding, Class 3 backfill b) 50mm trenchless installation, Class B sand bedding, Class 3 backfill b) 50mm Corporation Stops a) 19mm b) 50mm CW 2110 B. 8 Curb Stops a) 19mm b) 50mm CW 2110 B. 8 Curb Stops a) 19mm b) 50mm CW 2110 B. 8 Curb Stops a) 19mm b) 50mm CW 2110 B. 8 Curb Stops a) 19mm b) 50mm CW 2110 B. 9 Curb Stop Boxes CW 2110 each 4 each 4 each 4 each 4 each 4	ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT	AMOUNT
B. 4 a) Vatermain Valve 150mm b) 250mm CW 2110 B. 5 Bends (SD-004) i) 150mm - 11 1/4° ii) 150mm - 90° iii) 250mm - 45° Bends (SD-005) i) 150mm - 11 1/4° ii) 250mm - 11 1/4° ii) 250mm - 11 1/4° ii) 150mm - 22 1/2° C Crosses 250mm X250mm X 250mm X	I I E IVI		REF.	UNIT	QUANTITY	PRICE	AIVIOUNT
a) 150mm b) 250mm B. 5 Fittings a) Bends (SD-004) i) 150mm - 11 1/4° ii) 150mm - 90° 250mm - 45° b) Bends (SD-005) i) 150mm - 11 1/4° ii) 250mm - 42° c) Crosses 250mm X250mm X 250mm X 250mm - 22 1/2° c) Crosses i) 250mm - 150mm d) Reducers i) 250mm - 150mm b) Reducers i) 250mm - 150mm c) Reducers i) 250mm 150mm b) 50mm trenchless installation, Class B sand bedding, Class 3 backfill b) 50mm trenchless installation, Class B sand bedding, Class 3 backfill B. 7 Corporation Stops a) 19mm b) 50mm CW 2110 Each 37 Each 1 Each 2 Each 2 Each 2 Each 2 Each 3 Each 1 Each 3 Each 1 Each 1 Each 3 Each 1 Each 3 Each 1 Each 3 Each 1 Each 4 Each 4	a)	SD-007		each	1		
a) 150mm b) 250mm B. 5 Fittings a) Bends (SD-004) i) 150mm - 11 1/4° ii) 150mm - 90° 250mm - 45° b) Bends (SD-005) i) 150mm - 11 1/4° ii) 250mm - 42° c) Crosses 250mm X250mm X 250mm X 250mm - 22 1/2° c) Crosses i) 250mm - 150mm d) Reducers i) 250mm - 150mm b) Reducers i) 250mm - 150mm c) Reducers i) 250mm 150mm b) 50mm trenchless installation, Class B sand bedding, Class 3 backfill b) 50mm trenchless installation, Class B sand bedding, Class 3 backfill B. 7 Corporation Stops a) 19mm b) 50mm CW 2110 Each 37 Each 1 Each 2 Each 2 Each 2 Each 2 Each 3 Each 1 Each 3 Each 1 Each 1 Each 3 Each 1 Each 3 Each 1 Each 3 Each 1 Each 4 Each 4	R 4	Watermain Valve	CW 2110				
B. 5			OW 2110	each	2		
B. 5							
a) Bends (SD-004) i) 150mm - 11 1/4° ii) 150mm - 90° 250mm - 45° Bends (SD-005) i) 150mm - 11 1/4° ii) 250mm - 22 1/2° c) Crosses 250mm X250mm X 250mm X 250mm X250mm X 250mm X 250mm X250mm X 250mm X 250mm X 250mm M 12.0 B. 6 a) 19mm trenchless installation, Class B sand bedding, Class 3 backfill b) 50mm trenchless installation, Class B sand bedding, Class 3 backfill B. 7 Corporation Stops 19mm each 37 26	,			000	_		
150mm - 11 1/4° each 3 each 1 each 4 each 5 each 1 each 4 ea	B. 5	Fittings	CW 2110				
150mm - 90° each 1 each 4 b) Bends (SD-005) 150mm - 11 1/4° each 4 ii) 150mm - 22 1/2° each 4 c) Crosses 250mm X250mm X 250mm X 250mm X 250mm X 250mm each 1 d) Reducers 250mm - 150mm each 2 B. 6 a) 19mm trenchless installation, Class B sand bedding, Class 3 backfill b) 50mm trenchless installation, Class B sand bedding, Class 3 backfill b) 50mm each 37 each 1 B. 7 Corporation Stops 19mm each 37 each 1 B. 8 Curb Stops 19mm each 4 each 4 b) 50mm each 4 each 4 B. 9 Curb Stop Boxes 19mm each 4 each 4 B. 9 Curb Stop Boxes 19mm each 4 each 4	a)	Bends (SD-004)					
Bends (SD-005)	1				3		
b) Bends (SD-005) i) 150mm - 11 1/4° ii) 150mm - 22 1/2° c) Crosses 250mm X250mm X 250mm X 250mm d) Reducers i) 250mm - 150mm each 2 B. 6 Water Services a) 19mm i) trenchless installation, Class B sand bedding, Class 3 backfill b) 50mm i) trenchless installation, Class B sand bedding, Class 3 backfill B. 7 Corporation Stops a) 19mm b) 50mm CW 2110 a) 19mm each 37 each 1 B. 8 Curb Stops a) 19mm each 4 b) 50mm each 4	,						
150mm - 11 1/4°				each	4		
150mm - 22 1/2°		· · · · · · · · · · · · · · · · · · ·					
c) Crosses i) 250mm X250mm X 250mm X 250mm X 250mm X 250mm X 250mm X 250mm d) Reducers 250mm - 150mm i) 250mm - 150mm B. 6 Water Services 19mm 19mm 10mm 10mm 10mm 10mm 10mm 10mm							
i)				eacn	4		
250mm Reducers 250mm - 150mm each 2	C)						
B. 6	i)			each	1		
B. 6	d)	Reducers					
a) 19mm trenchless installation, Class B sand bedding, Class 3 backfill b) 50mm trenchless installation, Class B sand bedding, Class 3 backfill B. 7 Corporation Stops 19mm each 37 each 1 B. 8 Curb Stops CW 2110 a) 19mm each 4 b) 50mm CW 2110 each 4	i)	250mm - 150mm		each	2		
i) trenchless installation, Class B sand bedding, Class 3 backfill b) 50mm trenchless installation, Class B sand bedding, Class 3 backfill B. 7 Corporation Stops a) 19mm b) 50mm CW 2110 B. 8 Curb Stops a) 19mm each b) 50mm CW 2110 CW 2110 Each b) 50mm CW 2110 Each cach cach cach cach cach cach cach	B. 6	Water Services	CW 2110				
bedding, Class 3 backfill b) 50mm trenchless installation, Class B sand bedding, Class 3 backfill B. 7 Corporation Stops a) 19mm each 37 b) 50mm CW 2110 B. 8 Curb Stops a) 19mm each 4 b) 50mm CW 2110 each 4	a)	19mm					
i) trenchless installation, Class B sand bedding, Class 3 backfill B. 7 Corporation Stops	i)			m	12.0		
B. 7 Corporation Stops CW 2110 each 37 each 1 B. 8 Curb Stops CW 2110 each 4 each 4 b) 50mm each 4 each 4 B. 9 Curb Stop Boxes CW 2110 each 4 each 4 a) 19mm each 4 each 4	b)	50mm					
a) 19mm b) 50mm CW 2110 a) 19mm each 1 B. 8 Curb Stops a) 19mm each 4 b) 50mm CW 2110 each 4 each 4 each 4 each 4	i)			m	1.0		
b) 50mm	B. 7	Corporation Stops	CW 2110				
B. 8 Curb Stops a) 19mm each 4 b) 50mm CW 2110 each 4 each 4 each 4 B. 9 Curb Stop Boxes a) 19mm each 4	a)	19mm		each	37		
a) 19mm b) 50mm each 4 each 4 each 4 B. 9 Curb Stop Boxes a) 19mm each 4	b)	50mm		each	1		
a) 19mm b) 50mm each 4 each 4 each 4 B. 9 Curb Stop Boxes a) 19mm each 4	B. 8	Curb Stops	CW 2110				
B. 9 Curb Stop Boxes CW 2110 each 4	a)	19mm		each	4		
a) 19mm each 4	b)	50mm		each	4		
a) 19mm each 4	B. 9	Curb Stop Boxes	CW 2110				
b) 50mm each 4		· · · · · · · · · · · · · · · · · · ·		each	4		
(b)	50mm		each	4		

(SEE B9)

2012 WATERMAIN RENEWALS - CONTRACT NO. 6

CIVILLE	RICES					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B. 10	Connecting to Existing Watermains and Large Diameter Water Services In-line connection - no plug existing	CW 2110		Q 0/41111		
i)			each	2		
ii)			each	2		
B. 11	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	37		
b)	50mm		each	1		
B. 12 a)	10.9 Kilogram Sacrificial Zinc Anodes On Water Services	CW 2110	each	26.0		
B. 13	Continuity Bonding	CW 2110	each	15		
B. 14 a)	Partial Slab Patches 150mm reinforced concrete pavement	E6	m²	50.0		
B. 15 a)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A)	CW 3235	m²	15.0		
B. 16	Concrete Curb Renewal	CW 3240				
a)	Barrier curb (SD-204)		m	5.0		
b)	Ramp curb		m	15.0		
B. 17	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	2.5		
	De Graff PI- De Graff Bay (S Leg) to De	e Graff Bay (N	l Leg)		Subtotal B:	
<u>C</u>	Kimberly Ave- Golspie St to 200 W of	Golspie St				
C. 1	Watermain Renewal	CW 2110				
a)	250mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	246.0		
C. 2	Hydrant Assembly	CW 2110				
a)	SD-007		each	2		

(SEE B9)

2012 WATERMAIN RENEWALS - CONTRACT NO. 6

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C. 3	Watermain Valve	CW 2110				
a)	250mm		each	5		
C. 4	Fittings	CW 2110				
a)	Bends (SD-004)					
i)	250mm - 45°		each	8		
b)	Crosses					
i)	250mm X250mm X 250mm X 250mm		each	1		
C. 5	Water Services	CW 2110				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	15.0		
C. 6	Corporation Stops	CW 2110				
a)	19mm		each	25		
C. 7	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)	250mm		each	4		
C. 8	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	25		
C. 9	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Metallic Watermains		each	2.0		
b)	On Water Services		each	12.0		
C. 10	Continuity Bonding	CW 2110	each	13		
C. 11	Partial Slab Patches	E6				
a)	150mm reinforced concrete pavement		m²	30.0		
C. 12	Miscellaneous Concrete Slab Renewal	CW 3235	2			
a)	Sidewalk (SD-228A)		m²	110.0		
C. 13	Concrete Curb Renewal	CW 3240				
a)	Barrier curb (SD-204)		m	5.0		

(SEE B9)

2012 WATERMAIN RENEWALS - CONTRACT NO. 6

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
b)	Ramp curb		m	10.0		
C. 14	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	7.0		
	Kimberly Ave- Golspie St to 200 W of	Golspie St			Subtotal C:	
<u>D</u>	Rothesay St- 14 W of Edison Ave to 1	I E of Melmar	Ave			
D. 1 a)	Watermain Renewal 150mm	CW 2110				
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	6.0		
b)	200mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	210.0		
D. 2	Watermain Valve	CW 2110				
a)	150mm		each	2		
b)	200mm		each	4		
D. 3	Fittings	CW 2110				
a)	Tees					
i) b)	200mm X 200mm X 150mm Bends (SD-004)		each	3		
i)	200mm - 11 1/4°		each	2		
ii)	200mm - 45°		each	2		
c) i)	Crosses 200mm x 200mm X 200mm X 200mm		each	1		
D. 4	Water Services	CW 2110				
a) i)	19mm trenchless installation, Class B sand bedding, Class 3 backfill		m	2.0		
D. 5 a)	Corporation Stops 19mm	CW 2110	each	2		
D. 6	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				

(SEE B9)

2012 WATERMAIN RENEWALS - CONTRACT NO. 6

UNIT F	RICES	0000	I	A DD = 633		
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
a) i) ii)	In-line connection - no plug existing 150mm 200mm		each each	3 2		
D. 7	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	2		
D. 8 a)	10.9 Kilogram Sacrificial Zinc Anodes On Metallic Watermains	CW 2110	each	1.0		
D. 9	Continuity Bonding	CW 2110	each	2		
D. 10 a)	Partial Slab Patches 150mm reinforced concrete pavement	E6	m²	6.0		
D. 11 a)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A)	CW 3235	m²	25.0		
D. 12 a) b)	Concrete Curb Renewal Barrier curb (SD-204) Ramp curb	CW 3240	m	5.0 5.0		
,	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	1.5		
	Rothesay St- 14 W of Edison Ave to 11	I E of Melmar	Ave		Subtotal D:	
E	Edison Ave- 13 N of Rothesay St to 20	S of De Fehr	St			
E. 1	Watermain Renewal	CW 2110				
a) i)	150mm trenchless installation, Class B sand bedding, Class 3 backfill		m	4.0		
b) i)	200mm trenchless installation, Class B sand bedding, Class 3 backfill		m	185.0		
E. 2 a)	Hydrant Assembly SD-007	CW 2110	each	2		

(SEE B9)

2012 WATERMAIN RENEWALS - CONTRACT NO. 6

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
		NEF.		QUANTITY	FINICE	
E. 3	Watermain Valve	CW 2110				
a)	150mm		each	1		
b)	200mm		each	2		
E. 4	Fittings	CW 2110				
a)	Tees					
i)	200mm X 200mm X 150mm		each	1		
b)	Bends (SD-004)					
i)	200mm - 45°		each	2		
c)	Reducers					
i)	200mm - 150mm		each	1		
E. 5	Water Services	CW 2110				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	7.0		
b)	50mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	3.0		
E. 6	Corporation Stops	CW 2110				
a)	19mm		each	7		
b)	50mm		each	2		
E. 7	Curb Stops	CW 2110				
a)	19mm		each	2		
г о	Curb Stan Bayes	CW 2440				
	Curb Stop Boxes 19mm	CW 2110	each	2		
a)	19111111		eacii	2		
E. 9	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)	150mm		each	2		
ii)	200mm		each	1		
E. 10	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	7		

(SEE B9)

2012 WATERMAIN RENEWALS - CONTRACT NO. 6

UNIT PI	RIGES	SPEC.		APPROX.	UNIT	
ITEM	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
b)	50mm		each	2		
E. 11	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Metallic Watermains		each	1.0		
b)	On Water Services		each	7.0		
Í						
E. 12	Continuity Bonding	CW 2110	each	2		
E. 13	Partial Slab Patches	E6				
a)	150mm reinforced concrete		m²	20.0		
	pavement					
E. 14	Miscellaneous Concrete Slab Renewal	CW 3235				
a)	Sidewalk (SD-228A)		m²	20.0		
E. 15	Concrete Curb Renewal	CW 3240				
a)	Barrier curb (SD-204)	CVV 3240	m	5.0		
b)	Ramp curb		m	10.0		
Í	•					
	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	3.0		
	overlaye type in		l			
	Edison Ave- 13 N of Rothesay St to 20	S of De Fehr	St		Subtotal E:	
<u>F</u>	Provisional Items					
a)	Bends (SD-005)					
i)	150mm - 45°		each	2		
ii)	200mm - 45°		each	2		
iii)	250mm - 45°		each	2		
F. 1	Granular Backfill Material	E_	m ³	50.0		
F. 2	Sodding	CW 3510	m ²	50.0		
	Regrading of Existing Sewer Service - Up to 1.5 metres Long	CW 2110				
a)	150mm		each	1		
b)	200mm		each	1		
	Regrading of Existing Sewer Service - Longer Than 1.5 metres	CW 2110				
a)	150mm		m	1		

(SEE B9)

2012 WATERMAIN RENEWALS - CONTRACT NO. 6

UNITE	NICES					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
b)	200mm		m	1		
F. 5	Remove and Replace Existing Catch Basin	CW 2130				
a)	SD-024		each	1		
b)	SD-025		each	1		
F. 6 a)	Remove and Replace Existing Catch Pit SD-023	CW 2130	each	1		
F. 7 a)	Drainage Connection Pipe 250mm	CW 2130	m	10.0		
Provisional Items Subtotal G:						
	Grand Total					
TOTAL BID PRICE (GST extra) (in figures)\$						
(in words)						
Name of Bidder						

(Seal)

Template Version: C120110218 - C BCivil

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT (hereinafter called the "Principal") and					
WHEREAS the Principal has submitted a B	id to the Obligee for				
BID OPPORTUNITY NO. 227-2012					
2012 WATERMAIN RENEWALS - CONTR	RACT NO. 6				
as more fully set out in the Bid Opportunity.					
if said Bid is accepted and the Principal, in the said Obligee and furnishes the required	oligation is such that if the Bid of the Principal is not accordance with the terms of the Bid, enters into a deperformance security for guaranteeing the faithfuld, but otherwise shall remain in full force and effect.	Contract with			
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the				
day of	, 20				
SIGNED AND SEALED in the presence of:	(Name of Principal) Per:	(Soal)			
(Witness as to Principal if no seal)	Per:	(Seal)			
	(Name of Surety)				

Ву:

(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______ , 20____ for BID OPPORTUNITY NO. 227-2012 2012 WATERMAIN RENEWALS - CONTRACT NO. 6 in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within forty-five (45) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______ day of ______ , 20_____ . (Name of Surety) By: (Attorney-in-Fact) (Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(Date)	
Corpo Mater 185 K	city of Winnipeg strate Finance Department ials Management Division ing Street, Main Floor peg MB R3B 1J1
RE:	BID SECURITY - BID OPPORTUNITY NO. 227-2012
	2012 WATERMAIN RENEWALS – CONTRACT NO. 6
Pursu	ant to the request of and for the account of our customer,
(Name	of Bidder)
	EREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate
	Canadian dollars.
demai Letter payme	Standby Letter of Credit may be drawn on by you at any time and from time to time upon written nd for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand for ent without inquiring whether you have a right as between yourself and our customer to make such and without recognizing any claim of our customer or objection by the customer to payment by us.
	mount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be .
Partia	I drawings are permitted.
	ngage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at:
(Addres	es)
and w	e confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on June 8, 2012.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)			
Per:			
	(Authorized Signing Officer)		
Per:			
	(Authorized Signing Officer)		