FORM A: BID (See B7)

1.	Contract Title	2012 REGIONAL AND LOCAL STREET ALLEY PACKAGE – MCGREGOR STREET WEST, PEMBINA HIGHWAY EAST, A VARIOUS LOCATIONS	AND
2.	Bidder	Name of Bidder	
		Usual Business Name of Bidder as it appears on Invoice (if different from abo	ve)
		Street	
		City Province	Postal Code
	(Mailing address if different)	Email Address of Bidder	
		Facsimile Number	
		Street or P.O. Box	
	(Choose one)	City Province	Postal Code
		The Bidder is:	
		a sole proprietor	
		a partnership	
		a corporation	
		carrying on business under the above name.	
3.	Contact Person	The Bidder hereby authorizes the following contact person to the Bidder for purposes of the Bid.	o represen
		Contact Person Title	
		Telephone Number Facsimile Number	
4.	Definitions	All capitalized terms used in the Contract shall have the ascribed to them in the General Conditions.	meanings
5.	Offer	The Bidder hereby offers to perform the Work in accordance Contract for the Total Bid Price, in Canadian funds, set out of Prices, appended hereto.	

6.	Bid Security	In accordance with B10.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

FORM B: PRICES (SEE B8)

<u>UNIT PRI</u> ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY	3	
Α	GOULDING STREET/ MINTO STREET ALLI WOLEVER AVENUE	EY FROM PORT	AGE A	/ENUE TO		
A.1	Excavation	CW 3110-R15	m³	700		
	Zacaralisti		***	100		
A.2	Sub-Grade Compaction	CW 3110-R15	m²	1650		
A.3	Crushed Sub-base Material	CW 3110-R15				
i)	50 mm		tonne	1200		
ii)	100 mm		tonne	300		
A.4	Supplying and Placing Base Course Material	CW 3110-R15	m³	160		
A.5	Grading of Boulevards	CW 3110-R15	m²	100		
A.6	Separation Geotextile Fabric	CW 3130-R4	m²	1650		
A.7	Supply and Install Geogrid	CW 3135-R1	m²	500		
A.8	Pavement Removal	CW 3110-R15				
i)	Concrete Pavement		m²	1700		
ii)	Asphalt Pavement		m²	135		
A.9	Drilled Tie Bars	CW 3230-R7				
i)	15 M Deformed Tie Bar		each	275		
ii)	20 M Deformed Tie Bar		each	30		
A.10	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	5		
b)	5 sq.m. to 20 sq.m.		m²	15		
A.11	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	10		
	1	Ļ				

Name of Bidder


(SEE B8)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.12	Construction of Asphaltic Concrete Overlay	CW 3410-R9				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	25		
A.13	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	50		
A.14	Concrete Pavements for Early Opening	CW 3310-R14				
i)	Construction of 150 mm Concrete Pavement for Early Opening- 72 hour (Reinforced)		m²	1700		
A.15	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R14				
i)	Construction of Barrier (125 mm ht, Integral)	SD-204	m	25		
ii)	Construction of Modified Barrier (150 mm ht, Integral)	SD-203B	m	26		
iii)	Construction of Lip Curb (75 mm ht, Integral)	SD-202A	m	50		
iv)	Construction of Curb Ramp (10-15 mm ht, Integral)	SD-229C	m	5		
A.16	Catch Basin	CW 2130-R12				
i)	SD-025, 1200 mm deep		each	1		
ii)	SD-025, 1800 mm deep		each	3		
A.17	Catch Pit	CW 2130-R12				
i)	SD-023		each	1		
A.18	Sewer Service	CW 2130-R12				
i)	250 mm					
a)	In a Trench, Class 2 Type B Bedding with sand		m	15		
b)	Trenchless Installation		m	125		
ii)	300 mm					
a)	In a Trench, Class 2 Type B Bedding with sand		m	2		
		•				

Name	Ωf	Ridde
1 101110	0.	Diado

(SEE B8)

<u>UNIT PRI</u>	CES					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.19	Drainage Connection Pipe	CW 2130-R12	m	2		
A.20	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	1		
A.21	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm PVC Sewer Service Pipe					
a)	Connecting to 375 mm Clay Combined Sewer		each	1		
A.22	Connecting New Sewer Service to Existing Sewer Service	CW 2130-R12				
i)	300 mm		each	1		
A.23	Removal of Existing Catch Basins	CW 2130-R12	each	1		
A.24	Removal of Existing Catch Pit	CW 2130-R12	each	1		
A.25	Installation of Subdrains	CW 3120-R4 E10	m	48		
A.26	Catch Basin Cleaning	CW 2140-R3	each	1		
A.27	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		
A.28	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	10		
ii)	width > or = 600 mm		m²	90		
A.29	Seeding	CW 3520-R7	m²	100		
Α	GOULDING STREET/ MINTO STREET ALL WOLEVER AVENUE	EY FROM PORT	AGE A	/ENUE TO	Subtotal:	




FORM B: PRICES (SEE B8)

<u>UNIT PRI</u>		1		,		
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В	LANGSIDE STREET/ YOUNG STREET ALL ELLICE AVENUE	EY FROM POR	TAGE A	VENUE TO		
3.1	Excavation	CW 3110-R15	m³	760		
3.2	Sub-Grade Compaction	CW 3110-R15	m²	1920		
3.3	Crushed Sub-base Material	CW 3110-R15				
i)	50 mm		tonne	1450		
ii)	100 mm		tonne	200		
B.4	Supplying and Placing Base Course Material	CW 3110-R15	m³	175		
3.5	Grading of Boulevards	CW 3110-R15	m²	150		
B.6	Separation Geotextile Fabric	CW 3130-R4	m²	1920		
B.7	Supply and Install Geogrid	CW 3135-R1	m²	300		
B.8	Pavement Removal	CW 3110-R15				
i)	Concrete Pavement		m²	1800		
ii)	Asphalt Pavement		m²	130		
B.9	Drilled Tie Bars	CW 3230-R7				
i)	15 M Deformed Tie Bar		each	190		
ii)	20 M Deformed Tie Bar		each	40		
3.10	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	10		
b)	5 sq.m. to 20 sq.m.		m²	30		
3.11	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	5		
		L				



(SEE B8)

UNIT PRI	CES					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.12	Concrete Curb Renewal	CW 3240-R9				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	3 m to 30 m		m	10		
B.13	Construction of Asphaltic Concrete Overlay	CW 3410-R9				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	25		
B.14	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	20		
B.15	Concrete Pavements for Early Opening	CW 3310-R14				
i)	Construction of 150 mm Concrete Pavement for Early Opening- 72 hour (Reinforced)		m²	1650		
B.16	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R14				
i)	Construction of Modified Barrier (150 mm ht, Integral)	SD-203B	m	26		
ii)	Construction of Lip Curb (75 mm ht, Integral)	SD-202A	m	15		
iii)	Construction of Curb Ramp (10-15 mm ht, Integral)	SD-229C	m	14		
B.17	Catch Basin	CW 2130-R12				
i)	SD-025, 1200 mm deep		each	1		
B.18	Sewer Service	CW 2130-R12				
i)	250 mm					
a)	In a Trench, Class 2 Type B Bedding with sand		m	5		
B.19	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	2		
iii)	AP-006 - Standard Grated Cover for Standard Frame		each	2		
	<u> </u>	l	L	l .		



Name of Bidder

FORM B: PRICES

(SEE B8)

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
B.20	Connecting to Existing Sewer	CW 2130-R12, E15				
i)	250 mm PVC Sewer Service Pipe					
a)	Connecting to 300 mm VC Combined Sewer		each	1		
b)	Connecting to 1500 mm Weholite HDPE SRS (use inserta-tee or approved equal)		each	1		
B.21	Relocation of Existing Catch Basins	CW 2130-R12	each	1		
B.22	Installation of Subdrains	CW 3120-R4 E10	m	36		
B.23	Catch Basin Cleaning	CW 2140-R3	each	1		
B.24	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		
B.25	Supply of Curb Inlet Frames	CW 3210-R7	each	1		
B.26	Adjustment of Curb Inlet with New Inlet Box	CW 3210-R7	each	1		
B.27	Remove & Salvage Wood Fence	E13	m	10		
B.28	Install Salvaged Wood Fence	E13	m	10		
B.29	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	10		
ii)	width > or = 600 mm		m²	150		
B.30	Seeding	CW 3520-R7	m²	100		
В	LANGSIDE STREET/ YOUNG STREET ALL ELLICE AVENUE	EY FROM POR	TAGE A	VENUE TO	0.14.4.1	
	ELLIVE A VEITUL	Subtotal:				

(SEE B8)

UNIT PRI	ÇES					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С	STRATHCONA STREET/ ASHBURN STREET TO SARGENT AVENUE	ET ALLEY FROM	M ELLIC	E AVENUE		
C.1	Excavation	CW 3110-R15	m³	850		
C.2	Sub-Grade Compaction	CW 3110-R15	m²	2250		
C.3	Crushed Sub-base Material	CW 3110-R15				
i)	50 mm		tonne	1650		
ii)	100 mm		tonne	500		
C.4	Supplying and Placing Base Course Material	CW 3110-R15	m³	215		
C.5	Separation Geotextile Fabric	CW 3130-R4	m²	2250		
C.6	Supply and Install Geogrid	CW 3135-R1	m²	750		
C.7	Pavement Removal	CW 3110-R15				
i)	Concrete Pavement		m²	2350		
ii)	Asphalt Pavement		m²	60		
C.8	Drilled Tie Bars	CW 3230-R7				
i)	15 M Deformed Tie Bar		each	650		
ii)	20 M Deformed Tie Bar		each	25		
C.9	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	5		
b)	5 sq.m. to 20 sq.m.		m²	30		
C.10	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	10		
C.11	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	5		
]				

FORM B: PRICES (SEE B8)

<u>JNIT PRI</u>	<u>CES</u>					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
:.12	Construction of Asphaltic Concrete Overlay	CW 3410-R9				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	15		
.13	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	50		
.14	Concrete Pavements for Early Opening	CW 3310-R14				
i)	Construction of 150 mm Concrete Pavement for Early Opening- 72 hour (Reinforced)		m²	2350		
:.15	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R14				
i)	Construction of Modified Barrier (150 mm ht, Integral)	SD-203B	m	15		
ii)	Construction of Lip Curb (75 mm ht, Integral)	SD-202A	m	15		
iii)	Construction of Curb Ramp (10-15 mm ht, Integral)	SD-229C	m	10		
.16	Catch Basin	CW 2130-R12				
i)	SD-025, 1800 mm deep		each	1		
.17	Sewer Service	CW 2130-R12				
i)	250 mm					
a)	In a Trench, Class 2 Type B Bedding with sand		m	4		
b)	Trenchless Installation		m	25		
.18	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	3		
ii)	AP-006 - Standard Grated Cover for Standard Frame		each	3		
iii)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	1		
iv)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	1		
		1				

Name	of	Bidder

(SEE B8)

UNIT PRICES

	Ī	0000		155561		****
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
C.19	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	1		
C.20	Installation of Subdrains	CW 3120-R4 E10	m	48		
C.21	Catch Basin Cleaning	CW 2140-R3	each	4		
C.22	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	4		
C.23	Seeding	CW 3520-R7	m²	150		
С	STRATHCONA STREET/ ASHBURN STR	STRATHCONA STREET/ ASHBURN STREET ALLEY FROM ELLICE AVENUE				
	TO SARGENT AVENUE					

Name of Bidder

(SEE B8)

UNIT PRI	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
	ASU STREET/OAK STREET ALLEY FROM	REF.	AD TO	QUANTITY		
D	ASH STREET/ OAK STREET ALLEY FROM WELLINGTON CRESCENT (including WEL ALLEY)					
D.1	Excavation	CW 3110-R15	m³	900		
D.2	Sub-Grade Compaction	CW 3110-R15	m²	2415		
D.3	Crushed Sub-base Material	CW 3110-R15				
i)	50 mm		tonne	1800		
D.4	Supplying and Placing Base Course Material	CW 3110-R15	m³	200		
D.5	Grading of Boulevards	CW 3110-R15	m²	50		
D.6	Separation Geotextile Fabric	CW 3130-R4	m²	2415		
D.7	Pavement Removal	CW 3110-R15				
i)	Concrete Pavement		m²	2200		
ii)	Asphalt Pavement		m²	50		
D.8	Drilled Tie Bars	CW 3230-R7				
i)	15 M Deformed Tie Bar		each	170		
ii)	20 M Deformed Tie Bar		each	30		
D.9	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	5		
D.10	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	75		
D.11	Interlocking Paving Stones	CW 3330-R5	m²	25		
D.12	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	10		
D.13	Construction of Asphaltic Concrete Overlay	CW 3410-R9				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	10		

(SEE B8)

<u>UNIT PR</u>	IÇES		1			
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.14	Concrete Pavements for Early Opening	CW 3310-R14				
i)	Construction of 150 mm Concrete Pavement for Early Opening- 72 hour (Reinforced)		m²	2200		
).15	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R14				
i)	Construction of Barrier (100 mm ht, Integral)	SD-204	m	35		
ii)	Construction of Lip Curb (75 mm ht, Integral)	SD-202A	m	85		
D.16	Catch Basin	CW 2130-R12				
i)	SD-025, 1200 mm deep		each	2		
D.17	Sewer Service	CW 2130-R12				
i)	250 mm					
a) In a Trench, Class 2 Type B Bedding with sand		m	6		
b) Trenchless Installation		m	89		
D.18	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
ii)	AP-006 - Standard Grated Cover for Standard Frame		each	1		
D.19	Connecting New Sewer Service to Existing Sewer Service	CW 2130-R12				
i)	300 mm		each	1		
0.20	Removal of Existing Catch Basins	CW 2130-R12	each	1		
D.21	Installation of Subdrains	CW 3120-R4 E10	m	42		
0.22	Catch Basin Cleaning	CW 2140-R3	each	1		
0.23	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		



(SEE B8)

UNII PK	ICES					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.24	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	10		
ii)	width > or = 600 mm		m²	40		
D.25	Seeding	CW 3520-R7	m²	200		
D	ASH STREET/ OAK STREET ALLEY FROM ACADEMY ROAD TO WELLINGTON CRESCENT (including WELLINGTON CRESCENT SOUTH ALLEY)					


(SEE B8)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E	PEMBINA HIGHWAY EAST ALLEY FROM F SUMMERSIDE AVENUE SOUTH ALLEY		ENUE T			
E.1	Excavation	CW 3110-R15	m³	165		
E.2	Sub-Grade Compaction	CW 3110-R15	m²	405		
E.3	Crushed Sub-base Material	CW 3110-R15				
i)	50 mm		tonne	300		
E.4	Supplying and Placing Base Course Material	CW 3110-R15	m³	32		
E.5	Separation Geotextile Fabric	CW 3130-R4	m²	405		
E.6	Pavement Removal	CW 3110-R15				
i)	Concrete Pavement		m²	350		
ii)	Asphalt Pavement		m²	175		
E.7	Drilled Tie Bars	CW 3230-R7				
i)	20 M Deformed Tie Bar		each	14		
E.8	Construction of Asphaltic Concrete Overlay	CW 3410-R9				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	25		
E.9	Concrete Pavements for Early Opening	CW 3310-R14				
i)	Construction of 150 mm Concrete Pavement for Early Opening- 72 hour (Reinforced)		m²	350		
E.10	Asphalt Speed Hump	E14	each	2		
E.11	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m²	15		
E	PEMBINA HIGHWAY EAST ALLEY FROM I	Subtotal:				



FORM B: PRICES (SEE B8)

JNIT PRI		ODEO	LINUT	ADDDOV	LINIT DDIOE	ANACHINIT
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F	McGREGOR STREET WEST ALLEY FROM McGREGOR STREET					
F.1	Excavation	CW 3110-R15	m³	925		
.2	Sub-Grade Compaction	CW 3110-R15	m²	2000		
3	Crushed Sub-base Material	CW 3110-R15				
i)	50 mm		tonne	1470		
4	Supplying and Placing Base Course Material	CW 3110-R15	m³	160		
5	Grading of Boulevards	CW 3110-R15	m²	650		
6	Separation Geotextile Fabric	CW 3130-R4	m²	2000		
F.7	Pavement Removal	CW 3110-R15				
i)	Concrete Pavement		m²	100		
ii)	Asphalt Pavement		m²	1930		
- .8	Drilled Tie Bars	CW 3230-R7				
i)	15 M Deformed Tie Bar		each	50		
ii)	20 M Deformed Tie Bar		each	35		
F.9	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	2		
b)	5 sq.m. to 20 sq.m.		m²	15		
F.10	Concrete Curb Removal	CW 3240-R9				
i)	Barrier		m	15		
F.11	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	5		
F.12	Interlocking Paving Stones	CW 3330-R5	m²	0.5		




(SEE B8)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F.13	Construction of Asphaltic Concrete Overlay	CW 3410-R9				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	40		
F.14	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	50		
F.15	Concrete Pavements for Early Opening	CW 3310-R14				
i)	Construction of 150 mm Concrete Pavement for Early Opening- 72 hour (Reinforced)		m²	1745		
F.16	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R14				
i)	Construction of Barrier (180 mm ht, Separate)	SD-204	m	10		
ii)	Construction of Modified Barrier (180 mm ht, Integral)	SD-203B	m	25		
iii)	Construction of Curb Ramp (10-15 mm ht, Integral)	SD-229C	m	5		
F.17	Asphalt Speed Hump	E14	each	4		
F.18	Catch Basin	CW 2130-R12				
i)	SD-025, 1200 mm deep		each	1		
ii)	SD-025, 1800 mm deep		each	1		
F.19	Sewer Service	CW 2130-R12				
i)	250 mm					
a)	In a Trench, Class 2 Type B Bedding with sand		m	4		
b)	Trenchless Installation		m	14		
F.20	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	2		
ii)	AP-006 - Standard Grated Cover for Standard Frame		each	2		

Name	of	Bidde

(SEE B8)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F.21	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	1		
F.22	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm PVC Sewer Service Pipe					
a)	Connecting to 250 mm Concrete Combined Sewer		each	1		
F.23	Removal of Existing Catch Basins	CW 2130-R12	each	3		
F.24	Abandoning Existing Sewer Services Under Pavement c/w Video Inspection	CW 2130-R12, SD-021				
i)	Existing Catch Basin Leads (250 mm or smaller)		each	1		
F.25	Removal of Existing Pipes	E12	m	13		
F.26	Installation of Subdrains	CW 3120-R4 E10	m	48		
F.27	Catch Basin Cleaning	CW 2140-R3	each	2		
F.28	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	2		
F.29	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	10		
ii)	width > or = 600 mm		m²	650		
F.30	Seeding	CW 3520-R7	m²	100		
F	McGREGOR STREET WEST ALLEY FROM McGREGOR STREET	KINGSBURY A	VENUE	<u>TO</u>	Subtotal:	



(SEE B8)

UNIT PRI	CES	(/				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	SUMMARY					
A	GOULDING STREET/ MINTO STREET ALLEY FROM PORTAGE AVENUE TO WOLEVER AVENUE				Subtotal:	
В	LANGSIDE STREET/ YOUNG STREET ALLEY FROM PORTAGE AVENUE TO ELLICE AVENUE				Subtotal:	
С	STRATHCONA STREET/ ASHBURN STREET ALLEY FROM ELLICE AVENUE TO SARGENT AVENUE				Subtotal:	
D	ASH STREET/ OAK STREET ALLEY FROM ACADEMY ROAD TO WELLINGTON CRESCENT (including WELLINGTON CRESCENT SOUTH ALLEY)				Subtotal:	
E	PEMBINA HIGHWAY EAST ALLEY FROM KILLARNEY AVENUE TO SUMMERSIDE AVENUE SOUTH ALLEY			Subtotal:		
F	McGREGOR STREET WEST ALLEY FROM KINGSBURY AVENUE TO McGREGOR STREET		Subtotal:			
TOTAL BID PRICE (GST extra) (in figures)						
(in words)						

(Seal)

Template Version: C420120228 - RW

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B10)

BID BOND

KNOW ALL MEN BY THESE PRESENTS T	ГНАТ	
(hereinafter called the "Principal") and		
called the "Obligee") in the sum of ten per	and firmly bound unto THE CITY OF WINNIPEG (horcent (10%) of the Total Bid Price set out in the Bid home Principal and Surety bind themselves, their heirs, ently and severally, firmly by these presents.	ereinafter
WHEREAS the Principal has submitted a Bi	id to the Obligee for	
BID OPPORTUNITY NO. 239-2012		
2012 REGIONAL AND LOCAL STREET AL HIGHWAY EAST, AND VARIOUS LOCATION	LLEY PACKAGE – MCGREGOR STREET WEST, PEN ONS	ЛВINA
as more fully set out in the Bid Opportunity.		
if said Bid is accepted and the Principal, in a the said Obligee and furnishes the required	oligation is such that if the Bid of the Principal is not accordance with the terms of the Bid, enters into a Cord performance security for guaranteeing the faithful per I, but otherwise shall remain in full force and effect.	ntract with
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the	
day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal) Per:	(Seal)
(Witness as to Principal if no seal)	Per:	(Ocal)

(Name of Surety)

(Attorney-in-Fact)

Ву:

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B10)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 239-2012 2012 REGIONAL AND LOCAL STREET ALLEY PACKAGE - MCGREGOR STREET WEST, PEMBINA HIGHWAY EAST, AND VARIOUS LOCATIONS in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______ day of ______ , 20_____ . (Name of Surety) _____ (Seal)

(Attorney-in-Fact)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B10)

(Date)
The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1
RE: BID SECURITY – BID OPPORTUNITY NO. 239-2012
2012 REGIONAL AND LOCAL STREET ALLEY PACKAGE – MCGREGOR STREET WEST, PEMBINA HIGHWAY EAST, AND VARIOUS LOCATIONS
Pursuant to the request of and for the account of our customer,
(Name of Bidder)
(Address of Bidder) WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate
Canadian dollars.
This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.
The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.
Partial drawings are permitted.
We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:
(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B10)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 7, 2012.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name	of bank or financial institution)
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)