## FORM A: BID (See B8)

1.	Contract Title	2012 WATERMAIN RENE	WALS – CONTRACT NO. 7	
2.	Bidder			
		Name of Bidder		
		Usual Business Name of Bidder a	is it appears on Invoice (if different fro	m above)
		Street		
		City	Province	Postal Code
		Email Address of Bidder		
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		GST Registration Number (if appl	icable)	
	(Choose one)	The Bidder is:		
		a sole proprietor		
		a partnership		
		a corporation		
		carrying on business under	the above name.	
3.	Contact Person	The Bidder hereby authori the Bidder for purposes of	zes the following contact pers the Bid.	son to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms used ascribed to them in the Ger	d in the Contract shall have neral Conditions.	e the meanings

5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.			
6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:			
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)			
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)			
		a certified cheque or draft			
		and agrees that it shall be held by the City in accordance with the Contract.			
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.			
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.			
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.			
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:			
		No Dated			
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a			

This offer shall be open for acceptance, binding and irrevocable for a period of forty-five (45) Calendar Days following the Submission Deadline.

## 12. Signatures The Bidder or the Bidder's authorized official or officials have signed this

\_\_\_\_\_ day of \_\_\_\_\_ , 20\_\_\_\_\_ .

Signature of Bidder or Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

\_\_\_\_\_

(Print here name and official capacity of individual whose signature appears above)

# FORM B: PRICES

# (SEE B9)

# 2012 WATERMAIN RENEWALS - CONTRACT NO. 7

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<u>A</u>	Edgemont Dr- Beaverhill Blvd to 147 E		_ane			
A. 1 a) i)	Watermain Renewal 150mm trenchless installation, Class B sand bedding, Class 3 backfill	CW 2110	m	572.0		
A. 2 a)	Hydrant Assembly SD-006	CW 2110	each	7		
A. 3 a)	Watermain Valve 150mm	CW 2110	each	7		
A. 4 a) i)	Fittings Tees 150mm X 150mm X 150mm	CW 2110	each	2		
b) i)	Bends (SD-004) 150mm - 45°		each	6		
A. 5 a) i)	Water Services 19mm trenchless installation, Class B sand bedding, Class 3 backfill	CW 2110	m	30.0		
A. 6 a)	Corporation Stops 19mm	CW 2110	each	55		
A. 7 a)	Curb Stops 19mm	CW 2110	each	4		
A. 8 a)	Curb Stop Boxes 19mm	CW 2110	each	4		
A. 9 a) i)	Connecting to Existing Watermains and Large Diameter Water Services In-line connection - no plug existing 150mm	CW 2110	each	3		
A. 10 a)	Connecting Existing Copper Water Services to New Watermains 19mm	CW 2110	each	55		

# 2012 WATERMAIN RENEWALS - CONTRACT NO. 7

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A. 11	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
A. 11 a)	On Metallic Watermains	GW 2110	aaab	2.0		
b)	On Water Services		each	35.0		
0)	On water Services		each			
A. 12	Continuity Bonding	CW 2110	each	20		
A. 13	Partial Slab Patches	CW 2110				
a)	150mm reinforced concrete pavement		m²	30.0		
A. 14	Concrete Curb Renewal	E6				
a)	Barrier curb (SD-204)	20	m	10.0		
,						
A. 15	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	4.0		
	Edgemont Dr- Beaverhill Blvd to 147 E	E of Harwick I	ane		Subtotal A:	
<u>B</u>	Government Ave- 7 E of Grey St to 6 E	of London S	t	1		
B. 1	Watermain Renewal	CW 2110				
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	321.0		
b)	200mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	25.0		
B. 2	Hydrant Assembly	CW 2110				
в. 2 а)	SD-007	000 2110	each	3		
B. 3	Watermain Valve	CW 2110				
a)	150mm	0	each	4		
b)	200mm		each	1		
B. 4	Fittings	CW 2110				
a)	Bends (SD-004)	•				
i)	150mm - 45°		each	2		
ii)	200mm - 45°		each	4		
b)	Crosses					
i)	200mm x 200mm X 150mm X		each	1		

# 2012 WATERMAIN RENEWALS - CONTRACT NO. 7

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B. 5	Water Services	CW 2110				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	80.0		
B. 6	Corporation Stops	CW 2110				
a)	19mm		each	43		
B. 7	Curb Stops	CW 2110				
a)	19mm		each	10		
B. 8	Curb Stop Boxes	CW 2110				
a)	19mm		each	10		
B. 9	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)			each	2		
ii)	200mm		each	2		
B. 10	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	43		
B. 11	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Metallic Watermains		each	3.0		
b)	On Water Services		each	30.0		
B. 12	Continuity Bonding	CW 2110	each	12		
B. 13 a)	Partial Slab Patches 150mm reinforced concrete pavement	CW 2110	m²	30.0		
B. 14 a)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A)	E5	m²	50.0		
B. 15	Concrete Curb Renewal	E6				
a)	Barrier curb (SD-204)		m	20.0		
b)	Ramp curb		m	10.0		

# 2012 WATERMAIN RENEWALS - CONTRACT NO. 7

	REF.		QUANTITY	PRICE	AMOUNT
Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	4.0		
Government Ave- 7 E of Grey St to 6 E	of London S	it	:	Subtotal B:	
Driftwood Bay- 91 S of Queensway Cro	es to 110 S of	Beaverhi	ll Blvd		
Watermain Renewal 150mm	CW 2110				
trenchless installation, Class B sand bedding, Class 5 backfill		m	300.0		
Hydrant Assembly	CW 2110				
SD-006		each	4		
Watermain Valve 150mm	CW 2110	each	2		
Fittings Bends (SD-004)	CW 2110				
150mm - 22 1/2°		each	3		
150mm - 45°		each	2		
Water Services 19mm	CW 2110				
trenchless installation, Class B sand bedding, Class 3 backfill		m	10.0		
Corporation Stops	CW 2110				
19mm		each	27		
Curb Stops	CW 2110				
19mm		each	5		
Curb Stop Boxes	CW 2110		_		
19mm		each	5		
Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
In-line connection - no plug existing					
	Government Ave- 7 E of Grey St to 6 E Driftwood Bay- 91 S of Queensway Cre Watermain Renewal 150mm trenchless installation, Class B sand bedding, Class 5 backfill Hydrant Assembly SD-006 Watermain Valve 150mm Fittings Bends (SD-004) 150mm - 422 1/2° 150mm - 45° Water Services 19mm trenchless installation, Class B sand bedding, Class 3 backfill Corporation Stops 19mm Curb Stops 19mm Curb Stop Boxes 19mm Connecting to Existing Watermains and Large Diameter Water Services	Government Ave- 7 E of Grey St to 6 E of London SDriftwood Bay- 91 S of Queensway Cres to 110 S ofWatermain RenewalCW 2110150mmCW 2110150mmCW 2110Hydrant AssemblyCW 2110SD-006CW 2110Watermain ValveCW 2110150mmCW 2110150mmCW 2110Bends (SD-004)CW 2110150mm - 45°CW 2110Water ServicesCW 211019mmtrenchless installation, Class B sand bedding, Class 3 backfillCorporation StopsCW 211019mmCurb Stops19mmCW 211019mmCW 2110 <td>Government Ave- 7 E of Grey St to 6 E of London St         Driftwood Bay- 91 S of Queensway Cres to 110 S of Beaverhi         Watermain Renewal       CW 2110         150mm       CW 2110         150mm       m         trenchless installation, Class B sand       m         bedding, Class 5 backfill       CW 2110         Hydrant Assembly       CW 2110         SD-006       each         Watermain Valve       CW 2110         150mm       CW 2110         Bends (SD-004)       each         150mm - 22 1/2°       each         150mm - 45°       CW 2110         Water Services       CW 2110         19mm       ctrenchless installation, Class B sand         bedding, Class 3 backfill       m         Corporation Stops       CW 2110         19mm       each         Curb Stop Boxes       CW 2110         In-line connec</td> <td>Government Ave- 7 E of Grey St to 6 E of London StDriftwood Bay- 91 S of Queensway Cres to 110 S of Beaverhill BlvdWatermain Renewal 150mm trenchless installation, Class B sand bedding, Class 5 backfillCW 2110mMydrant Assembly SD-006CW 2110each4Watermain Valve 150mmCW 2110each2Fittings Bends (SD-004) 150mm - 45°CW 2110each2Water Services 19mm trenchless installation, Class B sand bedding, Class 3 backfillCW 2110each3Mater Services 19mm trenchless installation, Class B sand bedding, Class 3 backfillCW 2110each2Curb Stops 19mmCW 2110cW 2110each27Curb Stop Boxes 19mmCW 2110each55Curb Stop Boxes In-line connection - no plug existingCW 2110each5</td> <td>Government Ave- 7 E of Grey St to 6 E of London St       Subtotal B:         Driftwood Bay- 91 S of Queensway Cres to 110 S of Beaverhill Blvd         Watermain Renewal       CW 2110       m       300.0         150mm       trenchless installation, Class B sand bedding, Class 5 backfill       CW 2110       m       300.0         Hydrant Assembly       CW 2110       each       4         Watermain Valve       CW 2110       each       2         I50mm       CW 2110       each       2         Fittings       CW 2110       each       3         Bends (SD-004)       150mm - 22 1/2°       each       3         150mm + 45°       CW 2110       each       2         Water Services       CW 2110       m       10.0         19mm       trenchless installation, Class B sand bedding, Class 3 backfill       m       10.0         Corporation Stops       CW 2110       each       27         Curb Stops       CW 2110       each       5         19mm       CW 2110       each       5         19mm       CW 2110       each       5         Curb Stop Boxes       CW 2110       each       5         Informant       CW 2110</td>	Government Ave- 7 E of Grey St to 6 E of London St         Driftwood Bay- 91 S of Queensway Cres to 110 S of Beaverhi         Watermain Renewal       CW 2110         150mm       CW 2110         150mm       m         trenchless installation, Class B sand       m         bedding, Class 5 backfill       CW 2110         Hydrant Assembly       CW 2110         SD-006       each         Watermain Valve       CW 2110         150mm       CW 2110         Bends (SD-004)       each         150mm - 22 1/2°       each         150mm - 45°       CW 2110         Water Services       CW 2110         19mm       ctrenchless installation, Class B sand         bedding, Class 3 backfill       m         Corporation Stops       CW 2110         19mm       each         Curb Stop Boxes       CW 2110         In-line connec	Government Ave- 7 E of Grey St to 6 E of London StDriftwood Bay- 91 S of Queensway Cres to 110 S of Beaverhill BlvdWatermain Renewal 150mm trenchless installation, Class B sand bedding, Class 5 backfillCW 2110mMydrant Assembly SD-006CW 2110each4Watermain Valve 150mmCW 2110each2Fittings Bends (SD-004) 150mm - 45°CW 2110each2Water Services 19mm trenchless installation, Class B sand bedding, Class 3 backfillCW 2110each3Mater Services 19mm trenchless installation, Class B sand bedding, Class 3 backfillCW 2110each2Curb Stops 19mmCW 2110cW 2110each27Curb Stop Boxes 19mmCW 2110each55Curb Stop Boxes In-line connection - no plug existingCW 2110each5	Government Ave- 7 E of Grey St to 6 E of London St       Subtotal B:         Driftwood Bay- 91 S of Queensway Cres to 110 S of Beaverhill Blvd         Watermain Renewal       CW 2110       m       300.0         150mm       trenchless installation, Class B sand bedding, Class 5 backfill       CW 2110       m       300.0         Hydrant Assembly       CW 2110       each       4         Watermain Valve       CW 2110       each       2         I50mm       CW 2110       each       2         Fittings       CW 2110       each       3         Bends (SD-004)       150mm - 22 1/2°       each       3         150mm + 45°       CW 2110       each       2         Water Services       CW 2110       m       10.0         19mm       trenchless installation, Class B sand bedding, Class 3 backfill       m       10.0         Corporation Stops       CW 2110       each       27         Curb Stops       CW 2110       each       5         19mm       CW 2110       each       5         19mm       CW 2110       each       5         Curb Stop Boxes       CW 2110       each       5         Informant       CW 2110

# 2012 WATERMAIN RENEWALS - CONTRACT NO. 7

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C. 10	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	27		
C. 11	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Water Services		each	20.0		
C. 12	Continuity Bonding	CW 2110	each	7		
C. 13	Partial Slab Patches	CW 2110				
a)	150mm reinforced concrete pavement		m²	40.0		
C. 14	Concrete Curb Renewal	E6				
a)	Barrier curb (SD-204)		m	10.0		
C. 15	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	5.0		
	Driftwood Bay- 91 S of Queensway Cr	es to 110 S o	f Beaverhi	ill Blvd	Subtotal C:	
D	Queensway Cres- 55 E of Sering PI to	Driftwood Ba	iy			
D. 1	Watermain Renewal	CW 2110				
a) i)	150mm trenchless installation, Class B sand bedding, Class 5 backfill		m	105.0		
D. 2	Hydrant Assembly	CW 2110				
a)	SD-006		each	1		
D. 3 a)	Watermain Valve 150mm	CW 2110	each	2		
D. 4	Fittings	CW 2110				
a) i) b)	Tees 150mm X 150mm X 150mm Bends (SD-004)		each	1		
i) ii)			each each	1 1		
D. 5 a)	Water Services 19mm	CW 2110				

# 2012 WATERMAIN RENEWALS - CONTRACT NO. 7

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT	AMOUNT
		REF.	_	QUANTITY	PRICE	AMOONT
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	10.0		
D. 6	Corporation Stops	CW 2110				
a)	19mm		each	9		
D. 7	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)	150mm		each	1		
D. 8	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	9		
D. 9	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Water Services		each	7.0		
D. 10	Continuity Bonding	CW 2110	each	2		
D. 11	Partial Slab Patches	CW 2110				
a)	150mm reinforced concrete pavement		m²	10.0		
D. 12	Concrete Curb Renewal	E6				
a)	Barrier curb (SD-204)		m	10.0		
D. 13	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	1.0		
	Queensway Cres- 55 E of Sering PI to	Driftwood Ba	iy		Subtotal D:	
<u>E</u>	Regent Ave W- Bismarck St to Madelin	ne St	r	r		
E. 1	New Hydrant Assembly on Existing Watermain	CW 2110				
a)	SD-006		each	6		
E. 2	New Watermain Valve on Existing Watermain	CW 2110				
a)	300mm		each	2		
E. 3	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Metallic Watermains		each	16.0		
	Regent Ave W- Bismarck St to Madelin	ne St			Subtotal E:	

# FORM B: PRICES

(SEE B9)

# 2012 WATERMAIN RENEWALS - CONTRACT NO. 7

0.0.1	RICES	0050				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F	Softley Road & Warman Road- WM Ab		I		TRICE	
<u> </u>		anuonment				
F. 1	New Hydrant Assembly on Existing Watermain	CW 2110				
a)	SD-006		each	1		
b)	Reducers					
i)	200mm - 150mm		each	1		
F. 2	Abandoning Large Diameter Water Services	CW 2110				
a)	200mm		each	1		
F. 3	Removal and Abandonment of Existing Valves and Valve Boxes	CW 2110	each	5.0		
F. 4	Removal and Abandonment of Existing Hydrant Assemblies	CW 2110	each	7.0		
	Softley Road & Warman Road- WM Ab	andonment			Subtotal F:	
<u>G</u>	Provisional Items			1		
G. 1	Fittings	CW 2110				
a)	Bends (SD-005)					
i)	150mm - 45°		each	2		
ii)	200mm - 45°		each	2		
G. 2	Granular Backfill Material	CW 3110	m <sup>3</sup>	50.0		
G. 3	Cement Stabilized Fill	CW 2030	m <sup>3</sup>	50.0		
G. 4	Sodding	CW 3510	m²	50.0		
G. 5	Regrading of Existing Sewer Service - Up to 1.5 metres Long	CW 2110				
a)	150mm		each	1		
b)	200mm		each	1		
G. 6	Regrading of Existing Sewer Service - Longer Than 1.5 metres	CW 2110				
a)	150mm		m	1		
b)	200mm		m	1		
G. 7	Remove and Replace Existing Catch Basin	CW 2130				

# 2012 WATERMAIN RENEWALS - CONTRACT NO. 7

### UNIT PRICES

				(	Grand Total	
Provisional Items Subtotal G					Subtotal G:	
a)	250mm		m	10.0		
G. 9	Drainage Connection Pipe	CW 2130				
a)	SD-023		each	1		
G. 8	Remove and Replace Existing Catch Pit	CW 2130				
b)	SD-025		each	1		
a)	SD-024		each	1		
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT

TOTAL BID PRICE (GST extra)

(in figures)\$

(in words)\_\_\_\_\_\_

Name of Bidder

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

#### **BID BOND**

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 281-2012

2012 WATERMAIN RENEWALS - CONTRACT NO. 7

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

\_\_\_\_\_ day of \_\_\_\_\_\_ , 20\_\_\_\_\_ .

SIGNED AND SEALED in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)	
Per:	 (Seal)
Per:	
(Name of Surety)	

\_\_\_\_\_ of

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

#### AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on \_\_\_\_\_\_, 20\_\_\_\_\_, for

BID OPPORTUNITY NO. 281-2012

2012 WATERMAIN RENEWALS - CONTRACT NO. 7

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within forty-five (45) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this \_\_\_\_\_\_ day of \_\_\_\_\_\_, 20\_\_\_\_\_, 20\_\_\_\_\_.

(Name of Surety)

By: (Seal) (Seal)

#### FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(Date)

The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1

#### RE: BID SECURITY - BID OPPORTUNITY NO. 281-2012

2012 WATERMAIN RENEWALS – CONTRACT NO. 7

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

#### FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 1, 2012

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name	e of bank or financial institution)
Per:	(Authorized Signing Officer)
Per:	(Authorized Signing Officer)

(Authorized Signing Officer)