FORM A: BID (See B7)

1.	Contract Title	DEXTER STREET AND VARIOUS OTHER LOCATIONS
2.	Bidder	
		Name of Bidder
		Usual Business Name of Bidder as it appears on Invoice (if different from above)
		Street
		City Province Postal Code
	(Mailing address if different)	Email Address of Bidder
		Facsimile Number
		Street or P.O. Box
	(Choose one)	City Province Postal Code
		The Bidder is:
		a sole proprietor
		a partnership
		a corporation
		carrying on business under the above name.
3.	Contact Person	The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.
		Contact Person Title
		Telephone Number Facsimile Number
1 .	Definitions	All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.
5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6.	Bid Security	In accordance with B10.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of Sixty (60) Calendar Days following the Submission Deadline.

12.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

2012 LOCAL STREET RENEWAL PROGRAM: VICTOR STREET, DEXTER STREET AND VARIOUS OTHER LOCATIONS (SEE B8)

UNIT PRICES ПЕМ DESCRIPTION SPEC. UNIT APPROX. **UNIT PRICE AMOUNT REF QUANTITY** CITY FUNDED WORK REHABILITATION: DEXTER STREET - BURROWS AVENUE / TIMMINS PLACE Α **EARTH AND BASE WORKS** A.1 Supplying and Placing Base Course Material CW 3110-R15 m³ 210.0 CW 3110-R15 1,600.0 A.2 Grading of Boulevards m² ROADWORKS - REMOVALS / RENEWALS CW 3110-R15 A.3 Pavement Removal 600.0 Concrete Pavement m² A.4 Slab Replacement CW 3230-R7 i) 150 mm Concrete Pavement (Reinforced) m² 280.0 A.5 Partial Slab Patches CW 3230-R7 i) 150 mm Concrete Pavement (Type A) m² 5.0 30.0 ii) 150 mm Concrete Pavement (Type B) m² A.6 Slab Replacement - Early Opening (72 hour) CW 3230-R7 280.0 i) 150 mm Concrete Pavement (Reinforced) m² CW 3230-R7 A.7 Partial Slab Patches - Early Opening (72 hour) i) 150 mm Concrete Pavement (Type A) m² 5.0 ii) 150 mm Concrete Pavement (Type B) m² 30.0 8.A Partial Depth Planing of Existing Joints E11. 60.0 m² A.9 Asphalt Patching of Partial Depth Joints E11. m² 60.0 A.10 Drilled Dow els CW 3230-R7 120.0 19.1 mm Diameter i) each

2012 LOCAL STREET RENEWAL PROGRAM: VICTOR STREET, DEXTER STREET AND VARIOUS OTHER LOCATIONS (SEE B8)

TEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS - REMOVALS / RENEWALS (Cont'd.)					
A.11	Drilled Tie Bars	CW 3230-R7				
i)	20 M Deformed Tie Bar		each	280.0		
A.12	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	100 mm Sidew alk	SD-228A	m²	75.0		
A.13	Miscellaneous Concrete Slab Renew al	CW 3235-R9				
i)	100 mm Sidew alk	SD-228A				
a)	Less than 5 sq.m.		m²	20.0		
b)	5 sq.m. to 20 sq.m.		m²	230.0		
c)	Greater than 20 sq.m.		m²	360.0		
A.14	Adjustment of Precast Sidew alk Blocks	CW 3235-R9	m²	15.0		
A.15	Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	5.0		
A.16	Removal of Precast Sidew alk Blocks	CW 3235-R9	m²	30.0		
A.17	Concrete Curb Installation	CW 3240-R9				
i)	Barrier (150 mm reveal ht, Separate)	SD-203A	m	120.0		
ii)	Modified Barrier (150 mm reveal ht, Dow elled)	SD-203B	m	65.0		
A.18	Concrete Curb Renew al	CW 3240-R9				
i)	Barrier (150 mm reveal ht, Dow elled)	SD-205, SD-206A				
a)	Less than 3 m		m	5.0		
b)	3 m to 30 m		m	50.0		
ii)	Curb Ramp (10-15 mm reveal ht, Integral)	SD-229C,D	m	80.0		

2012 LOCAL STREET RENEWAL PROGRAM: VICTOR STREET, DEXTER STREET AND VARIOUS OTHER LOCATIONS (SEE B8)

UNIT PRICE ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS - REMOVALS / RENEWALS (Cont'd.)					
A.19	Construction of Asphaltic Concrete Overlay	CW 3410-R9				
i)	Main Line Paving					
a)	Type IA		tonne	750.0		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	150.0		
A.20	Pavement Repair Fabric	E10.	m²	130.0		
	ROADWORK - NEW CONSTRUCTION					
A.21	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R14				
i)	Construction of 150 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m²	600.0		
	JOINT AND CRACK SEALING					
A.22	Reflective Crack Maintenance	CW 3250-R7	m	700.0		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.23	Catch Pit	CW 2130-R12				
i)	SD-023		each	2.0		
A.24	Remove and Replace Existing Catch Pit	CW 2130-R12				
i)	SD-023		each	1.0		
A.25	Drainage Connection Pipe	CW 2130-R12	m	10.0		
A.26	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	3.0		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	3.0		
iii)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	6.0		
iv)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	6.0		

2012 LOCAL STREET RENEWAL PROGRAM: VICTOR STREET, DEXTER STREET AND VARIOUS OTHER LOCATIONS (SEE B8)

UNIT PRICE ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS (Cont'd.)					
A.27	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	2.0		
A.28	Connecting New Sew er Service to Existing Sew er Service	CW 2130-R12				
i)	250 mm		each	1.0		
A.29	Removal of Existing Catch Pit	CW 2130-R12	each	2.0		
A.30	Catch Basin Cleaning	CW 2140-R3	each	6.0		
	ADJUSTMENTS					
A.31	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	6.0		
A.32	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	0.5		
A.33	Lifter Rings	CW 3210-R7				
i)	38 mm		each	2.0		
ii)	51 mm		each	3.0		
A.34	Adjustment of Valve Boxes	CW 3210-R7	each	5.0		
A.35	Valve Box Extensions	CW 3210-R7	each	1.0		
A.36	Adjustment of Curb Stop Boxes	CW 3210-R7	each	5.0		
A.37	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	6.0		
A.38	Curb Stop Extensions	CW 3210-R7	each	1.0		
	LANDSCAPING					
A.39	Sodding	CW 3510-R9				
i)	w idth < 600 mm		m²	430.0		
ii)	w idth > or = 600 mm		m²	1,120.0		
A	REHABILITATION: DEXTER STREET - BUR	ROWS AVENUE	E/TIMM	INS PLACE		
					Sub-Total:	

FORM B: PRICES 2012 LOCAL STREET RENEWAL PROGRAM: VICTOR STREET, DEXTER STREET AND VARIOUS OTHER LOCATIONS (SEE B8)

INIT PRICE	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В	REHABILITATION: BURROWS AVENUE - H	HADDON ROAD	/ INKSTE	R BOULEVAR	D	
	EARTH AND BASE WORKS					
B.1	Supplying and Placing Base Course Material	CW 3110-R15	m³	50.0		
B.2	Grading of Boulevards	CW 3110-R15	m²	300.0		
	ROADWORKS - REMOVALS / RENEWALS					
B.3	Slab Replacement	CW 3230-R7				
i)	200 mm Concrete Pavement (Reinforced)		m²	190.0		
B.4	Partial Slab Patches	CW 3230-R7				
i)	200 mm Concrete Pavement (Type A)		m²	5.0		
ii)	200 mm Concrete Pavement (Type B)		m²	25.0		
B.5	Slab Replacement - Early Opening (72 hour)	CW 3230-R7				
i)	200 mm Concrete Pavement (Reinforced)		m²	190.0		
B.6	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R7				
i)	200 mm Concrete Pavement (Type B)		m²	25.0		
B.7	Partial Depth Planing of Existing Joints	E11.	m²	120.0		
B.8	Asphalt Patching of Partial Depth Joints	E11.	m²	120.0		
B.9	Drilled Dow els	CW 3230-R7				
i)	19.1 mm Diameter		each	130.0		
B.10	Drilled Tie Bars	CW 3230-R7				
i)	20 M Deformed Tie Bar		each	170.0		
B.11	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	Monolithic Median Slab	SD-226A	m²	35.0		
ii)	Bullnose	SD-227C	m²	1.0		

2012 LOCAL STREET RENEWAL PROGRAM: VICTOR STREET, DEXTER STREET AND VARIOUS OTHER LOCATIONS (SEE B8)

NIT PRICE ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS - REMOVALS / RENEWALS (Cont'd.)					
B.12	Miscellaneous Concrete Slab Renew al	CW 3235-R9				
i)	100 mm Sidew alk	SD-228A				
a)	Less than 5 sq.m.		m²	65.0		
b)	5 sq.m. to 20 sq.m.		m²	90.0		
c)	Greater than 20 sq.m.		m²	30.0		
B.13	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	10.0		
B.14	Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	10.0		
B.15	Concrete Curb Removal	CW 3240-R9				
i)	Barrier, Separate		m	150.0		
B.16	Concrete Curb Installation	CW 3240-R9				
i)	Barrier (150 mm reveal ht, Separate)	SD-203A	m	30.0		
ii)	Splash Strip (150 mm reveal ht, Monolithic Barrier Curb, 750 mm width)	SD-223A	m	130.0		
B.17	Concrete Curb Renew al	CW 3240-R9				
i)	Barrier (150 mm reveal ht, Dow elled)	SD-205, SD-206A				
a)	3 m to 30 m	02 200/1	m	85.0		
b)	Greater than 30 m		m	50.0		
ii)	Curb Ramp (10-15 mm reveal ht, Integral)	SD-229C,D	m	30.0		
B.18	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	10.0		
B.19	Construction of Asphaltic Concrete Overlay	CW 3410-R9				
i)	Main Line Paving					
a)	Type IA		tonne	1,100.0		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	70.0		

2012 LOCAL STREET RENEWAL PROGRAM: VICTOR STREET, DEXTER STREET AND VARIOUS OTHER LOCATIONS (SEE B8)

ПЕМ	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS - REMOVALS / RENEWALS (Cont'd.)					
B.20	Construction of Asphaltic Concrete Base Course (Type III)	CW 3410-R9	tonne	400.0		
B.21	Pavement Repair Fabric	E10.	m²	88.0		
	JOINT AND CRACK SEALING					
B.22	Reflective Crack Maintenance	CW 3250-R7	m	1,000.0		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
B.23	Sew er Service	CW 2130-R12				
i)	250 mm, PVC LDS					
a)	In a Trench, Class B Sand Bedding, Class 3 Backfill		m	45.0		
B.24	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	3.0		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	3.0		
iii)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	6.0		
iv)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	6.0		
B.25	Connecting to Existing Manhole	CW 2130-R12				
i)	250 mm Catch Basin Lead		each	5.0		
B.26	Connecting New Sew er Service to Existing Sew er Service	CW 2130-R12				
i)	250 mm		each	1.0		
	ADJUSTMENTS					
B.27	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	5.0		
B.28	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1.0		

2012 LOCAL STREET RENEWAL PROGRAM: VICTOR STREET, DEXTER STREET AND VARIOUS OTHER LOCATIONS (SEE B8)

ПЕМ	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	ADJUSTMENTS (Cont'd.)					
B.29	Lifter Rings	CW 3210-R7				
i)	38 mm		each	2.0		
ii)	51 mm		each	4.0		
iii)	76 mm		each	3.0		
B.30	Adjustment of Valve Boxes	CW 3210-R7	each	3.0		
B.31	Adjustment of Curb Stop Boxes	CW 3210-R7	each	2.0		
B.32	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	6.0		
	LANDSCAPING					
B.33	Sodding	CW 3510-R9				
i)	w idth < 600 mm		m²	125.0		
ii)	w idth > or = 600 mm		m²	175.0		
В	REHABILITATION: BURROWS AVENUE - H	I IADDON ROAD	/ INKSTE	ER		
	BOULEVARD				Sub-Total:	

FORM B: PRICES 2012 LOCAL STREET RENEWAL PROGRAM: VICTOR STREET, DEXTER STREET AND VARIOUS OTHER LOCATIONS (SEE B8)

UNIT PRICE ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С	REHABILITATION: PARR STREET - LANSI	OOWNE AVENUE	E/McAD			
	EARTH AND BASE WORKS					
C.1	Supplying and Placing Base Course Material	CW 3110-R15	m³	20.0		
C.2	Grading of Boulevards	CW 3110-R15	m²	200.0		
	ROADWORKS - REMOVALS / RENEWALS					
C.3	Slab Replacement	CW 3230-R7				
i)	150 mm Concrete Pavement (Reinforced)		m²	80.0		
C.4	Partial Slab Patches	CW 3230-R7				
i)	150 mm Concrete Pavement (Type A)		m²	5.0		
ii)	150 mm Concrete Pavement (Type B)		m²	15.0		
C.5	Slab Replacement - Early Opening (72 hour)	CW 3230-R7				
i)	150 mm Concrete Pavement (Reinforced)		m²	80.0		
C.6	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R7				
i)	150 mm Concrete Pavement (Type B)		m²	15.0		
C.7	Drilled Dow els	CW 3230-R7				
i)	19.1 mm Diameter		each	70.0		
C.8	Drilled Tie Bars	CW 3230-R7				
i)	20 M Deformed Tie Bar		each	75.0		
C.9	Miscellaneous Concrete Slab Renew al	CW 3235-R9				
i)	100 mm Sidew alk	SD-228A				
a)	Less than 5 sq.m.		m²	20.0		
b)	5 sq.m. to 20 sq.m.		m²	65.0		
c)	Greater than 20 sq.m.		m²	60.0		

2012 LOCAL STREET RENEWAL PROGRAM: VICTOR STREET, DEXTER STREET AND VARIOUS OTHER LOCATIONS (SEE B8)

NIT PRICE	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS - REMOVALS / RENEWALS (Cont'd.)					
C.10	Concrete Curb Installation	CW 3240-R9				
i)	Barrier (150 mm reveal ht, Separate)	SD-203A	m	40.0		
C.11	Concrete Curb Renew al	CW 3240-R9				
i)	Barrier (150 mm reveal ht, Dow elled)	SD-205, SD-206A				
a)	3 m to 30 m		m	125.0		
b)	Greater than 30 m		m			
ii)	Modified Barrier (150 mm reveal ht, Dow elled)	SD-203B	m	35.0		
iii)	Curb Ramp (10-15 mm reveal ht, Integral)	SD-229C,D	m	55.0		
C.12	Construction of Asphaltic Concrete Overlay	CW 3410-R9				
i)	Main Line Paving					
a)	Type IA		tonne	380.0		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	100.0		
C.13	Pavement Repair Fabric	E10.	m²	49.0		
	JOINT AND CRACK SEALING					
C.14	Reflective Crack Maintenance	CW 3250-R7	m	210.0		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
C.15	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	3.0		
C.16	Catch Pit	CW 2130-R12				
i)	SD-023		each	3.0		

2012 LOCAL STREET RENEWAL PROGRAM: VICTOR STREET, DEXTER STREET AND VARIOUS OTHER LOCATIONS (SEE B8)

ПЕМ	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS (Cont'd.)					
C.17	Sew er Service	CW 2130-R12				
i)	250 mm, PVC LDS					
a)	In a Trench, Class B Sand Bedding, Class 3 Backfill		m	20.0		
C.18	Drainage Connection Pipe	CW 2130-R12	m	12.0		
C.19	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	5.0		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	4.0		
iii)	AP-006 - Standard Grated Cover for Standard Frame		each	1.0		
C.20	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	5.0		
C.21	Connecting to Existing Sew er	CW 2130-R12				
i)	250 mm PVC Connecting Pipe					
a)	Connecting to 250 mm (Concrete) Sew er		each	1.0		
C.22	Catch Basin Cleaning	CW 2140-R3	each	6.0		
	ADJUSTMENTS					
C.23	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	8.0		
C.24	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1.0		
C.25	Lifter Rings	CW 3210-R7				
i)	51 mm		each	3.0		
C.26	Adjustment of Valve Boxes	CW 3210-R7	each	6.0		
C.27	Adjustment of Curb Stop Boxes	CW 3210-R7	each	1.0		

2012 LOCAL STREET RENEWAL PROGRAM: VICTOR STREET, DEXTER STREET AND VARIOUS OTHER LOCATIONS (SEE B8)

ПЕМ	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	LANDSCAPING					
C.28	Sodding	CW 3510-R9				
i)	w idth < 600 mm		m²	50.0		
ii)	w idth > or = 600 mm		m²	150.0		
С	REHABILITATION: PARR STREET - LANSD					
					Sub-Total:	

2012 LOCAL STREET RENEWAL PROGRAM: VICTOR STREET, DEXTER STREET AND VARIOUS OTHER LOCATIONS (SEE B8)

UNIT PRICES ПЕМ DESCRIPTION SPFC. UNIT APPROX. **UNIT PRICE AMOUNT REF** QUANTITY D REHABILITATION: BURROWS AVENUE EASTBOUND - McGREGOR STREET / POWERS STREET **EARTH AND BASE WORKS** Supplying and Placing Base Course Material D.1 CW 3110-R15 m³ 55.0 D.2 Grading of Boulevards CW 3110-R15 3,200.0 m² ROADWORKS - REMOVALS / RENEWALS D.3 CW 3230-R7 Slab Replacement i) 200 mm Concrete Pavement (Reinforced) m² 200.0 D.4 Partial Slab Patches CW 3230-R7 i) 200 mm Concrete Pavement (Type A) m² 3.0 ii) 200 mm Concrete Pavement (Type B) m² 20.0 iii) 200 mm Concrete Pavement (Type C) m² 10.0 m² 15.0 iv) 200 mm Concrete Pavement (Type D) D.5 CW 3230-R7 Slab Replacement - Early Opening (72 hour) 180.0 i) 200 mm Concrete Pavement (Reinforced) m² CW 3230-R7 D.6 Partial Slab Patches - Early Opening (72 hour) i) 200 mm Concrete Pavement (Type B) m² 20.0 ii) 200 mm Concrete Pavement (Type D) m² 10.0 D.7 Drilled Dow els CW 3230-R7 i) 19.1 mm Diameter 60.0 each D.8 Drilled Tie Bars CW 3230-R7 i) 20 M Deformed Tie Bar 215.0 each

2012 LOCAL STREET RENEWAL PROGRAM: VICTOR STREET, DEXTER STREET AND VARIOUS OTHER LOCATIONS (SEE B8)

S					
DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ROADWORKS - REMOVALS / RENEWALS (Cont'd.)					
Miscellaneous Concrete Slab Renew al	CW 3235-R9				
100 mm Sidew alk	SD-228A				
Less than 5 sq.m.		m²	25.0		
5 sq.m. to 20 sq.m.		m²	120.0		
Greater than 20 sq.m.		m²	350.0		
Adjustment of Precast Sidew alk Blocks	CW 3235-R9	m²	10.0		
Concrete Curb Removal	CW 3240-R9				
Barrier (Separate)		m	390.0		
Concrete Curb Installation	CW 3240-R9				
Splash Strip (150 mm reveal ht, Monolithic Barrier Curb, 750 mm w idth), Slip Form Paving	SD-223A	m	390.0		
Concrete Curb Renew al	CW 3240-R9				
Barrier (150 mm reveal ht, Dow elled)	SD-205, SD-206A				
3 m to 30 m		m	80.0		
Greater than 30 m		m	200.0		
Modified Barrier (150 mm reveal ht, Dow elled)	SD-203B	m	70.0		
Curb Ramp (10-15 mm reveal ht, Integral)	SD-229C,D	m	40.0		
Construction of Asphaltic Concrete Overlay	CW 3410-R9				
Main Line Paving					
Type IA		tonne	650.0		
Tie-ins and Approaches					
Type IA		tonne	35.0		
	ROADWORKS - REMOVALS / RENEWALS (Cont'd.) Miscellaneous Concrete Slab Renew al 100 mm Sidew alk Less than 5 sq.m. 5 sq.m. to 20 sq.m. Greater than 20 sq.m. Adjustment of Precast Sidew alk Blocks Concrete Curb Removal Barrier (Separate) Concrete Curb Installation Splash Strip (150 mm reveal ht, Monolithic Barrier Curb, 750 mm width), Slip Form Paving Concrete Curb Renew al Barrier (150 mm reveal ht, Dow elled) 3 m to 30 m Greater than 30 m Modified Barrier (150 mm reveal ht, Integral) Curb Ramp (10-15 mm reveal ht, Integral) Construction of Asphaltic Concrete Overlay Main Line Paving Type IA Tie-ins and Approaches	ROADWORKS - REMOVALS / RENEWALS (Cont'd.) Miscellaneous Concrete Slab Renew al 100 mm Sidew alk Less than 5 sq.m. 5 sq.m. to 20 sq.m. Greater than 20 sq.m. Adjustment of Precast Sidew alk Blocks Concrete Curb Removal Barrier (Separate) Concrete Curb Installation Splash Strip (150 mm reveal ht, Monolithic Barrier Curb, 750 mm width), Slip Form Paving Concrete Curb Renew al Barrier (150 mm reveal ht, Dow elled) 3 m to 30 m Greater than 30 m Modified Barrier (150 mm reveal ht, Integral) Construction of Asphaltic Concrete Overlay Main Line Paving Type IA Tie-ins and Approaches	ROADWORKS - REMOVALS / RENEWALS (Cont'd.) Miscellaneous Concrete Slab Renewal 100 mm Sidew alk Less than 5 sq.m. 5 sq.m. to 20 sq.m. Greater than 20 sq.m. Adjustment of Precast Sidew alk Blocks Concrete Curb Removal Barrier (Separate) Concrete Curb Installation Spleady Type IA Construction of Asphaltic Concrete Overlay Main Line Paving Type IA Tie-ins and Approaches	DESCRIPTION	DESCRIPTION SPEC. REF. UNIT APPROX. QUANTITY ROADWORKS - REMOVALS / RENEWALS (Cont'd.) Miscellaneous Concrete Slab Renew al CW 3235-R9 100 mm Sidew allk SD-228A Less than 5 sq.m. m² 25.0 5 sq.m. to 20 sq.m. m² 120.0 Greater than 20 sq.m. m² 350.0 Adjustment of Precast Sidew allk Blocks CW 3235-R9 m² 10.0 Concrete Curb Removal CW 3240-R9 Barrier (Separate) m 390.0 Concrete Curb Installation CW 3240-R9 Splash Strip (150 mm reveal ht, Monolithic Barrier Curb, 750 mm width), Slip Form Paving Concrete Curb Renewal CW 3240-R9 Barrier (150 mm reveal ht, Dow elled) SD-203, SD-206A 3 mto 30 m m 80.0 Greater than 30 m m 200.0 Modified Barrier (150 mm reveal ht, Integral) SD-203B m 70.0 Curb Ramp (10-15 mm reveal ht, Integral) CW 3410-R9 Main Line Paving Type IA tonne 650.0

2012 LOCAL STREET RENEWAL PROGRAM: VICTOR STREET, DEXTER STREET AND VARIOUS OTHER LOCATIONS (SEE B8)

ПЕМ	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS - REMOVALS / RENEWALS (Cont'd.)					
D.15	Pavement Repair Fabric	E10.	m²	70.0		
	JOINT AND CRACK SEALING					
D.16	Reflective Crack Maintenance	CW 3250-R7	m	500.0		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
D.17	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	2.0		
D.18	Catch Pit	CW 2130-R12				
i)	SD-023		each	1.0		
D.19	Sew er Service	CW 2130-R12				
i)	250 mm, PVC LDS					
a)	In a Trench, Class B Sand Bedding, Class 3 Backfill		m	25.0		
D.20	Drainage Connection Pipe	CW 2130-R12	m	5.0		
D.21	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	3.0		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	2.0		
iii)	AP-006 - Standard Grated Cover for Standard Frame		each	1.0		
iv)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	3.0		
v)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	3.0		
D.22	Connecting to Existing Manhole	CW 2130-R12				
i)	250 mm Catch Basin Lead		each	1.0		
D.23	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	1.0		

FORM B: PRICES 2012 LOCAL STREET RENEWAL PROGRAM: VICTOR STREET, DEXTER STREET AND VARIOUS OTHER LOCATIONS (SEE B8)

UNIT PRICE						
ПЕМ	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS (Cont'd.)					
D.24	Connecting New Sew er Service to Existing Sew er Service	CW 2130-R12				
i)	250 mm		each	2.0		
D.25	Removal of Existing Catch Basins	CW 2130-R12	each	3.0		
D.26	Catch Basin Cleaning	CW 2140-R3	each	4.0		
	ADJUSTMENTS					
D.27	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	4.0		
D.28	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1.0		
D.29	Lifter Rings	CW 3210-R7				
i)	38 mm		each	1.0		
ii)	51 mm		each	1.0		
D.30	Adjustment of Valve Boxes	CW 3210-R7	each	10.0		
D.31	Valve Box Extensions	CW 3210-R7	each	1.0		
D.32	Adjustment of Curb Stop Boxes	CW 3210-R7	each	6.0		
D.33	Curb Stop Extensions	CW 3210-R7	each	1.0		
	LANDSCAPING					
D.34	Sodding	CW 3510-R9				
i)	w idth < 600 mm		m²	540.0		
ii)	w idth > or = 600 mm		m²	2,574.0		
D	REHABILITATION: BURROWS AVENUE EA	STBOUND - M	GREGO	R STREET /		
-	POWERS STREET				Sub-Total:	

2012 LOCAL STREET RENEWAL PROGRAM: VICTOR STREET, DEXTER STREET AND VARIOUS OTHER LOCATIONS (SEE B8)

UNIT PRICES DESCRIPTION ПЕМ SPFC. UNIT APPROX. **UNIT PRICE AMOUNT REF QUANTITY** Ε ASPHALT RECONSTRUCTION: VICTOR STREET - ST. MATTHEWS AVENUE / ELLICE AVENUE **EARTH AND BASE WORKS** E.1 Excavation CW 3110-R15 m³ 1.600.0 E.2 Sub-Grade Compaction CW 3110-R15 2.610.0 m² E.3 Crushed Sub-base Material CW 3110-R15 i) 50 mm 1.950.0 tonne E.4 Supplying and Placing Base Course Material CW 3110-R15 m³ 220.0 E.5 CW 3110-R15 2,800.0 Grading of Boulevards m² E.6 Separation Geotextile Fabric CW 3130-R4 2,610.0 ROADWORKS - REMOVALS / RENEWALS E.7 Pavement Removal CW 3110-R15 i) Concrete Pavement m² 2.670.0 E.8 Slab Replacement CW3230-R7 i) 150 mm Concrete Pavement (Reinforced) m² 80.0 E.9 Drilled Dow els CW 3230-R7 i) 19.1 mm Diameter each 10.0 CW 3230-R7 E.10 **Drilled Tie Bars** i) 20 M Deformed Tie Bar each 25.0 E.11 Miscellaneous Concrete Slab Renew al CW 3235-R9 100 mm Sidew alk SD-228A a) Less than 5 sq.m. m² 5.0 b) 5 sq.m. to 20 sq.m. m² 35.0 m² 1.000.0 c) Greater than 20 sq.m.

2012 LOCAL STREET RENEWAL PROGRAM: VICTOR STREET, DEXTER STREET AND VARIOUS OTHER LOCATIONS (SEE B8)

ПЕМ	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS - REMOVALS / RENEWALS (Cont'd.)					
E.12	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	20.0		
E.13	Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	30.0		
E.14	Removal of Precast Sidew alk Blocks	CW 3235-R9	m²	30.0		
E.15	Concrete Curb Renew al	CW 3240-R9				
i)	Modified Barrier (150 mm reveal ht, Dow elled)	SD-203B	m	5.0		
ii)	Curb Ramp (10-15 mm reveal ht, Integral)	SD-229C,D	m	20.0		
E.16	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	5.0		
E.17	Detectable Warning Surface Tiles	E12.				
i)	610 mm x 1220 mm		each	8.0		
	ROADWORK - NEW CONSTRUCTION					
E.18	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R14				
i)	Construction of Curb and Gutter (180 mm ht, Barrier, Integral, 600 mm w idth, 150 mm Plain Concrete Pavement)	SD-200	m	660.0		
ii)	Construction of Curb and Gutter (180 mm ht, Modified Barrier, Integral, 600 mm w idth, 150 mm Plain Concrete Pavement)	SD-200, SD-203B	m	20.0		
iii)	Construction of Curb and Gutter (40 mm ht, Lip Curb, Integral, 600 mm w idth, 150 mm Plain Concrete Pavement)	SD-200 SD-202B	m	20.0		
iv)	Construction of Curb and Gutter (10-15 mm ht, Curb Ramp, Integral, 600 mm w idth, 150 mm Plain Concrete Pavement)	SD-200 SD-229D	m	15.0		
E.19	Interlocking Paving Stones	CW 3330-R5	m²	5.0		
E.20	Construction of Asphaltic Concrete Pavements	CW 3410-R9				
i)	Main Line Paving					
a)	Type IA		tonne	550.0		
ii)	Tie-ins and Approaches					
a)	Туре IA		tonne	20.0		

2012 LOCAL STREET RENEWAL PROGRAM: VICTOR STREET, DEXTER STREET AND VARIOUS OTHER LOCATIONS (SEE B8)

JNIT PRICE ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
E.21	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	6.0		
E.22	Sew er Service	CW 2130-R12				
i)	250 mm, PVC LDS					
a)	In a Trench, Class B Sand Bedding, Class 3 Backfill		m	25.0		
E.23	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	2.0		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	2.0		
iii)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	1.0		
iv)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	1.0		
E.24	Connecting to Existing Manhole	CW 2130-R12				
i)	250 mm Catch Basin Lead		each	1.0		
E.25	Connecting to Existing Sew er	CW 2130-R12				
i)	250 mm PVC Connecting Pipe					
a)	Connecting to 375 mm (Concrete) Sew er		each	1.0		
E.26	Connecting New Sew er Service to Existing Sew er Service	CW 2130-R12				
i)	250 mm		each	4.0		
E.27	Removal of Existing Catch Basins	CW 2130-R12	each	6.0		
E.28	Catch Basin Cleaning	CW 2140-R3	each	1.0		
E.29	Installation of Subdrains	CW 3120-R4	m	72.0		
	ADJUSTMENTS					
E.30	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	4.0		

2012 LOCAL STREET RENEWAL PROGRAM: VICTOR STREET, DEXTER STREET AND VARIOUS OTHER LOCATIONS (SEE B8)

ПЕМ	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	ADJUSTMENTS (Cont'd.)					
E.31	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1.0		
E.32	Lifter Rings	CW 3210-R7				
i)	51 mm		each	2.0		
E.33	Adjustment of Valve Boxes	CW 3210-R7	each	6.0		
E.34	Adjustment of Curb Stop Boxes	CW 3210-R7	each	5.0		
	LANDSCAPING					
E.35	Sodding	CW 3510-R9				
i)	w idth < 600 mm		m²	400.0		
ii)	w idth > or = 600 mm		m²	2,400.0		
_	ASPHALT RECONSTRUCTION: VICTOR STREET - ST. MATTHEWS AVENUE /					
E	ELLICE AVENUE					

2012 LOCAL STREET RENEWAL PROGRAM: VICTOR STREET, DEXTER STREET AND VARIOUS OTHER LOCATIONS (SEE B8)

UNIT PRICES ПЕМ DESCRIPTION SPFC. UNIT APPROX. **UNIT PRICE AMOUNT REF** QUANTITY F REHABILITATION: JEFFERSON AVENUE - CP TRACKS / RITCHIE STREET **EARTH AND BASE WORKS** Supplying and Placing Base Course Material F.1 CW 3110-R15 m³ 15.0 F.2 CW 3110-R15 500.0 Grading of Boulevards m² ROADWORKS - REMOVALS / RENEWALS F.3 CW 3230-R7 Slab Replacement i) 200 mm Concrete Pavement (Reinforced) m² 70.0 F.4 E11. Partial Depth Planing of Existing Joints 240.0 m² F.5 Asphalt Patching of Partial Depth Joints E11. 240.0 m² F.6 CW 3230-R7 Drilled Dow els i) 19.1 mm Diameter each 30.0 F.7 **Drilled Tie Bars** CW 3230-R7 i) 20 M Deformed Tie Bar 40.0 each F.8 Miscellaneous Concrete Slab Renew al CW 3235-R9 i) 100 mm Sidew alk SD-228A m² 20.0 a) Less than 5 sq.m. b) 5 sq.m. to 20 sq.m. 65.0 m² m² 310.0 c) Greater than 20 sq.m. Concrete Curb Installation F.9 CW 3240-R9 i) Barrier (150 mm reveal ht, Separate) SD-203A 20.0 m F.10 Concrete Curb Renew al CW 3240-R9 i) Barrier (150 mm reveal ht, Dow elled) SD-205. SD-206A a) 3 m to 30 m 40.0 Greater than 30 m 50.0 m ii) Curb Ramp (10-15 mm reveal ht, Integral) SD-229C,D 40.0 m

2012 LOCAL STREET RENEWAL PROGRAM: VICTOR STREET, DEXTER STREET AND VARIOUS OTHER LOCATIONS (SEE B8)

ПЕМ	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS - REMOVALS / RENEWALS (Cont'd.)					
F.11	Construction of Asphaltic Concrete Overlay	CW 3410-R9				
i)	Main Line Paving					
a)	Type IA		tonne	600.0		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	105.0		
F.12	Pavement Repair Fabric	E10.	m²	25.0		
	JOINT AND CRACK SEALING					
F.13	Reflective Crack Maintenance	CW 3250-R7	m	400.0		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
F.14	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	2.0		
ii)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	2.0		
F.15	Catch Basin Cleaning	CW 2140-R3	each	2.0		
	ADJUSTMENTS					
F.16	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	3.0		
F.17	Lifter Rings	CW 3210-R7				
i)	38 mm		each	1.0		
ii)	51 mm		each	3.0		
F.18	Adjustment of Valve Boxes	CW 3210-R7	each	2.0		
F.19	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	2.0		

2012 LOCAL STREET RENEWAL PROGRAM: VICTOR STREET, DEXTER STREET AND VARIOUS OTHER LOCATIONS (SEE B8)

ПЕМ	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	LANDSCAPING					
F.20	Sodding	CW 3510-R9				
i)	w idth < 600 mm		m²	210.0		
ii)	w idth > or = 600 mm		m²	120.0		
F	REHABILITATION: JEFFERSON AVENUE -					
					Sub-Total:	

FORM B: PRICES 2012 LOCAL STREET RENEWAL PROGRAM: VICTOR STREET, DEXTER STREET AND VARIOUS OTHER LOCATIONS (SEE B8)

UNIT PRICE	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G	REHABILITATION: RITCHIE STREET - JEFI	FERSON AVENU	IE/CHO	CHINOV AVEN	UE	
	EARTH AND BASE WORKS					
G.1	Supplying and Placing Base Course Material	CW 3110-R15	m³	15.00		
G.2	Grading of Boulevards	CW 3110-R15	m²	650.0		
	ROADWORKS - REMOVALS / RENEWALS					
G.3	Partial Slab Patches	CW 3230-R7				
i)	150 mm Concrete Pavement (Type A)		m²	10.0		
ii)	150 mm Concrete Pavement (Type D)		m²	20.0		
G.4	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R7				
i)	150 mm Concrete Pavement (Type D)		m²	30.0		
G.5	Partial Depth Planing of Existing Joints	E11.	m²	325.0		
G.6	Asphalt Patching of Partial Depth Joints	E11.	m²	325.0		
G.7	Drilled Dow els	CW 3230-R7				
i)	19.1 mm Diameter		each	40.0		
G.8	Drilled Tie Bars	CW 3230-R7				
i)	20 M Deformed Tie Bar		each	40.0		
G.9	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	100 mm Sidew alk	SD-228A	m²	80.0		
ii)	Bullnose	SD-227C	m²	5.0		
G.10	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidew alk	SD-228A				
a)	Less than 5 sq.m.		m²	20.0		
b)	5 sq.m. to 20 sq.m.		m²	120.0		
c)	Greater than 20 sq.m.		m²	570.0		

2012 LOCAL STREET RENEWAL PROGRAM: VICTOR STREET, DEXTER STREET AND VARIOUS OTHER LOCATIONS (SEE B8)

UNIT PRICE		CDEC	LIKUT	V DDD O∧	LINIT DDIOE	A MOLINIT
ПЕМ	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS - REMOVALS / RENEWALS (Cont'd.)					
G.11	Adjustment of Precast Sidew alk Blocks	CW 3235-R9	m²	10.0		
G.12	Removal of Precast Sidew alk Blocks	CW 3235-R9	m²	35.0		
G.13	Concrete Curb Installation	CW 3240-R9				
i)	Barrier (150 mm reveal ht, Separate)	SD-203A	m	10.0		
G.14	Concrete Curb Renew al	CW 3240-R9				
i)	Barrier (150 mm reveal ht, Dow elled)	SD-205, SD-206A				
a)	3 m to 30 m		m	95.0		
ii)	Curb Ramp (10-15 mm reveal ht, Integral)	SD-229C,D	m	70.0		
G.15	Construction of Asphaltic Concrete Overlay	CW 3410-R9				
i)	Main Line Paving					
a)	Type IA		tonne	875.0		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	140.0		
	JOINT AND CRACK SEALING					
G.16	Reflective Crack Maintenance	CW 3250-R7	m	650.0		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
G.17	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	1.0		
ii)	AP-006 - Standard Grated Cover for Standard Frame		each	1.0		
iii)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	3.0		
iv)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	3.0		

2012 LOCAL STREET RENEWAL PROGRAM: VICTOR STREET, DEXTER STREET AND VARIOUS OTHER LOCATIONS (SEE B8)

ПЕМ	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS (Cont'd.)					
G.18	Catch Basin Cleaning	CW 2140-R3	each	4.0		
	ADJUSTMENTS					
G.19	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1.0		
G.20	Lifter Rings	CW 3210-R7				
i)	51 mm		each	2.0		
G.21	Adjustment of Valve Boxes	CW 3210-R7	each	8.0		
G.22	Valve Box Extensions	CW 3210-R7	each	3.0		
G.23	Adjustment of Curb Stop Boxes	CW 3210-R7	each	2.0		
G.24	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	3.0		
G.25	Curb Stop Extensions	CW 3210-R7	each	1.0		
	LANDSCAPING					
G.26	Sodding	CW 3510-R9				
i)	w idth < 600 mm		m²	490.0		
ii)	w idth > or = 600 mm		m²	160.0		
G	REHABILITATION: RITCHIE STREET - JEFF AVENUE	Sub-Total:				

2012 LOCAL STREET RENEWAL PROGRAM: VICTOR STREET, DEXTER STREET AND VARIOUS OTHER LOCATIONS (SEE B8)

UNIT PRICES ПЕМ DESCRIPTION SPFC. UNIT APPROX. **UNIT PRICE AMOUNT REF** QUANTITY ASPHALT RECONSTRUCTION: CHANCELLOR DRIVE SOUTH LEG - AUGUSTA DRIVE / MARKHAM ROAD Н **EARTH AND BASE WORKS** H.1 Excavation CW 3110-R15 m³ 1.400.0 H.2 Sub-Grade Compaction CW 3110-R15 m² 2,160.0 H.3 Crushed Sub-base Material CW 3110-R15 i) 50 mm tonne 870.0 ii) 100 mm tonne 1.500.0 H.4 CW 3110-R15 210.0 Supplying and Placing Base Course Material m³ H.5 CW 3110-R15 1,200.0 Grading of Boulevards m² H.6 Separation Geotextile Fabric CW 3130-R4 2,160.0 m² H.7 Supply and Install Geogrid CW 3135-R1 m² 2,160.0 ROADWORKS - REMOVALS / RENEWALS H.8 CW 3110-R15 Pavement Removal Concrete Pavement m² 460.0 i) Asphalt Pavement m² 1,770.0 H.9 Drilled Dow els CW 3230-R7 i) 19.1 mm Diameter 15.0 each **Drilled Tie Bars** H.10 CW 3230-R7 i) 20 M Deformed Tie Bar each 70.0 H.11 Miscellaneous Concrete Slab Installation CW 3235-R9 i) 100 mm Sidew alk SD-228A m² 50.0 Miscellaneous Concrete Slab Renew al CW 3235-R9 H.12 100 mm Sidew alk SD-228A 5 sq.m. to 20 sq.m. m² 85.0 b) Greater than 20 sq.m. m² 360.0

2012 LOCAL STREET RENEWAL PROGRAM: VICTOR STREET, DEXTER STREET AND VARIOUS OTHER LOCATIONS (SEE B8)

ПЕМ	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS - REMOVALS / RENEWALS (Cont'd.)					
H.13	Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	5.0		
H.14	Removal of Precast Sidew alk Blocks	CW 3235-R9	m²	30.0		
H.15	Concrete Curb Removal	CW 3240-R9				
i)	Curb and Gutter		m	380.0		
	ROADWORK - NEW CONSTRUCTION					
H.16	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R14				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	460.0		
H.17	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R14				
i)	Construction of Modified Barrier (150 mm ht, Integral)	SD-203B	m	45.0		
ii)	Construction of Curb and Gutter (150 mm ht, Barrier, Integral, 600 mm w idth, 150 mm Plain Concrete Pavement)	SD-200	m	270.0		
iii)	Construction of Curb and Gutter (40 mm ht, Lip Curb, Integral, 600 mm w idth, 150 mm Plain Concrete Pavement)	SD-200 SD-202B	m	65.0		
iv)	Construction of Curb Ramp (10-15 mm ht, Integral)	SD-229C	m	55.0		
H.18	Construction of Asphaltic Concrete Pavements	CW 3410-R9				
i)	Main Line Paving					
a)	Type IA		tonne	200.0		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	65.0		
H.19	Construction of Asphaltic Concrete Base Course (Type III)	CW 3410-R9	tonne	210.0		
H.20	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	3.0		

2012 LOCAL STREET RENEWAL PROGRAM: VICTOR STREET, DEXTER STREET AND VARIOUS OTHER LOCATIONS (SEE B8)

ПЕМ	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORK - NEW CONSTRUCTION (Cont'd.)					
H.21	Catch Pit	CW 2130-R12				
i)	SD-023		each	1.0		
H.22	Sew er Service	CW 2130-R12				
i)	250 mm, PVC LDS					
a)	In a Trench, Class B Sand Bedding, Class 3 Backfill		m	20.0		
ii)	300 mm, PVC LDS					
a)	In a Trench, Class B Sand Bedding, Class 3 Backfill		m	5.0		
H.23	Drainage Connection Pipe	CW 2130-R12	m	5.0		
H.24	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	3.0		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	2.0		
iii)	AP-006 - Standard Grated Cover for Standard Frame		each	1.0		
H.25	Connecting to Existing Manhole	CW 2130-R12				
i)	250 mm Catch Basin Lead		each	1.0		
H.26	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	2.0		
H.27	Connecting to Existing Sew er	CW 2130-R12				
i)	250 mm PV C Connecting Pipe					
a)	Connecting to 300 mm (PVC LDS) Sew er		each	1.0		
H.28	Removal of Existing Catch Basins	CW 2130-R12	each	2.0		
H.29	Catch Basin Cleaning	CW 2140-R3	each	2.0		

2012 LOCAL STREET RENEWAL PROGRAM: VICTOR STREET, DEXTER STREET AND VARIOUS OTHER LOCATIONS (SEE B8)

TEM .	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORK - NEW CONSTRUCTION (Cont'd.)					
H.30	Installation of Subdrains	CW 3120-R4	m	40.0		
	ADJUSTMENTS					
H.31	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	3.0		
H.32	Replacing Existing Risers	CW 2130-R12				
ij	Pre-cast Concrete Risers		vert. m	0.5		
H.33	Lifter Rings	CW 3210-R7				
ij	51 mm		each	2.0		
H.34	Adjustment of Valve Boxes	CW 3210-R7	each	3.0		
H.35	Valve Box Extensions	CW 3210-R7	each	1.0		
H.36	Adjustment of Curb Stop Boxes	CW 3210-R7	each	5.0		
	LANDSCAPING					
H.37	Sodding	CW 3510-R9				
ij	w idth < 600 mm		m²	250.0		
ii)	w idth > or = 600 mm		m²	1,200.0		
н	ASPHALT RECONSTRUCTION: CHANCEL	- AUGUSTA				
	DRIVE / MARKHAM ROAD				Sub-Total:	

2012 LOCAL STREET RENEWAL PROGRAM: VICTOR STREET, DEXTER STREET AND VARIOUS OTHER LOCATIONS (SEE B8)

INIT PRIC	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
I	ASPHALT RECONSTRUCTION: MARKHAI		ICELLOI		LEG / GULL LAI	KE ROAD
	EARTH AND BASE WORKS					
l.1	Excavation	CW 3110-R15	m³	600.0		
l.2	Sub-Grade Compaction	CW 3110-R15	m²	1,400.0		
l.3	Crushed Sub-base Material	CW 3110-R15				
i)	50 mm		tonne	500.0		
ii)	100 mm		tonne	910.0		
1.4	Supplying and Placing Base Course Material	CW 3110-R15	m³	115.0		
l.5	Grading of Boulevards	CW 3110-R15	m²	1,350.0		
l.6	Separation Geotextile Fabric	CW 3130-R4	m²	1,400.0		
1.7	Supply and Install Geogrid	CW 3135-R1	m²	1,400.0		
	ROADWORKS - REMOVALS / RENEWALS					
1.8	Pavement Removal	CW 3110-R15				
i)	Asphalt Pavement		m²	1,150.0		
l.9	Drilled Dow els	CW 3230-R7				
i)	19.1 mm Diameter		each	10.0		
I.10	Drilled Tie Bars	CW 3230-R7				
i)	20 M Deformed Tie Bar		each	10.0		
l.11	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	100 mm Sidew alk	SD-228A	m²	50.0		
l.12	Miscellaneous Concrete Slab Renew al	CW 3235-R9				
i)	100 mm Sidew alk	SD-228A				
a)	Greater than 20 sq.m.		m²	150.0		

2012 LOCAL STREET RENEWAL PROGRAM: VICTOR STREET, DEXTER STREET AND VARIOUS OTHER LOCATIONS (SEE B8)

UNIT PRICE		SDEC	LIKIT	Λ DDD△∨	I IVIT DDIOE	V WOLKE.
ПЕМ	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS - REMOVALS / RENEWALS (Cont'd.)					
l.13	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	5.0		
l.14	Supply of Precast Sidew alk Blocks	CW 3235-R9	m²	5.0		
l.15	Removal of Precast Sidew alk Blocks	CW 3235-R9	m²	25.0		
l.16	Concrete Curb Removal	CW 3240-R9				
i)	Curb and Gutter		m	260.0		
	ROADWORK - NEW CONSTRUCTION					
l.17	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R14				
i)	Construction of Curb and Gutter (180 mm ht, Barrier, Integral, 600 mm w idth, 150 mm Plain Concrete Pavement)	SD-200	m	230.0		
	Construction of Curb and Gutter (180 mm ht, Modified Barrier, Integral, 600 mm w idth, 150 mm Plain Concrete Pavement)	SD-200 SD-203B	m	10.0		
iii)	Construction of Curb and Gutter (10-15 mm ht, Curb Ramp, Integral, 600 mm w idth, 150 mm Plain Concrete Pavement)	SD-200 SD-229E	m	25.0		
l.18	Construction of Asphaltic Concrete Pavements	CW 3410-R9				
i)	Main Line Paving					
a)	Type IA		tonne	150.0		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	50.0		
l.19	Construction of Asphaltic Concrete Base Course (Type III)	CW 3410-R9	tonne	150.0		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
I.20	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	2.0		

2012 LOCAL STREET RENEWAL PROGRAM: VICTOR STREET, DEXTER STREET AND VARIOUS OTHER LOCATIONS (SEE B8)

INIT PRICE ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS (Cont'd.)					
l.21	Catch Pit	CW 2130-R12				
i)	SD-023		each	1.0		
I.22	Sew er Service	CW 2130-R12				
i)	250 mm, PVC LDS					
a)	In a Trench, Class B Sand Bedding, Class 3 Backfill		m	15.0		
l.23	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	2.0		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	2.0		
iii)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	1.0		
iv)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	1.0		
l.24	Connecting to Existing Manhole	CW 2130-R12				
i)	250 mm Catch Basin Lead		each	2.0		
I.25	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	1.0		
I.26	Removal of Existing Catch Basins	CW 2130-R12	each	3.0		
l.27	Removal of Existing Catch Pit	CW 2130-R12	each	3.0		
I.28	Catch Basin Cleaning	CW 2140-R3	each	2.0		
I.29	Installation of Subdrains	CW 3120-R4	m	50.0		
	ADJUSTMENTS					
1.30	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	7.0		

2012 LOCAL STREET RENEWAL PROGRAM: VICTOR STREET, DEXTER STREET AND VARIOUS OTHER LOCATIONS (SEE B8)

ПЕМ	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ADJUSTMENTS (Cont'd.)					
l.31	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	0.5		
I.32	Lifter Rings	CW 3210-R7				
i)	51 mm		each	2.0		
I.33	Adjustment of Valve Boxes	CW 3210-R7	each	3.0		
I.34	Valve Box Extensions	CW 3210-R7	each	2.0		
I.35	Adjustment of Curb Stop Boxes	CW 3210-R7	each	5.0		
I.36	Curb Stop Extensions	CW 3210-R7	each	2.0		
	LANDSCAPING					
l.37	Sodding	CW 3510-R9				
i)	w idth < 600 mm		m²	50.0		
ii)	w idth > or = 600 mm		m²	1,400.0		
	ASPHALT RECONSTRUCTION: MARKHAN	R DRIVE				
I	EAST LEG / GULL LAKE ROAD				Sub-Total:	

2012 LOCAL STREET RENEWAL PROGRAM: VICTOR STREET, DEXTER STREET AND VARIOUS OTHER LOCATIONS (SEE B8)

UNIT PRICES ПЕМ DESCRIPTION SPFC. UNIT APPROX. **UNIT PRICE AMOUNT REF QUANTITY** J REHABILITATION: MARKHAM ROAD - GULL LAKE ROAD / CNR TRACKS **EARTH AND BASE WORKS** J.1 Supplying and Placing Base Course Material CW 3110-R15 m³ 30.0 J.2 Grading of Boulevards CW 3110-R15 870.0 ROADWORKS - REMOVALS / RENEWALS J.3 Slab Replacement CW 3230-R7 45.0 i) 150 mm Concrete Pavement (Reinforced) m² J.4 Partial Slab Patches CW 3230-R7 m² 5.0 i) 150 mm Concrete Pavement (Type A) m² 30.0 ii) 150 mm Concrete Pavement (Type B) J.5 CW 3230-R7 Slab Replacement - Early Opening (72 hour) 45.0 i) 150 mm Concrete Pavement (Reinforced) m² J.6 Partial Slab Patches CW 3230-R7 - Early Opening (72 hour) i) 150 mm Concrete Pavement (Type B) m² 30.0 Drilled Dow els CW 3230-R7 J.7 i) 19.1 mm Diameter each 50.0 CW 3230-R7 J.8 Drilled Tie Bars i) 20 M Deformed Tie Bar 50.0 each CW 3235-R9 J.9 Miscellaneous Concrete Slab Installation 100 mm Sidew alk SD-228A m² 55.0 i) J.10 Miscellaneous Concrete Slab Renew al CW 3235-R9 i) Greater than 20 sq.m. m² 400.0 Removal of Precast Sidew alk Blocks J.11 CW 3235-R9 m² 20.0

2012 LOCAL STREET RENEWAL PROGRAM: VICTOR STREET, DEXTER STREET AND VARIOUS OTHER LOCATIONS (SEE B8)

ПЕМ	S DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS - REMOVALS / RENEWALS (Cont'd.)					
J.12	Concrete Curb Renew al	CW 3240-R9				
i)	Barrier (150 mm reveal ht, Dow elled)	SD-205, SD-206A				
a)	Less than 3 m		m	5.0		
b)	3 m to 30 m		m	50.0		
c)	Greater than 30 m		m	40.0		
ii)	Curb Ramp (10-15 mm reveal ht, Integral)	SD-229C,D	m	35.0		
J.13	Construction of Asphaltic Concrete Overlay	CW 3410-R9				
i)	Main Line Paving					
a)	Type IA		tonne	310.0		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	35.0		
J.14	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	60.0		
J.15	Pavement Repair Fabric	E10.	m²	350.0		
	JOINT AND CRACK SEALING					
J.16	Reflective Crack Maintenance	CW 3250-R7	m	400.0		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
J.17	Catch Basin	CW 2130-R12				
i)	SD-025, 1800 mm deep		each	1.0		
J.18	Drainage Connection Pipe	CW 2130-R12	m	5.0		

2012 LOCAL STREET RENEWAL PROGRAM: VICTOR STREET, DEXTER STREET AND VARIOUS OTHER LOCATIONS (SEE B8)

NIT PRICE ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS (Cont'd.)					
J.19	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	2.0		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	1.0		
iii)	AP-006 - Standard Grated Cover for Standard Frame		each	1.0		
iv)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	1.0		
v)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	1.0		
J.20	Connecting to Existing Manhole	CW 2130-R12				
i)	250 mm Catch Basin Lead		each	1.0		
J.21	Catch Basin Cleaning	CW 2140-R3	each	4.0		
	ADJUSTMENTS					
J.22	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	6.0		
J.23	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	0.5		
J.24	Lifter Rings	CW 3210-R7				
i)	51 mm		each	5.0		
J.25	Adjustment of Valve Boxes	CW 3210-R7	each	7.0		
J.26	Valve Box Extensions	CW 3210-R7	each	4.0		
J.27	Adjustment of Curb Stop Boxes	CW 3210-R7	each	6.0		
J.28	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	1.0		
J.29	Curb Stop Extensions	CW 3210-R7	each	3.0		

2012 LOCAL STREET RENEWAL PROGRAM: VICTOR STREET, DEXTER STREET AND VARIOUS OTHER LOCATIONS (SEE B8)

ПЕМ	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	LANDSCAPING					
J.30	Sodding	CW 3510-R9				
i)	w idth < 600 mm		m²	70.0		
ii)	w idth > or = 600 mm		m²	820.0		
J	REHABILITATION: MARKHAM ROAD - GU	0.1.7.1				
					Sub-Total:	

2012 LOCAL STREET RENEWAL PROGRAM: VICTOR STREET, DEXTER STREET AND VARIOUS OTHER LOCATIONS (SEE B8)

UNIT PRICES ПЕМ SPEC. UNIT DESCRIPTION APPROX. **UNIT PRICE AMOUNT REF** QUANTITY SEWER REPAIRS Κ DEXTER STREET (MA00017248) K.1 Sew er Inspection CW 2145-R3 i) 250 mm a) Post Repair 82.0 m K.2 Sew er Repair - Up to 3 Metres Long CW 2130-R12 i) 250 mm a) Class 3 Backfill 1.0 each VICTOR STREET (MA20017451) CW 2145-R3 K.3 Sew er Inspection i) 450 mm a) Post Repair 90.0 m K.4 Sew er Repair - Up to 3 Metres Long CW 2130-R12 i) 450 mm a) Class 3 Backfill 1.0 K.5 Sew er Repair - In Addition to First 3 Metres CW 2130-R12 i) 450 mm a) Class 3 Backfill m 4.0 CW 2130-R12 K.6 Connecting Existing Sew er Service to New Sew er 150 mm 2.0 each SEWER REPAIRS Κ Sub-Total:

2012 LOCAL STREET RENEWAL PROGRAM: VICTOR STREET, DEXTER STREET AND VARIOUS OTHER LOCATIONS (SEE B8)

UNIT PRICE	ES .					
ПЕМ	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	SUMMARY					
A	REHABILITATION: DEXTER STREET - BURROV	WS AVENUE/TI	MMINS P	LACE	Sub-Total:	
В	REHABILITATION: BURROWS AVENUE - HADI	ULEVARD	Sub-Total:			
С	REHABILITATION: PARR STREET - LANSDOW	AVENUE	Sub-Total:			
D	REHABILITATION: BURROWS AVENUE EASTE POWERS STREET	BOUND - McGRE	GOR STR	REET /	Sub-Total:	
E	ASPHALT RECONSTRUCTION: VICTOR STREELLICE AVENUE	Sub-Total:				
F	REHABILITATION: JEFFERSON AVENUE - CP	Sub-Total:				
G	REHABILITATION: RITCHIE STREET - JEFFER	Sub-Total:				
н	ASPHALT RECONSTRUCTION: CHANCELLOR DRIVE / MARKHAM ROAD	GUSTA	Sub-Total:			
ı	ASPHALT RECONSTRUCTION: MARKHAM RO	DAD - CHANCEL	LOR DRI	VE EAST LEG	Sub-Total:	
J	REHABILITATION: MARKHAM ROAD - GULL	LAKE ROAD / C	NR TRAC	KS	Sub-Total:	
К	SEWER REPAIRS				Sub-Total:	
TOTAL BID	PRICE (GST extra)		(in figu	ıres)		
(in w ords)						

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B10)

BID BOND

(hereinafter called the "Principal") and

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 291-2012

2012 LOCAL STREET RENEWAL PROGRAM: VICTOR STREET, DEXTER STREET AND VARIOUS OTHER LOCATIONS

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness as to Principal if no seal)	Per: Per:	
	(Name of Surety) By: (Attornev-in-Fact)	(Seal)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B10)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undert become bound as Surety for the Principal,	akes and agrees with THE CITY OF WINNIPEG to
+	of
(Name of Bidder)	OI
(Place)	
the Bidder to you on	_ , 20 for
BID OPPORTUNITY NO. 291-2012	
2012 LOCAL STREET RENEWAL PROGRAM: VICTOTHER LOCATIONS	OR STREET, DEXTER STREET AND VARIOUS
in an amount equal to fifty percent (50%) of the Control Work shown and described in the Bid Opportunity Performance Bond to be maintained and continue in figure period. The Performance Bond shall be in the form sp	y, if our Principal's Bid is accepted by you, such ull force and effect until the expiration of the warranty
It is a condition that this Agreement to Bond shall mentioned above is not required from our Principal Submission Deadline.	
AND IT IS HEREBY DECLARED AND AGREED th nothing of any kind or matter whatsoever that will not or release of liability of the Surety, any law or usag notwithstanding.	discharge the Principal shall operate as a discharge
SIGNED AND SEALED this day of	, 20
(Name	e of Surety)
Ву:	(Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B10)

(Date)	
Corpo Materi 185 Ki	ity of Winnipeg rate Finance Department als Management Division ng Street, Main Floor peg MB R3B 1J1
RE:	BID SECURITY – BID OPPORTUNITY NO. 291-2012
	2012 LOCAL STREET RENEWAL PROGRAM: VICTOR STREET, DEXTER STREET AND VARIOUS OTHER LOCATIONS
Pursua	ant to the request of and for the account of our customer,
(Name o	of Bidder)
	EREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate
	Canadian dollars.
demar Letter payme	Standby Letter of Credit may be drawn on by you at any time and from time to time upon writtened for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand for ent without inquiring whether you have a right as between yourself and our customer to make such and without recognizing any claim of our customer or objection by the customer to payment by us.
	mount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be
Partial	drawings are permitted.
	ngage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at:
(Addres	s)
and w	e confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B10)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 21, 2012.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)			
Per:			
	(Authorized Signing Officer)		
Per:			
	(Authorized Signing Officer)		