


APPENDIX C

Detectable Warning Surface Tile Drawings




THE CITY OF WINNIPEG
PUBLIC WORKS DEPARTMENT

Reference Spec. No.
E-SUPPLY & INSTALL DETECTABLE WARNING SURFACE


CURB RAMP LAYOUT FOR INTERSECTIONS

Designed By: B.P.	Drawn By: T.G.A..	Scale : N.T.S.
Checked By: F.W.C.	Date: 11-02-10	Drawing No.
Approved:	SDE-229A	



STANDARD LAYOUT

(REF. SD-229A)



ALTERNATE LAYOUT

(REF. SD-229A)



THE CITY OF WINNIPEG
PUBLIC WORKS DEPARTMENT

Reference Spec. No.
CW 3235, CW 3310, CW 3325
E-SUPPLY & INSTALL DETECTABLE WARNING SURFACE

DIMENSIONS ARE IN MILLIMETRES

DETECTABLE WARNING SURFACE TILE
SURFACE IN CURB RAMPS FOR
INTERSECTIONS. **LAYOUT OPTION 1**

Designed By:
B.P.

Drawn By:
T.G.A.

Scale :
N.T.S.


Checked By:
F.W.C.

Date:
11-02-10

Drawing No.

Approved:

SDE-229AA



DEPRESSED CURB

NOTES:

- 1) SIDEWALK RAMP SURFACE SHALL BE GIVEN A PARALLEL TEXTURED BROOM FINISH.
- 2) INSTALL DETECTABLE WARNING SURFACE SO THAT THE TOP OF THE TRUNCATED DOMES ARE FLUSH WITH THE SURFACE FO THE ADJACENT SIDEWALK.

THE CITY OF WINNIPEG PUBLIC WORKS DEPARTMENT	DIMENSIONS ARE IN MILLIMETRES	
Reference Spec. No. CW 3235, CW 3310, CW 3325 E-SUPPLY & INSTALL DETECTABLE WARNING SURFACE	Designed By: B.P.	Drawn By: T.G.A.
CURB RAMP DEPRESSED CURB	Checked By: F.W.C.	Date: 11-02-10
	Approved:	
	Scale : N.T.S.	
		Drawing No. SDE-229E