


Approx. Area
sq.m.
A1 = 227
B1 = 119
C1 = 217
D1 = 62
E1 = 110
A5 = 9
Shingles (on flat) = 208
Total = 952



A1 Existing Construction

steel deck
felt vapor barrier
3" fiberglass
1/2" fiberboard
4 ply felt and asphalt
gravel

B1 Existing Construction

steel deck
1 1/2" cork
4 ply pitch and felt
gravel

A1 Construction (2012)

steel deck
1/2" drywall
2% sloped type 2 EPS min 2"
1.5" polyisocyanurate
1/4" recovery board
180 gr torch grade base
250 gr torch grade cap

B1 Construction (2012)

steel deck
1/2" drywall
3" polyisocyanurate
1.5" polyisocyanurate
1/4" recovery board
180 gr torch grade base
250 gr torch grade cap

- Notes:
- .01 Contractor is responsible for the site verification of all dimensions
 - .02 Drawings are not to be scaled for estimating purposes
 - .03 All areas given are approximate
 - .04 Contractor is responsible for site verification of existing roof constructions

Stated scale is when in 11x17 format

GRAPHIC LEGEND

- Parapet
Gravel stop
Gas line
Control joint
Expansion joint
New insulated drain pipe
Photo vantage point
Area Label
X = attic vent X = leak

KEYNOTE LEGEND

- 1 core sample
- 2 chimney
- 3 AC unit
- 4 vent hood
- 5 ventilator
- 6 vent pipe
- 7 roof drain
- 8 skylight
- 9 eavestrough
- 10 firewall
- 11 antenna
- 12 ladder
- 13 stub column
- 14 roof hatch
- 15 scupper
- 16 pitch box
- 17 HVAC unit
- 18 capped curb
- 19 flag pole
- 20 electrical mast
- 21 cooling tower
- 22 splash pad
- 23 splash pan
- 24 downspout/rainwater leader
- 25 back slope
- 26 cant
- 27 increase slope to drain
- 28 cricket
- 29 parapet/wide flashing
- 30 life line anchor



AGASSIZ
CONSULTING
GROUP
LTD.

809 Pipeline Road, Winnipeg, Manitoba
Phone: 697-8091

Project: Old Fire Hall
1466 William Avenue
Winnipeg, MB

Date: March 29, 2012

Drawing No. R-1

File no: 4415-12

Scale: 1:150