



GRAPHIC LEGEND

- Parapet
- Gravel stop
- Gas line
- Control joint
- Expansion joint
- New insulated drain pipe
- Photo vantage point
- Area Label

☒ = attic vent X = leak

KEYNOTE LEGEND

- 1 core sample
- 2 chimney
- 3 AC unit
- 4 vent hood
- 5 ventilator
- 6 vent pipe
- 7 roof drain
- 8 skylight
- 9 eavestrough
- 10 fire wall
- 11 antenna
- 12 ladder
- 13 stub column
- 14 roof hatch
- 15 scupper
- 16 pitch box
- 17 HVAC unit
- 18 capped curb
- 19 flag pole
- 20 electrical mast
- 21 cooling tower
- 22 splash pad
- 23 splash pan
- 24 downspout/rainwater leader
- 25 back slope
- 26 cant
- 27 increase slope to drain
- 28 cricket
- 29 parapet/wide flashing
- 30 life line anchor

A10 Existing Roof
 concrete deck
 felt vapor barrier
 3 1/2" expanded polystyrene
 1/2" fiberboard
 4 ply felt and asphalt
 gravel

Approx. Area sq.m.

A1	= 93
A10	= 250
A10.5	= 11
A11	= 225
A12	= 67
B12	= 6
Total	= 652

A1 Roof Construction (2011)
 concrete deck
 2.2 torch grade vapor barrier
 2" polyisocyanurate
 2" polyisocyanurate
 1/8" recovery board
 torch grade 180 gr base sheet
 torch grade 250 gr cap sheet
 Note: insulation system is adhered

A10 Roof Construction (2012)
 concrete deck
 2.2 torch grade vapor barrier
 3" polyisocyanurate
 1.5" polyisocyanurate
 1/8" recovery board
 torch grade 180 gr base sheet
 torch grade 250 gr cap sheet
 Note: insulation system is adhered

Cornice (2012)
 wood deck
 1/4" recovery board
 180 gr torch grade base
 180 torch grade cap

Notes:
 .01 Contractor is responsible for site verifications of all dimensions
 .02 Drawings are not to be scaled for estimating purposes
 .03 All areas given are approximate
 .04 Contractor is responsible for site verification of existing roof constructions

Stated scale is when in 11x17 format



809 Pipeline Road, Winnipeg, Manitoba
 Phone: 697-8091 Fax: 697-8039

Project: Confederation Building
 457 Main Street
 Winnipeg, MB

Date: April 09, 2012

Drawing No. R-1

File no: 3176-12 Scale: 1:200