

FORM A: BID
(See B7)

1. Contract Title 2012 Intersection Improvements, Inkster Garden Drive, Arlington Street, and Various Other Locations – Geometric Improvements, Detectable Warning Surface Tile Installations and Associated Works; New Sidewalks and Associated Works

2. Bidder _____
Name of Bidder

Usual Business Name of Bidder as it appears on Invoice (if different from above)

Street

City Province Postal Code

(Mailing address if different) _____
Email Address of Bidder

Facsimile Number

Street or P.O. Box

(Choose one) _____
City Province Postal Code

The Bidder is:

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person Title

Telephone Number Facsimile Number

4. Definitions All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.

5. Offer The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security In accordance with B10.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.

8. Commencement of the Work The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	_____	Dated	_____
	_____		_____
	_____		_____

11. Time This offer shall be open for acceptance, binding and irrevocable for a period of forty-five (45) Calendar Days following the Submission Deadline.

12. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____ .

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A	<u>St. Mary Avenue & Memorial Boulevard</u>					
	EARTH AND BASE WORKS					
A.1	Supplying and Placing Base Course Material	CW 3110-R15	m ³	3		
	ROADWORKS - RENEWALS					
A.2	Pavement Removal	CW 3110-R15				
i)	Concrete Pavement		m ²	8		
A.3	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R7				
i)	200 mm Concrete Pavement (Type B)		m ²	8		
A.4	Drilled Tie Bars	CW 3230-R7				
i)	20 M Deformed Tie Bar		each	82		
A.5	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	Monolithic Median Slab		m ²	55		
ii)	Bullnose		m ²	8		
A.6	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A	m ²	12		
ii)	Bullnose	SD-227C	m ²	12		
A.7	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m ²	10		
ii)	Bullnose	SD-227C	m ²	8		
iii)	Monolithic Curb and Sidewalk	SD-228B	m ²	130		
A.8	Concrete Curb Removal	CW 3240-R9				
i)	Barrier Separate		m	30		
ii)	Curb Ramp		m	12		
A.9	Concrete Curb Installation	CW 3240-R9				
i)	Curb Ramp (10-15 mm reveal ht, Monolithic)	SD-229A,B,C	m	10		

 Name of Bidder

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.10	Concrete Curb Renewal	CW 3240-R9				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	5		
b)	3 m to 30 m		m	25		
ii)	Curb Ramp (10-15 mm reveal ht, Monolithic)	SD-229C,D	m	50		
A.11	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m ²	4		
A.12	Construction of Asphalt Patches	CW 3410-R9	m ²	30		
A.13	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m ²	20		
A.14	Detectable Warning Surface Tiles	E7				
i)	300 mm X 300 mm		each	16		
ii)	610 mm X 1220 mm		each	10		
ROADWORKS - NEW CONSTRUCTION						
A.15	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R14				
i)	Construction of Monolithic Curb and Sidewalk	SD-228B	m ²	45		
ii)	Construction of Monolithic Concrete Bull-noses	SD-227C	m ²	4		
A.16	Interlocking Paving Stones	CW 3335-R1	m ²	25		
A.17	Lean Concrete Base	CW 3335-R1	m ²	25		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
A.18	Catch Pit	CW 2130-R12				
i)	SD-023		each	1		
A.19	Drainage Connection Pipe	CW 2130-R12	m	3		
A.20	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	1		

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	1		
iii)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	1		
iv)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	1		
A.21	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	1		
A.22	Abandoning Existing Drainage Inlets	CW 2130-R12	each	1		
ADJUSTMENTS						
A.23	Adjustment of Valve Boxes	CW 3210-R7	each	3		
A.24	Valve Box Extensions	CW 3210-R7	each	1		
A.25	Adjustment of Curb Stop Boxes	CW 3210-R7	each	3		
A.26	Curb Stop Extensions	CW 3210-R7	each	1		
LANDSCAPING						
A.27	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m ²	25		
A	<u>St. Mary Avenue & Memorial Boulevard</u>				Subtotal:	

 Name of Bidder

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B	<u>Arlington Street (Westside) from Notre Dame Avenue to 100m South of Notre Dame Avenue</u>					
	EARTH AND BASE WORKS					
B.1	Excavation	CW 3110-R15	m ³	140		
B.2	Sub-Grade Compaction	CW 3110-R15	m ²	225		
B.3	Crushed Sub-base Material	CW 3110-R15				
i)	50 mm		tonne	80		
B.4	Supplying and Placing Base Course Material	CW 3110-R15	m ³	20		
B.5	Grading of Boulevards	CW 3110-R15	m ²	60		
	ROADWORKS - RENEWALS					
B.6	Pavement Removal	CW 3110-R15				
i)	Concrete Pavement		m ²	75		
B.7	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R7				
i)	200 mm Concrete Pavement (Type A)		m ²	3		
ii)	200 mm Concrete Pavement (Type B)		m ²	5		
B.8	Drilled Tie Bars	CW 3230-R7				
i)	20 M Deformed Tie Bar		each	160		
B.9	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m ²	170		
B.10	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	Monolithic Curb and Sidewalk	SD-228B	m ²	230		
B.11	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m ²	5		
B.12	Concrete Curb Removal	CW 3240-R9				

 Name of Bidder

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	i) Barrier Separate		m	90		
B.13	Concrete Curb Installation	CW 3240-R9				
	i) Curb Ramp (10-15 mm reveal ht, Integral)	SD-229A,B,C	m	20		
B.14	Construction of Asphaltic Concrete Overlay	CW 3410-R9				
	i) Main Line Paving					
	a) Type IA		tonne	20		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	45		
B.15	Planing of Pavement	CW 3450-R5				
	i) 0 - 50 mm Depth (Asphalt)		m ²	80		
ROADWORKS - NEW CONSTRUCTION						
B.16	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R14				
	i) Construction of 200 mm Concrete Pavement for Early Opening (72 hour) (Reinforced)		m ²	180		
JOINT AND CRACK SEALING						
B.17	Reflective Crack Maintenance	CW 3250-R7	m	50		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
B.18	Catch Basin	CW 2130-R12				
	i) SD-024, 1200 mm deep		each	1		
B.19	Sewer Service	CW 2130-R12				
	i) 250 mm, PVC					
	a) In a Trench, Class B Bedding with Sand, Class 3 Backfill		m	2		
B.20	Connecting New Sewer Service to Existing Sewer Service	CW 2130-R12				
	i) 250 mm		each	1		
B.21	Removal of Existing Catch Basins	CW 2130-R12	each	1		

 Name of Bidder

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ADJUSTMENTS					
B.22	Adjustment of Valve Boxes	CW 3210-R7	each	1		
B.23	Valve Box Extensions	CW 3210-R7	each	1		
B.24	Adjustment of Curb Stop Boxes	CW 3210-R7	each	3		
B.25	Curb Stop Extensions	CW 3210-R7	each	1		
	LANDSCAPING					
B.26	Sodding	CW 3510-R9				
i)	width < 600 mm		m ²	10		
ii)	width > or = 600 mm		m ²	50		
	MISCELLANEOUS					
B.27	Tree Removal	E8	each	2		
B	<u>Arlington Street (Westside) from Notre Dame Avenue to 100m South of Notre Dame Avenue</u>				Subtotal:	

 Name of Bidder

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C	<u>St. Mary Avenue from Colony Street to Spence Street</u>					
	EARTH AND BASE WORKS					
C.1	Excavation	CW 3110-R15	m ³	10		
C.2	Sub-Grade Compaction	CW 3110-R15	m ²	80		
C.3	Supplying and Placing Base Course Material	CW 3110-R15	m ³	10		
C.4	Grading of Boulevards	CW 3110-R15	m ²	10		
C.5	Removal of Existing Concrete Bases	CW 3110-R15				
i)	600 mm Diameter or Less		each	1		
	ROADWORKS - RENEWALS					
C.6	Pavement Removal	CW 3110-R15				
i)	Concrete Pavement		m ²	15		
C.7	Drilled Dowels	CW 3230-R7				
i)	19.1 mm Diameter		each	10		
C.8	Drilled Tie Bars	CW 3230-R7				
i)	20 M Deformed Tie Bar		each	120		
C.9	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	Median Slab		m ²	96		
ii)	Monolithic Median Slab		m ²	32		
iii)	Bullnose		m ²	2		
C.10	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	Median Slab	SD-227A	m ²	70		
ii)	Monolithic Median Slab	SD-226A	m ²	21		
iii)	Bullnose	SD-227C	m ²	2		
C.11	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	Safety Median	SD-226B	m ²	17		

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ii)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m ²	5		
b)	5 sq.m. to 20 sq.m.		m ²	25		
iii)	Bullnose	SD-227C	m ²	1		
C.12	Concrete Curb Removal	CW 3240-R9				
i)	Barrier Separate		m	40		
C.13	Concrete Curb Installation	CW 3240-R9				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205	m	40		
C.14	Concrete Curb Renewal	CW 3240-R9				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	5		
ii)	Curb Ramp (10-15 mm reveal ht, Integral)	SD-229C,D	m	20		
C.15	Construction of Asphaltic Concrete Overlay	CW 3410-R9				
i)	Main Line Paving					
a)	Type IA		tonne	40		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	65		
C.16	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m ²	250		
C.17	Detectable Warning Surface Tiles	E7				
i)	300 mm X 300 mm		each	12		
ii)	610 mm X 1220 mm		each	4		
ROADWORKS - NEW CONSTRUCTION						
C.18	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R14				
i)	Construction of 200 mm Concrete Pavement for Early Opening (72 hour) (Reinforced)		m ²	80		
JOINT AND CRACK SEALING						

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.19	Reflective Crack Maintenance	CW 3250-R7	m	60		
	ADJUSTMENTS					
C.20	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		
C.21	Lifter Rings	CW 3210-R7				
i)	51 mm		each	1		
ii)	76 mm		each	1		
	LANDSCAPING					
C.22	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m ²	20		
C.23	Salt Tolerant Grass Seeding	E6	m ²	10		
C	<u>St. Mary Avenue from Colony Street to Spence Street</u>				Subtotal:	

 Name of Bidder

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D	<u>Inkster Garden Drive & Keewatin Street</u>					
	EARTH AND BASE WORKS					
D.1	Excavation	CW 3110-R15	m ³	155		
D.2	Sub-Grade Compaction	CW 3110-R15	m ²	400		
D.3	Crushed Sub-base Material	CW 3110-R15				
i)	50 mm		tonne	100		
D.4	Supplying and Placing Base Course Material	CW 3110-R15	m ³	15		
D.5	Grading of Boulevards	CW 3110-R15	m ²	400		
	ROADWORKS - RENEWALS					
D.6	Pavement Removal	CW 3110-R15				
i)	Concrete Pavement		m ²	15		
D.7	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R7				
i)	200 mm Concrete Pavement (Type A)		m ²	5		
D.8	Drilled Tie Bars	CW 3230-R7				
i)	15 M Deformed Tie Bar		each	20		
ii)	25 M Deformed Tie Bar		each	90		
D.9	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m ²	70		
D.10	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m ²	50		
D.11	Removal of Precast Sidewalk Blocks	CW 3235-R9	m ²	25		
D.12	Concrete Curb Removal	CW 3240-R9				
i)	Curb Ramp		m	20		
D.13	Concrete Curb Installation	CW 3240-R9				

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)	Curb Ramp (10-15 mm reveal ht, Integral)	SD-229A,B,C	m	20		
D.14	Detectable Warning Surface Tiles	E7				
i)	610 mm X 1220 mm		each	6		
ROADWORKS - NEW CONSTRUCTION						
D.15	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R14				
i)	Construction of Concrete Median Slabs	SD-227A	m ²	55		
ii)	Construction of Monolithic Curb and Sidewalk	SD-228B	m ²	40		
iii)	Construction of Monolithic Concrete Bull-noses	SD-227C	m ²	10		
D.16	Concrete Pavements for Early Opening	CW 3310-R14				
i)	Construction of 200 mm Concrete Pavement for Early Opening 72 hour (Reinforced)		m ²	150		
D.17	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R14				
i)	Construction of Barrier (180 mm ht, Separate)	SD-203A	m	80		
ii)	Construction of Curb Ramp (10-15 mm ht, Integral)	SD-229C	m	20		
D.18	Supply and Installation of Dowel Assemblies	CW 3310-R14	m	25		
D.19	100 mm Concrete Sidewalk	CW 3325- R5	m ²	230		
JOINT AND CRACK SEALING						
D.20	Joint Sealing	CW 3250-R7	m	40		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
D.21	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	1		

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ADJUSTMENTS					
D.22	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		
D.23	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	0.5		
D.24	Lifter Rings	CW 3210-R7				
i)	38 mm		each	1		
D.25	Adjustment of Valve Boxes	CW 3210-R7	each	2		
	LANDSCAPING					
D.26	Sodding	CW 3510-R9				
i)	width < 600 mm		m ²	150		
ii)	width > or = 600 mm		m ²	250		
D.27	Salt Tolerant Grass Seeding	E6	m ²	20		
D	<u>Inkster Garden Drive & Keewatin Street</u>				Subtotal:	

 Name of Bidder

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E	<u>New Sidewalk - Henlow Bay (Westside) from Scurfield Boulevard to Fultz Boulevard</u>					
	EARTH AND BASE WORKS					
E.1	Excavation	CW 3110-R15	m ³	150		
E.2	Sub-Grade Compaction	CW 3110-R15	m ²	750		
E.3	Supplying and Placing Base Course Material	CW 3110-R15	m ³	20		
E.4	Grading of Boulevards	CW 3110-R15	m ²	500		
	ROADWORKS - RENEWALS					
E.5	Drilled Tie Bars	CW 3230-R7				
i)	20 M Deformed Tie Bar		each	30		
E.6	Concrete Curb Removal	CW 3240-R9				
i)	Barrier Separate		m	12		
E.7	Concrete Curb Installation	CW 3240-R9				
i)	Curb Ramp (10-15 mm reveal ht, Monolithic)	SD-229A,B,C	m	32		
	ROADWORKS - NEW CONSTRUCTION					
E.8	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R14				
E.9	100 mm Concrete Sidewalk	CW 3325-R5	m ²	630		

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ADJUSTMENTS						
E.10	Adjustment of Valve Boxes	CW 3210-R7	each	2		
E.11	Valve Box Extensions	CW 3210-R7	each	1		
E.12	Adjustment of Curb Stop Boxes	CW 3210-R7	each	2		
E.13	Curb Stop Extensions	CW 3210-R7	each	1		
LANDSCAPING						
E.14	Sodding	CW 3510-R9				
i)	width < 600 mm		m ²	50		
ii)	width > or = 600 mm		m ²	460		
E.15	Seeding	CW 3520-R7	m ²	20		
E	<u>New Sidewalk - Henlow Bay (Westside) from Scurfield Boulevard to Fultz Boulevard</u>				Subtotal:	

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F	<u>New Regional Sidewalk - McDermot Avenue (Northside) from Ship Street to 100m East of Rorie Street</u>					
	EARTH AND BASE WORKS					
F.1	Excavation	CW 3110-R15	m ³	48		
F.2	Sub-Grade Compaction	CW 3110-R15	m ²	240		
F.3	Supplying and Placing Base Course Material	CW 3110-R15	m ³	16		
F.4	Grading of Boulevards	CW 3110-R15	m ²	100		
	ROADWORKS - RENEWALS					
F.5	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R7				
i)	200 mm Concrete Pavement (Type A)		m ²	6		
F.6	Drilled Dowels	CW 3230-R7				
i)	19.1 mm Diameter		each	6		
F.7	Drilled Tie Bars	CW 3230-R7				
i)	20 M Deformed Tie Bar		each	10		
F.8	Concrete Curb Removal	CW 3240-R9				
i)	Barrier Separate		m	100		
ii)	Curb and Gutter		m	30		
F.9	Construction of Asphaltic Concrete Overlay	CW 3410-R9				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	8		
F.10	Construction of Asphalt Patches	CW 3410-R9	m ²	8		
F.11	Planing of Pavement	CW 3450-R5				
i)	50 - 100 mm Depth (Asphalt)		m ²	50		
	ROADWORKS - NEW CONSTRUCTION					
F.12	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R14				

 Name of Bidder

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)	Construction of 200 mm Concrete Pavement (Plain-Dowelled)		m ²	30		
ii)	Construction of Monolithic Curb and Sidewalk with Block-outs	SD-228B	m ²	240		
F.13	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R14				
i)	Construction of Barrier (300 mm ht, Dowelled)	SD-205	m	30		
F.14	Interlocking Paving Stones	CW 3330-R5	m ²	40		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
F.15	Catch Basin	CW 2130-R12				
i)	SD-024, 2400 mm deep		each	1		
F.16	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	1		
ii)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	1		
F.17	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	1		
F.18	Removal of Existing Catch Basins	CW 2130-R12	each	1		
ADJUSTMENTS						
F.19	Adjustment of Valve Boxes	CW 3210-R7	each	1		
LANDSCAPING						
F.20	Sodding	CW 3510-R9				
i)	width < 600 mm		m ²	30		
ii)	width > or = 600 mm		m ²	70		
F	<u>New Regional Sidewalk - McDermot Avenue (Northside) from Ship Street to 100m East of Rorie Street</u>				Subtotal:	

 Name of Bidder

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G	<u>Detectable Warning Surface Tile Installations - St. Mary Avenue & Various Locations</u>					
	EARTH AND BASE WORKS					
G.1	Supplying and Placing Base Course Material	CW 3110-R15	m ³	5		
	ROADWORKS - RENEWALS					
G.2	Drilled Tie Bars	CW 3230-R7				
i)	20 M Deformed Tie Bar		each	180		
G.3	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	Salvage Existing Paving Stones	E9	m ²	34		
G.4	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m ²	22		
b)	5 sq.m. to 20 sq.m.		m ²	200		
G.5	Concrete Curb Renewal	CW 3240-R9				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	12		
ii)	Curb Ramp (10-15 mm reveal ht, Integral)	SD-229C,D	m	140		
G.6	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m ²	17		
G.7	Construction of Asphalt Patches	CW 3410-R9	m ²	10		
G.8	Detectable Warning Surface Tiles	E7				
i)	300 mm X 300 mm		each	28		
ii)	610 mm X 1220 mm		each	36		

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ADJUSTMENTS					
G.9	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	2		
G.10	Adjustment of Valve Boxes	CW 3210-R7	each	5		
G.11	Adjustment of Curb Stop Boxes	CW 3210-R7	each	3		
G	<u>Detectable Warning Surface Tile Installations - St. Mary Avenue & Various Locations</u>				Subtotal:	

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
SUMMARY						
A	<u>St. Mary Avenue & Memorial Boulevard</u>				Subtotal:	
B	<u>Arlington Street (Westside) from Notre Dame Avenue to 100m South of Notre Dame Avenue</u>				Subtotal:	
C	<u>St. Mary Avenue from Colony Street to Spence Street</u>				Subtotal:	
D	<u>Inkster Garden Drive & Keewatin Street</u>				Subtotal:	
E	<u>New Sidewalk - Henlow Bay (Westside) from Scurfield Boulevard to Fultz Boulevard</u>				Subtotal:	
F	<u>New Regional Sidewalk - McDermot Avenue (Northside) from Ship Street to 100m East of Rorie Street</u>				Subtotal:	
G	<u>Detectable Warning Surface Tile Installations - St. Mary Avenue & Various Locations</u>				Subtotal:	

TOTAL BID PRICE (GST extra)	(in figures)	
(in words)		

Name of Bidder

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B10)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 391-2012

2012 Intersection Improvements, Inkster Garden Drive, Arlington Street, and Various Other Locations – Geometric Improvements, Detectable Warning Surface Tile Installations and Associated Works; New Sidewalks and Associated Works

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____.

SIGNED AND SEALED
in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B10)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 391-2012

2012 Intersection Improvements, Inkster Garden Drive, Arlington Street, and Various Other Locations – Geometric Improvements, Detectable Warning Surface Tile Installations and Associated Works; New Sidewalks and Associated Works

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within forty-five (45) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____.

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B10)**

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Division
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 391-2012

2012 Intersection Improvements, Inkster Garden Drive, Arlington Street, and Various Other Locations – Geometric Improvements, Detectable Warning Surface Tile Installations and Associated Works; New Sidewalks and Associated Works

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B10)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on September 9, 2012.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)