FORM A: BID (See B8)

1.	Contract Title	2012 WATERMAIN RENE	WALS – CONTRACT NO. 9	
2.	Bidder			
		Name of Bidder		
		Usual Business Name of Bidder a	as it appears on Invoice (if different from	n above)
		Street		· · · · · · · · · · · · · · · · · · ·
		City	Province	Postal Code
		Email Address of Bidder		
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		GST Registration Number (if appl	licable)	
	(Choose one)	The Bidder is:		
		a sole proprietor		
		a partnership		
		a corporation		
		carrying on business unde	r the above name.	
3.	Contact Person	The Bidder hereby author the Bidder for purposes of	izes the following contact pers the Bid.	on to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms use	d in the Contract shall have	the meanings

ascribed to them in the General Conditions.

5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.
6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of forty-five (45) Calendar Days following the Submission Deadline.

12.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, day of, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

(SEE B9)

2012 WATERMAIN RENEWALS - CONTRACT NO. 9

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<u>A</u>	Brooklyn St- Portage Avenue to 100 N	of Portage A	venue			
A. 1 a)	Watermain Renewal 150mm	CW 2110				
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	189.0		
b) i)	250mm trenchless installation, Class B sand bedding, Class 3 backfill		m	3.0		
A. 2 a)	Hydrant Assembly SD-007	CW 2110	each	2		
A. 3 a)	Watermain Valve 150mm	CW 2110	each	3		
A. 4 a)	Fittings Tees	CW 2110				
i) b)	250mm x 250mm x150 mm Bends (SD-004)		each	1		
i)	150mm - 45°		each	2		
A. 5 a) i)	Water Services 19mm trenchless installation, Class B sand	CW 2110				
'/	bedding, Class 3 backfill		m	30.0		
A. 6 a)	Corporation Stops 19mm	CW 2110	each	19		
A. 7 a)	Curb Stops 19mm	CW 2110	each	1		
A. 8 a)	Curb Stop Boxes 19mm	CW 2110	each	1		
A. 9	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a) i) ii)	In-line connection - no plug existing 150mm 250mm		each each	1 2		

(SEE B9)

2012 WATERMAIN RENEWALS - CONTRACT NO. 9

UNIT P	KICES	SPEC.		APPROX.	UNIT	
ITEM	DESCRIPTION	REF.	UNIT	QUANTITY		AMOUNT
A. 10 a)	Connecting Existing Copper Water Services to New Watermains 19mm	CW 2110	each	19		
A. 11	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Metallic Watermains		each	2.0		
b)	On Water Services		each	12.0		
A 40	Continuity Danding	01440		7		
A. 12	Continuity Bonding	CW 2110	each			
A. 13	Partial Slab Patches	CW 2110				
a)	150mm reinforced concrete pavement		m²	20.0		
A. 14	Miscellaneous Concrete Slab Renewal	E5				
a)	Sidewalk (SD-228A)		m²	70.0		
A. 15	Concrete Curb Renewal	E6				
a)	Barrier curb (SD-204)		m	15.0		
b)	Ramp curb		m	10.0		
A. 16	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	3.0		
	Brooklyn St- Portage Avenue to 100 N	of Portage A	venue		Subtotal A:	
В	Edison Avenue-Roch Street to 200 E o	of Roch Stree	t			
			-			
B. 1	Watermain Renewal	CW 2110				
a) i)	150mm trenchless installation, Class B sand bedding, Class 3 backfill		m	187.0		
b) i)	200mm trenchless installation, Class B sand bedding, Class 3 backfill		m	45.0		
B. 2 a)	Hydrant Assembly SD-006	CW 2110	each	2		
B. 3	New Hydrant Assembly on Existing Watermain	CW 2110	2.3			

(SEE B9)

2012 WATERMAIN RENEWALS - CONTRACT NO. 9

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
a)	SD-007	1,51.	each	1	TAIOL	
D 4	Watermain Valve	OW 0440				
B. 4 a)	Watermain Valve 150mm	CW 2110	each	2		
,				1		
b)	200mm		each	'		
B. 5	Fittings	CW 2110				
a)	Bends (SD-004)					
i)	200mm - 45°		each	2		
b)	Crosses					
i)	200mm		each	1		
c)	Reducers					
i)	200mm - 150mm		each	1		
B. 6	Water Services	CW 2110				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	20.0		
b)	38mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	5.0		
B. 7	Corporation Stops	CW 2110				
a)	19mm		each	21		
b)	38mm		each	1		
B. 8	Curb Stops	CW 2110				
a)	19mm	OVV 2110	each	1		
/						
B. 9	Curb Stop Boxes	CW 2110				
a)	19mm		each	1		
B. 10	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)	150mm		each	1		
ii)	200mm		each	3		
B. 11	Connecting Existing Copper Water Services to New Watermains	CW 2110				

(SEE B9)

2012 WATERMAIN RENEWALS - CONTRACT NO. 9

CIVIT	RICES					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
a)	19mm		each	21		
b)	38mm		each	1		
B. 12	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Metallic Watermains		each	1.0		
b)	On Water Services		each	15.0		
B. 13	Continuity Bonding	CW 2110	each	7		
B. 14	Partial Slab Patches	E6				
a)	150mm reinforced concrete pavement		m²	20.0		
B. 15	Miscellaneous Concrete Slab Renewal	CW 3235				
a)	Sidewalk (SD-228A)		m²	50.0		
B. 16	Concrete Curb Renewal	CW 3240				
a)	Barrier curb (SD-204)		m	20.0		
b)	Ramp curb		m	20.0		
B. 17	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	3.0		
	Edison Avenue-Roch Street to 200 E o	of Roch Stree	t		Subtotal B:	
<u>C</u>	Kingston Row- 18.5 N of Roseware Av	enue to 195 l	N of Ros	eware Ave	nue	
C. 1	Watermain Renewal	CW 2110				
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	155.0		
C. 2	Hydrant Assembly	CW 2110				
a)	SD-006		each	2		
C. 3	New Hydrant Assembly on Existing Watermain	CW 2110				
a)	SD-006		each	1		
C. 4	Watermain Valve	CW 2110				
a)	150mm		each	1		

(SEE B9)

2012 WATERMAIN RENEWALS - CONTRACT NO. 9

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT	AMOUNT
		REF.		QUANTITY	PRICE	
C. 5	Fittings	CW 2110				
a)	Bends (SD-004)					
i)			each	1		
ii)			each	1		
iii)	150mm - 45°		each	2		
C. 6	Water Services	CW 2110				
a)	19mm					
i)	•		m	88.0		
	bedding, Class 3 backfill		'''	00.0		
C. 7	Corporation Stops	CW 2110				
a)	19mm	• • • • • • • • • • • • • • • • • • • •	each	12		
C. 8	Curb Stops	CW 2110				
a)	19mm		each	1		
C. 9	Curb Stop Boxes	CW 2110				
a)	19mm		each	1		
C. 10	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)			each	2		
.,	100111111		Guoii	_		
C. 11	Connecting Existing Copper Water	CW 2110				
-\	Services to New Watermains		000h	40		
a)	19mm		each	12		
C. 12	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Metallic Watermains			1.0		
			each			
b)	On Water Services		each	6.0		
C. 13	Continuity Bonding	CW 2110	ooch	6		
0. 13	Continuity Donaing		each			
C. 14	Partial Slab Patches	CW 2110				
a)	150mm reinforced concrete		m²	15.0		
	pavement					
C. 15	Concrete Curb Renewal	E6				
a)	Barrier curb (SD-204)		m	20.0		

(SEE B9)

2012 WATERMAIN RENEWALS - CONTRACT NO. 9

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY		AMOUNT
C. 16	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	2.0		
	Kingston Row- 18.5 N of Roseware Av Avenue	enue to 195 l	N of Ros	seware	Subtotal C:	
<u>D</u>	Waverley Street- Grant Avenue to 75 N	l of Grant Av	enue			
D. 1 a)	Watermain Renewal	CW 2110				
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	220.0		
b) i)	200mm trenchless installation, Class B sand bedding, Class 3 backfill		m	6.0		
D. 2 a)	Hydrant Assembly SD-007	CW 2110	each	3		
D. 3	Watermain Valve	CW 2110				
a) b)	150mm 200mm		each each	4 1		
D. 4	Fittings	CW 2110				
a) i) b)	Bends (SD-004) 150mm - 45° Bends (SD-005)		each	4		
i) c)	150mm - 45° Crosses		each	4		
i)	200mm x 200mm X 150mm X 150mm		each	1		
D. 5 a)	Water Services	CW 2110				
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	15.0		
b) i)	25mm trenchless installation, Class B sand bedding, Class 3 backfill		m	5.0		
D. 6 a)	Corporation Stops 19mm	CW 2110	each	16		

(SEE B9)

2012 WATERMAIN RENEWALS - CONTRACT NO. 9

UNIT P	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT	AMOUNT
b)	25mm	REF.	each	QUANTITY 3	PRICE	
	2011111		ouom	Ŭ		
D. 7	Curb Stops	CW 2110		4		
a)	19mm		each	1		
D. 8	Curb Stop Boxes	CW 2110				
a)	19mm		each	1		
D. 9	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a) i)	In-line connection - no plug existing 150mm		each	2		
ii)			each	2		
D. 10	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	16		
b)	25mm		each	3		
D. 11	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Water Services		each	12.0		
D. 12	Continuity Bonding	CW 2440	a a a b	7		
D. 12	Continuity Bonding	CW 2110 CW 2110	each			
D. 13	Partial Slab Patches	CVV 2110				
i)	200mm reinforced concrete pavement for early opening (24 hours)		m²	70.0		
D. 14	Miscellaneous Concrete Slab Renewal	E5				
a)	Sidewalk (SD-228A)		m²	10.0		
D. 15	Concrete Curb Renewal	E6				
a)	Barrier curb (SD-204)		m	30.0		
b)	Ramp curb		m	20.0		
D. 16	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	10.0		
	Waverley Street- Grant Avenue to 75 N	N of Grant Av	enue		Subtotal D:	
<u> </u>	Rue Bourgeault-Rue Deschambault to	Hamel Ave				

(SEE B9)

2012 WATERMAIN RENEWALS - CONTRACT NO. 9

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E. 1	Watermain Renewal	CW 2110				
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	60.0		
ii)	trenchless installation, Class B sand bedding, Class 5 backfill		m	56.0		
b)	200mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	17.0		
c)	250mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	10.0		
E. 2	Hydrant Assembly	CW 2110				
a)	SD-006	011 2110	each	3		
E. 3	Watermain Valve	CW 2110				
a)	150mm		each	1		
b)	200mm		each	1		
E. 4	Fittings	CW 2110				
a)	Tees					
i)	250mm x 250mm x150 mm		each	1		
ii)	250mm x 250mm x 200 mm		each	1		
b)	Bends (SD-004)					
i)	150mm - 90°		each	1		
ii)	200mm - 45°		each	2		
iii)			each	2		
c)	Bends (SD-005)					
i)	150mm - 45°		each	4		
d)	Reducers					
i)	250mm - 150mm		each	1		
E. 5	Water Services	CW 2110				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	10.0		
b)	25mm					

(SEE B9)

2012 WATERMAIN RENEWALS - CONTRACT NO. 9

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	2.0		
E. 6	Corporation Stops	CW 2110				
a)	19mm		each	6		
b)	25mm		each	2		
E. 7	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)	150mm		each	2		
ii)			each	1		
iii)	250mm		each	1		
E. 8	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	6		
b)	25mm		each	2		
E. 9	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Metallic Watermains		each	2.0		
b)	On Water Services		each	4.0		
E. 10	Continuity Bonding	CW 2110	each	4		
E. 11	Partial Slab Patches	CW 2110				
a)	150mm reinforced concrete pavement		m²	30.0		
E. 12	Miscellaneous Concrete Slab Renewal	E5				
a)	Sidewalk (SD-228A)		m²	10.0		
E. 13	Concrete Curb Renewal	E6				
a)	Barrier curb (SD-204)		m	10.0		
b)	Ramp curb		m	10.0		
E. 14	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	2.0		
	Rue Bourgeault-Rue Deschambault to	Hamel Ave			Subtotal E:	
F	Provisional Items					
<u> </u>	ן וטיוסוטוומו ונכוווס					

(SEE B9)

2012 WATERMAIN RENEWALS - CONTRACT NO. 9

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F. 1	Fittings	CW 2110				
a)	Bends (SD-005)					
i)	150mm - 45°		each	2		
ii)			each	2		
iii)	250mm - 45°		each	2		
F. 2	Curb Stops	CW 2110				
a)	19mm		each	18		
b)	25mm		each	1		
F. 3	Curb Stop Boxes	CW 2110				
a)	19mm		each	18		
b)	25mm		each	1		
F. 4	Granular Backfill Material	CW 3110	m ³	50.0		
F. 5	Cement Stabilized Fill	CW 2030	m ³	50.0		
F. 6	Sodding	CW 3510	m ²	50.0		
F. 7	Regrading of Existing Sewer Service - Up to 1.5 metres Long	CW 2110				
a)	150mm		each	1		
b)	200mm		each	1		
F. 8	Regrading of Existing Sewer Service - Longer Than 1.5 metres	CW 2110				
a)	150mm		m	1		
b)	200mm		m	1		
F. 9	Remove and Replace Existing Catch Basin	CW 2130				
a)	SD-024		each	1		
b)	SD-025		each	1		
F. 10 a)	Remove and Replace Existing Catch Pit SD-023	CW 2130	each	1		
F. 11	Drainage Connection Pipe 250mm	CW 2130	m	10.0		
a)	23011111		m	10.0		

(SEE B9)

2012 WATERMAIN RENEWALS - CONTRACT NO. 9

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	Provisional Items				Subtotal F:	
				G	Frand Total	
TOTAL BID PRICE (GST extra)		(in figures)\$				
(in words)						
`	,					
						_
					Name of Bio	dder

(Seal)

Template Version: C120120419 - C BCivil

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and					
called the "Obligee") in the sum of ten p described, for the payment of which sum	Id and firmly bound unto THE CITY OF WINNIPEG (hereinafte ercent (10%) of the Total Bid Price set out in the Bid hereinafte the Principal and Surety bind themselves, their heirs, executors ointly and severally, firmly by these presents.				
WHEREAS the Principal has submitted a	Bid to the Obligee for				
BID OPPORTUNITY NO. 565-2012					
2012 WATERMAIN RENEWALS – CONT	FRACT NO. 9				
as more fully set out in the Bid Opportunit	ty.				
if said Bid is accepted and the Principal, i the said Obligee and furnishes the require	obligation is such that if the Bid of the Principal is not accepted, on accordance with the terms of the Bid, enters into a Contract with ed performance security for guaranteeing the faithful performance id, but otherwise shall remain in full force and effect.				
IN WITNESS WHEREOF the Principal ar	nd Surety have signed and sealed this bond the				
day of	, 20				
SIGNED AND SEALED in the presence of:	(Name of Principal) Per: (Seal)				
(Witness as to Principal if no seal)	Per:				
	(Name of Surety)				

Ву:

(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 565-2012 2012 WATERMAIN RENEWALS - CONTRACT NO. 9 in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within forty-five (45) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______ , 20_____ . (Name of Surety) By: (Attorney-in-Fact) (Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(Date)	
Corpo Materi 185 Ki	ity of Winnipeg rate Finance Department als Management Division ng Street, Main Floor peg MB R3B 1J1
RE:	BID SECURITY - BID OPPORTUNITY NO. 565-2012
	2012 WATERMAIN RENEWALS – CONTRACT NO. 9
Pursu	ant to the request of and for the account of our customer,
(Name	of Bidder)
	EREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate
	Canadian dollars.
demar Letter payme	standby Letter of Credit may be drawn on by you at any time and from time to time upon written not for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand fo tent without inquiring whether you have a right as between yourself and our customer to make such and and without recognizing any claim of our customer or objection by the customer to payment by us.
	mount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upor ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be
Partia	drawings are permitted.
	ngage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at:
(Addres	s)
and w	e confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on September 29, 2012.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name	of bank or financial institution)
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)