





DRAWING LIST	
SHEET No:	SHEET TITLE
M1	ROOF PLAN - DEMOLITION - MECHANICAL
M2	ROOF PLAN & SCHEDULES - RENOVATION - MECHANICAL
M3	CRAWLSPACE, BASEMENT, MAIN & MEZZANINE FLOOR PLAN - DEMOLITION - MECHANICAL
M4	MEZZANINE & MAIN FLOOR PLAN - RENOVATION - MECHANICAL
M5	BASEMENT & PARTIAL MAIN FLOOR PLAN - DEMOLITION & RENOVATION - PLUMBING
M6	SPECIFICATIONS - MECHANICAL & PLUMBING

NOTES: ALSO SEE ARC THESE DRAWIN

ALSO SEE ARCHITECTURAL, ROOF & ELECTRICAL DWG'S.

THESE DRAWINGS SHALL NOT BE SCALED.

THE CONTRACTOR SHALL VISIT THE SITE AND SATISFY ONESELF ALL DIMENSIONS, DATUM, AND DETAILED INFORMATION SHOWN ARE CORRECT.

THE CONTRACTOR IS TO REVIEW AND COORDINATE ALL ARCHITECTURAL, STRUCTURAL, MECHANICAL & ELECTRICAL DRAWINGS FOR ADDITIONAL OPENINGS THROUGH ROOFS, FLOORS, WALLS, AND CEILINGS FOR DUCTWORK, PIPE & ELECTRICAL RISERS AND ALL OPENINGS NOT SHOWN ON DRAWINGS.

ALL NEW & EXISTING OPENINGS THROUGH FIRE ASSEMBLIES ARE TO BE FIRE STOPPED AND SEALED WITH ULC APPROVED FIRE STOPPING TO MAINTAIN THE INTEGRITY OF THE FIRE SEPARATION, AND PROVIDE A SMOKE-TIGHT BARRIER.

ALL PRODUCTS AND MATERIALS TO BE USED AND INSTALLED SHALL CONFORM WITH MANUFACTURER'S SPECIFICATIONS & APPLICABLE CODES.

THE CONTRACTOR SHALL BE RESPONSIBLE TO PATCH AND MAKE GOOD ALL EXISTING CONSTRUCTION AFFECTED BY THE REMOVAL OF ALL ITEMS FORMING THE PART OF THE RENOVATION WORK.

CONTRACTOR TO CLEAN & RE-NSTALL EXISTING RADIATOR BASEBOARD HEAT PIPE ESCUTCHEON PLATES FLUSH TO NEW FLOORING OR INSTALL NEW AS REQUIRED.

CONTRACTOR TO FOLLOW REFRIGERATION RECOVERY PROCEDURES PRIOR TO DEMOLITION WORK.

WALL MOUNTED EVAPORATORS.

APPLICATION.

CONTRACTOR TO DECOMMISSION (5) EXISTING ROOF TOP A/C CONDENSING UNITS & (1) ROOF TOP MAKE-UP AIR (MUA) UNIT. REMOVE & DISCARD ALL ROOF TOP CONDENSING UNIT REFRIGERATION & CONDENSATE DRAIN LINES TO (7) MAIN FLOOR & (1) MEZZANINE

CONTRACTOR TO RE-USE, WHERE POSSIBLE, EXISTING WALL PENETRATIONS FOR REPLACEMENT OF MEZZANINE & MAIN FLOOR WALL MOUNTED EVAPORATORS, REFRIGERANT LINES, EMT & CONDENSATE DRAIN LINES. PROVIDE NEW PENETRATIONS TO ACCOMMODATE NEW WALL MOUNTED EVAPORATOR LOCATIONS, UNLESS OTHERWISE SPECIFIED.

ALL NEW EXTERIOR STEEL SHROUDS FOR EVAPORATORS, TO BE FABRICATED WITH SAME MATERIAL, GAUGE AND PAINTED TO MATCH EXISTING COLOR/S. TERMINATE ALL NEW COOPER CONDENSATE DRAIN LINES AND SHROUDS 2" (MINIMUM) PAST EXTERIOR BRICK.

ALL ELECTRICAL EMT & WIRING RUNS FROM DEMOLISHED ROOF TOP EQUIPMENT SHALL BE DISCONNECTED FROM EQUIPMENT TO ASSOCIATED BUILDING PANELBOARDS (NOT SHOWN). CONTRACTOR MAY RE-USE EXISTING EMT RUNS BY MODIFYING / EXTENDING RUNS TO ACCOMMODATE NEW EQUIPMENT SELECTION & PLACEMENT.

CONTRACTOR TO CO-ORDINATE NEW MECHANICAL ROOF TOP EQUIPMENT INSTALLATIONS WITH ROOFING CONTRACTOR. ALSO SEE ROOF DWG'S.

CAUTION:

CONTRACTOR TO TAKE NECESSARY PRECAUTIONS WHEN ENTERING CRAWLSPACE

WORK AREA AND MUST CONTACT THE CITY OF WINNIPEG CENTRAL CONTROL OFFICE AT

(204) -986-2129 FOR CONFINED SPACE ENTRY LEVEL 2 PROCEDURES AND PERMIT

REFER TO ELECTRICAL DRAWINGS FOR MECHANICAL EQUIPMENT POWER SUPPLIES, CONTROLLERS & SEQUENCE OF OPERATIONS.

No. REVISION/DESCRIPTION BY DATE

DRAWN RCP CHECKED DTA DESIGNED DTA APPROVED

DATE 2012.08.17 USER



THE CITY OF WINNIPEG
PLANNING, PROPERTY AND
DEVELOPMENT DEPARTMENT
MUNICIPAL ACCOMMODATIONS DIVISION
3-65 GARRY STREET, R3C 4K4

FORT GARRY LIBRARY

INTERIOR & EXTERIOR REFURBISHING

1360 PEMBINA HWY

SHEET TITLE

ROOF PLAN DEMOLITION

MECHANICAL

ALF IPROJECT No: IS

AS SHOWN 2011-096

DRAWING SHEET SIZE: A1 (841mm x 594mm) PLOT 1:1