Template Version: C420120419 - RW

#### FORM A: BID (See B7)

1.	Contract Title		Program - Furby Street Reconstruction Improvements And Associated Work	
2.	Bidder	Name of Bidder		
		Usual Business Name of Bidder as	t appears on Invoice (if different from above)	
		Street		
		City	Province Pc	stal Code
	(Mailing address if different)	Email Address of Bidder		
		Facsimile Number		
		Street or P.O. Box		
	(Choose one)	City	Province Po	stal Code
		The Bidder is:		
		a sole proprietor		
		a partnership		
		a corporation		
		carrying on business under t	ne above name.	
3.	Contact Person	The Bidder hereby authorize the Bidder for purposes of the	es the following contact person to re e Bid.	present
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms used ascribed to them in the Gene	in the Contract shall have the maral Conditions.	eanings
5.	Offer		perform the Work in accordance vice, in Canadian funds, set out on I	

Template Version: C420120419 - RW

6.	Bid Security	In accordance with B10.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of Sixty (60) Calendar Days following the Submission Deadline.

Template Version: C420120419 - RW

12.	Signatures	
-----	------------	--

e I	Bidder or the Bidder's authorized official or officials have signed this
	day of , 20 ,
	Signature of Bidder or Bidder's Authorized Official or Officials
	(Print here name and official capacity of individual whose signature appears above
	(Print here name and official capacity of individual whose signature appears above

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Α	Furby Street Reconstruction					
	EARTH AND BASE WORKS					
.1	Excavation	CW 3110-R16	m³	1395		
.2	Sub-Grade Compaction	CW 3110-R16	m²	2790		
3	Crushed Sub-base Material	CW 3110-R16				
i)	100 mm		tonne	2500		
.4	Supplying and Placing Base Course Material	CW 3110-R16	m³	210		
5	Grading of Boulevards	CW 3110-R16	m²	220		
6	Separation Geotextile Fabric	CW 3130-R4	m²	2790		
.7	Supply and Install Geogrid	CW 3135-R1	m²	1400		
	ROADWORKS - RENEWALS					
8	Pavement Removal	CW 3110-R16				
i)	Concrete Pavement		m²	460		
ii)	Asphalt Pavement		m²	1900		
.9	Drilled Dowels	CW 3230-R7				
i)	19.1 mm Diameter		each	20		
ii)	28.6 mm Diameter		each	20		
10	Drilled Tie Bars	CW 3230-R7				
i)	20 M Deformed Tie Bar		each	60		
ii)	25 M Deformed Tie Bar		each	20		
11	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m²	700		
12	Concrete Curb Removal	CW 3240-R9				
i)	Barrier (Intergral)		m	20		
ii)	Modified Barrier (Integral)		m	30		


ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
iii)	Curb and Gutter		m	500		
A.13	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	25		
۸.14	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	300		
\.15	Detectable Warning Surface Tiles	E12				
i)	610 mm X 1220 mm		each	5		
	ROADWORKS - NEW CONSTRUCTION					
A.16	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R14				
i)	Construction of 200 mm Concrete Pavement (Reinforced)		m²	180		
A.17	Concrete Pavements for Early Opening	CW 3310-R14				
i)	Construction of 250 mm Concrete Pavement for Early Opening 72 Hour (Plain-Dowelled)		m²	2210		
A.18	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R14				
i)	Construction of Barrier (180 mm ht, Integral)	SD-204	m	285		
ii)	Construction of Modified Barrier (180 mm ht, Integral)	SD-203B	m	100		
iii)	Construction of Curb and Gutter (150mm ht, Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200	m	180		
iv)	Construction of Curb Ramp (10-15 mm ht, Integral)	SD-229C	m	55		
A.19	Supply and Installation of Dowel Assemblies	CW 3310-R14	m	430		
A.20	100 mm Concrete Sidewalk	CW 3325-R5	m²	890		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.21	Construction of Asphaltic Concrete Pavements	CW 3410-R9				
i)	Main Line Paving					
a)	Type IA		tonne	50		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	15		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.22	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	4		
A.23	Remove and Replace Existing Catch Pit	CW 2130-R12				
i)	SD-023		each	3		
A.24	Drainage Connection Pipe	CW 2130-R12	m	35		
A.25	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	8		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	8		
A.26	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	3		
A.27	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm (Type PVC) Connecting Pipe					
a)	Connecting to 450 mm (Type Concrete SRS) Sewer		each	2		
b)	Connecting to 525 mm (Type Concrete SRS) Sewer		each	2		
A.28	Abandoning Existing Catch Basins	CW 2130-R12	each	3		
A.29	Abandoning Existing Catch Pit	CW 2130-R12	each	1		
A.30	Installation of Subdrains	CW 3120-R4	m	48		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ADJUSTMENTS					
A.31	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	8		
A.32	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1		
A.33	Lifter Rings	CW 3210-R7				
i)	51 mm		each	8		
۹.34	Adjustment of Valve Boxes	CW 3210-R7	each	5		
4.35	Valve Box Extensions	CW 3210-R7	each	5		
4.36	Adjustment of Curb Stop Boxes	CW 3210-R7	each	5		
a.37	Curb Stop Extensions	CW 3210-R7	each	5		
A.38	Relocating Existing Hydrant - Type B	CW 2110-R11	each	2		
	LANDSCAPING					
A.39	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	10		
ii)	width > or = 600 mm		m²	210		
	MISCELLANEOUS					
۸.40	Chain Link Fence	CW 3550-R2				
i)	2.44m Height	E9	m	10		
A.41	Soft Dig / Hydro Vac Excavation	E11	hr	10		
A	Furby Street Reconstruction	1			Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В	Langside Street at Furby Place Intersection					
	EARTH AND BASE WORKS					
3.1	Excavation	CW 3110-R16	m³	30		
3.2	Sub-Grade Compaction	CW 3110-R16	m²	57		
3.3	Crushed Sub-base Material	CW 3110-R16				
i)	50 mm		tonne	50		
3.4	Supplying and Placing Base Course Material	CW 3110-R16	m³	5		
3.5	Grading of Boulevards	CW 3110-R16	m²	45		
3.6	Separation Geotextile Fabric	CW 3130-R4	m²	57		
	ROADWORKS - RENEWALS					
3.7	Pavement Removal	CW 3110-R16				
i)	Concrete Pavement		m²	30		
3.8	Drilled Tie Bars	CW 3230-R7				
i)	20 M Deformed Tie Bar		each	50		
3.9	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m²	50		
3.10	Concrete Curb Removal	CW 3240-R9				
i)	Barrier Separate		m	21		
ii)	Modified Barrier (Integral)		m	10		
iii)	Curb Ramp		m	4		
3.11	Detectable Warning Surface Tiles	E12				
i)	300 mm X 300 mm		each	13		
ii)	610 mm X 1220 mm		each	2		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS - NEW CONSTRUCTION					
B.12	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R14				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	55		
B.13	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R14				
i)	Construction of Barrier (180 mm ht, Dowelled)	SD-205	m	5		
ii)	Construction of Modified Barrier (180 mm ht, Integral)	SD-203B	m	27		
iii)	Construction of Curb Ramp (10-15 mm ht, Integral)	SD-229C	m	4		
B.14	100 mm Concrete Sidewalk	CW 3325-R5	m²	36		
	LANDSCAPING					
B.15	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	5		
ii)	width > or = 600 mm		m²	40		
	MISCELLANEOUS					
B.16	Tree Removal 0.5m to 1.0m	E10	each	2		
В	Langside Street at Furby Place Intersection	n Improvement			Subtotal:	



ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С	Langside Street at Portage Avenue Interse	<u>ent</u>				
	EARTH AND BASE WORKS					
C.1	Excavation	CW 3110-R16	m³	6		
C.2	Sub-Grade Compaction	CW 3110-R16	m²	15		
C.3	Crushed Sub-base Material	CW 3110-R16				
i)	50 mm		tonne	14		
C.4	Supplying and Placing Base Course Material	CW 3110-R16	m³	2		
C.5	ROADWORKS - RENEWALS  Pavement Removal	CW 3110-R16				
i)	Concrete Pavement	OW 3110-K10	m²	3		
) C.6	Drilled Tie Bars	CW 3230-R7	***	3		
i)	20 M Deformed Tie Bar	011 0200 TM	each	20		
D.7	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	Monolithic Median Slab		m²	25		
ii)	Safety Median		m²	50		
C.8	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m²	35		
C.9	Concrete Curb Removal	CW 3240-R9				
i)	Barrier Separate		m	4		
ii)	Curb Ramp		m	16		
C.10	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	16		
C.11	Detectable Warning Surface Tiles	E12				
i)	610 mm X 1220 mm		each	6		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	ROADWORKS - NEW CONSTRUCTION					
C.12	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R14				
i)	Construction of 250 mm Concrete Pavement (Plain-Dowelled)		m²	15		
ii)	Construction of Monolithic Concrete Median Slabs	SD-226A	m²	50		
iii)	Construction of Monolithic Concrete Bull- noses	SD-227C	m²	8		
C.13	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R14				
i)	Construction of Curb Ramp (10-15 mm ht, Monolithic)	SD-229C	m	14		
C.14	Supply and Installation of Dowel Assemblies	CW 3310-R14	m	3		
С	Langside Street at Portage Avenue Interse	Subtotal:				

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	SUMMARY					
Α	Furby Street Reconstruction				Subtotal:	
В	Langside Street at Furby Place Intersection Improvement				Subtotal:	
С	Langside Street at Portage Avenue Intersec	Subtotal:				
TOTAL BI	D PRICE (GST extra)		(in figures)			
(in words)						

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B10)

#### **BID BOND**

KNOW ALL MEN BY THESE PRESENTS THAT (hereinafter called the "Principal") and (hereinafter called the "Surety"), are held and firmly bound unto THE CITY OF WINNIPEG (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents. WHEREAS the Principal has submitted a Bid to the Obligee for BID OPPORTUNITY NO. 634-2012 2012 Local Street Renewal Program - Furby Street Reconstruction, Langside Street Intersection Improvements And Associated Works as more fully set out in the Bid Opportunity. NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect. IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the \_ day of \_\_\_\_\_, 20\_\_\_\_\_. SIGNED AND SEALED in the presence of: (Name of Principal) (Seal) (Witness as to Principal if no seal)

(Name of Surety)

(Attorney-in-Fact)

Per:

(Seal)

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B10)

#### AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on \_\_\_\_\_\_, 20\_\_\_\_ for BID OPPORTUNITY NO. 634-2012 2012 Local Street Renewal Program - Furby Street Reconstruction, Langside Street Intersection Improvements And Associated Works in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within Sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this \_\_\_\_\_\_ day of \_\_\_\_\_\_, 20\_\_\_\_\_. (Name of Surety) (Seal)

(Attorney-in-Fact)

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B10)

(Date)	
The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1	
RE: BID SECURITY – BID OPPORTUNITY NO. 634-2012	
2012 Local Street Renewal Program - Furby Street Reconstruction, Langside Street Intersection Improvements And Associated Works	n
Pursuant to the request of and for the account of our customer,	
(Name of Bidder)	,
WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not excee in the aggregate	ding
Canadian dolla	ars.
This Standby Letter of Credit may be drawn on by you at any time and from time to time upon wr demand for payment made upon us by you. It is understood that we are obligated under this Star Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand payment without inquiring whether you have a right as between yourself and our customer to make a demand and without recognizing any claim of our customer or objection by the customer to payment by	ndby d for such
The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn us to by you or by formal notice in writing given to us by you if you desire such reduction or are willing that made.	
Partial drawings are permitted.	
We engage with you that all demands for payment made within the terms and currency of this Star Letter of Credit will be duly honoured if presented to us at:	าdby
(Address)	
and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by	us.

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B10)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on October 28, 2012

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name	of bank or financial institution)
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)