#### FORM A: BID (See B7)

1.	Contract Little	Restoration Works	erlay (TBO) Program And Flood	Damage
2.	Bidder	Name of Bidder		
		Usual Business Name of Bidder	as it appears on Invoice (if different fro	m above)
		Street		
		City	Province	Postal Code
	(Mailing address if different)	Email Address of Bidder		
		Facsimile Number		
		Street or P.O. Box		
	(Choose one)	City	Province	Postal Code
		The Bidder is:		
		a sole proprietor		
		a partnership		
		a corporation		
		carrying on business unde	r the above name.	
3.	Contact Person	The Bidder hereby author the Bidder for purposes of	izes the following contact persthe Bid.	son to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms use ascribed to them in the Ge	d in the Contract shall have neral Conditions.	e the meanings
5.	Offer		to perform the Work in acco Price, in Canadian funds, set	


6.	Bid Security	In accordance with B10.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above
		(Print here name and official capacity of individual whose signature appears above

UNII PRI	CES					
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
A	PEGUIS ST - FLOOD DAMAGE RESTORAT					
A.1	Preparation of Existing Roadway	CW 3150-R4, E9	m²	6600		
A.2	Surfacing Material	CW 3150-R4				
i)	Limestone		tonne	950		
A.3	Asphalt Surface Treatment (2 Lifts)	E9	m²	6600		
А	PEGUIS ST - FLOOD DAMAGE RESTORAT	ION WORKS			Subtotal:	


<u> </u>	ONT I MOLO								
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT			
		REF.		QUANTITY					
В	RAVELSTON AV W - FLOOD DAMAGE RES								
B.1	Preparation of Existing Roadway	CW 3150-R4, E9	m²	10500					
B.2	Surfacing Material	CW 3150-R4							
i)	Limestone		tonne	1550					
B.3	Asphalt Surface Treatment (2 Lifts)	E9	m²	10500					
В	RAVELSTON AV W - FLOOD DAMAGE RES	Subtotal:							

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С	849 RAVELSTON AV. PARKING LOT - FLOO	N WORKS				
C.1	Excavation	CW 3110-R16	m³	50		
C.2	Crushed Sub-base Material	CW 3110-R16				
i)	50 mm - Limestone		tonne	90		
C.3	Supplying and Placing Base Course Material	CW 3110-R16	m³	10		
C.4	Separation Geotextile Fabric	CW 3130-R4	m²	125		
C.5	Pavement Removal	CW 3110-R16				
i)	Asphalt Pavement		m²	125		
C.6	Construction of Asphaltic Concrete Pavements	CW 3410-R9				
i)	Main Line Paving					
а	) Type IA		tonne	35		
С	849 RAVELSTON AV. PARKING LOT - FLOO	OD DAMAGE REST	ORATIO	N WORKS		
					Subtotal:	




OINT FINE						
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
D	SOMERSET AV - FLOOD DAMAGE RESTOR					
D.1	Preparation of Existing Roadway	CW 3150-R4, E9	m²	1350		
D.2	Surfacing Material	CW 3150-R4				
i)	Limestone		tonne	200		
D.3	Asphalt Surface Treatment (2 Lifts)	E9	m²	1350		
D	SOMERSET AV - FLOOD DAMAGE RESTORATION WORKS					

<u>UNIT PRI</u>			1		· · · · · · · · · · · · · · · · · · ·	
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E	THIN BITUMINOUS OVERLAY (TBO)					
	EARTH AND BASE WORKS					
E.1	Excavation	CW 3110-R16	m³	15		
E.2	Placing Suitable Site Sub-base Material	CW 3110-R16	m³	15		
E.3	Supplying and Placing Base Course Material	CW 3110-R16	m³	50		
	ROADWORKS - RENEWALS					
E.4	Slab Replacement - Early Opening (24 hour)	CW 3230-R7				
i)	200 mm Concrete Pavement (Reinforced)		m²	50		
ii)	150 mm Concrete Pavement (Reinforced)		m²	5		
E.5	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R7				
i)	200 mm Concrete Pavement (Type A)		m²	150		
ii)	200 mm Concrete Pavement (Type B)		m²	75		
iii)	200 mm Concrete Pavement (Type C)		m²	5		
iv)	200 mm Concrete Pavement (Type D)		m²	10		
v)	150 mm Concrete Pavement (Type A)		m²	100		
vi)	150 mm Concrete Pavement (Type B)		m²	50		
vii)	150 mm Concrete Pavement (Type C)		m²	5		
viii)	150 mm Concrete Pavement (Type D)		m²	10		
E.6	Partial Depth Planing of Existing Joints	E10	m²	125		
E.7	Asphalt Patching of Partial Depth Joints	E10	m²	125		
E.8	Drilled Dowels	CW 3230-R7				
i)	19.1 mm Diameter		each	550		
			1			



UNIT PR	RIC		(OLL BO)				
ITEM		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.9		Drilled Tie Bars	CW 3230-R7				
i)		15 M Deformed Tie Bar		each	700		
ii)		20 M Deformed Tie Bar		each	800		
E.10		Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)		Monolithic Median Slab	SD-226A	m²	40		
ii)		100 mm Sidewalk	SD-228A				
á	a)	Less than 5 sq.m.		m²	500		
k	b)	5 sq.m. to 20 sq.m.		m²	1400		
(	c)	Greater than 20 sq.m.		m²	450		
iii)		Bullnose	SD-227C	m²	2		
E.11		Concrete Curb Renewal	CW 3240-R9				
i)		Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
á	a)	Less than 3 m		m	300		
k	b)	3 m to 30 m		m	200		
ii)		Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	450		
iii)		Mountable Curb (120 mm reveal ht Integral)	SD-201	m	25		
iv)		Curb Ramp (10-15 mm reveal ht, Monolithic)	SD-229C,D	m	750		
E.12		Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	100		
E.13		Construction of Asphaltic Concrete Overlay	CW 3410-R9				
i)		Main Line Paving					
á	a)	Type IA		tonne	17800		
ii)		Tie-ins and Approaches					
á	a)	Type IA		tonne	1500		
E.14		Planing of Pavement	CW 3450-R5				

CES			-		
DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
0 - 50 mm Depth (Asphalt)		m²	2400		
0 - 50 mm Depth (Concrete)		m²	700		
ADJUSTMENTS					
Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	20		
Lifter Rings	CW 3210-R7				
38 mm		each	5		
51 mm		each	110		
64 mm		each	30		
Valve Box Extensions	CW 3210-R7	each	35		
Adjustment of Curb Stop Boxes	CW 3210-R7	each	3		
Supply of Curb Inlet Box Covers	CW 3210-R7	each	1		
Supply of Curb Inlet Frames	CW 3210-R7	each	5		
Adjustment of Curb Inlet with New Inlet Box	CW 3210-R7	each	1		
Adjustment of Curb Inlet Frame	E12	each	12		
Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	70		
Installation of City of Winnipeg Provided CGI Risers	E8	each	150		
Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
AP-005 - Standard Solid Cover for Standard Frame		each	1		
AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	20		
AP-009 - Barrier Curb and Gutter Inlet Cover		each	20		
	DESCRIPTION  0 - 50 mm Depth (Asphalt)  0 - 50 mm Depth (Concrete)  ADJUSTMENTS  Adjustment of Catch Basins / Manholes Frames Lifter Rings  38 mm  51 mm  64 mm  Valve Box Extensions  Adjustment of Curb Stop Boxes  Supply of Curb Inlet Box Covers  Supply of Curb Inlet Frames  Adjustment of Curb Inlet with New Inlet Box  Adjustment of Curb Inlet Frame  Adjustment of Curb and Gutter Inlet Frames  Installation of City of Winnipeg Provided CGI Risers  Replacing Existing Manhole and Catch Basin Frames & Covers  AP-004 - Standard Frame for Manhole and Catch Basin AP-005 - Standard Solid Cover for Standard Frame  AP-008 - Barrier Curb and Gutter Inlet Frame and Box	DESCRIPTION  0 - 50 mm Depth (Asphalt)  0 - 50 mm Depth (Concrete)  ADJUSTMENTS  Adjustment of Catch Basins / Manholes Frames Lifter Rings  CW 3210-R7  38 mm  51 mm  64 mm  Valve Box Extensions  CW 3210-R7  Adjustment of Curb Stop Boxes  CW 3210-R7  Supply of Curb Inlet Box Covers  CW 3210-R7  Supply of Curb Inlet Frames  CW 3210-R7  Adjustment of Curb Inlet with New Inlet Box  Adjustment of Curb Inlet Frame  Adjustment of Curb and Gutter Inlet Frames  CW 3210-R7  E12  CW 3210-R7  E15  CW 3210-R7  E16  CW 3210-R7  E17  E18  CW 3210-R7  E19  CW 3210-R7  E10  CW 3210-R7  E10  CW 3210-R7  E11  CW 3210-R7  E12  CW 3210-R7  E12  CW 3210-R7  E13  CW 3210-R7  E14  E15  CW 3210-R7  E16  CW 3210-R7  E17  END  END  END  END  END  END  END  EN	DESCRIPTION  O - 50 mm Depth (Asphalt)  O - 50 mm Depth (Concrete)  ADJUSTMENTS  Adjustment of Catch Basins / Manholes Frames Lifter Rings  CW 3210-R7  8 mm  CW 3210-R7  8 each  51 mm  64 mm  Valve Box Extensions  Adjustment of Curb Stop Boxes  CW 3210-R7  each  Supply of Curb Inlet Box Covers  Supply of Curb Inlet Frames  Adjustment of Curb Inlet with New Inlet Box  Adjustment of Curb Inlet Frame  Adjustment of Curb and Gutter Inlet Frames  Installation of City of Winnipeg Provided CGI Risers  Replacing Existing Manhole and Catch Basin Frames & Covers  AP-004 - Standard Frame for Manhole and Catch Basin  AP-005 - Standard Solid Cover for Standard Frame  AP-008 - Barrier Curb and Gutter Inlet Frame and Box  ADSTANCE CW 3210-R7  each  E12  each  CW 3210-R7  each  E22  each  CW 3210-R7  each  each  each  cw 3210-R7  each  each  Adjustment of Curb Inlet Frame  E12  each  Adjustment of Curb and Gutter Inlet Frames  CW 2130-R12  each  each  each  each  each	DESCRIPTION         SPEC. REF.         UNIT APPROX. QUANTITY           0 - 50 mm Depth (Asphalt)         m²         2400           0 - 50 mm Depth (Concrete)         m²         700           ADJUSTMENTS           Adjustment of Catch Basins / Manholes Frames         CW 3210-R7         each         20           Frames         CW 3210-R7         each         5           38 mm         each         5         110           64 mm         each         30           Valve Box Extensions         CW 3210-R7         each         3           Adjustment of Curb Stop Boxes         CW 3210-R7         each         1           Supply of Curb Inlet Box Covers         CW 3210-R7         each         5           Adjustment of Curb Inlet Frames         CW 3210-R7         each         5           Adjustment of Curb Inlet with New Inlet Box         CW 3210-R7         each         1           Adjustment of Curb Inlet Frame         E12         each         1           Adjustment of Curb and Gutter Inlet Frames         CW 3210-R7         each         70           Installation of City of Winnipeg Provided CGI Replacing Existing Manhole and Catch Basin Frames & Covers         CW 2130-R12         Executed Frame         150           Repl	DESCRIPTION



ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	LANDSCAPING					
E.26	Grading of Boulevards	CW 3110-R16	m²	250		
E.27	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	250		
ii)	width > or = 600 mm		m²	25		
E.28	Salt Tolerant Grass Seeding	E11	m²	2500		
E	THIN BITUMINOUS OVERLAY (TBO)				Subtotal:	

UNIT PRIC	CES	(OLL DO)						
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT		
	SUMMARY							
Α	PEGUIS ST - FLOOD DAMAGE RESTORATION WORKS  Subtotal:							
В	RAVELSTON AV W - FLOOD DAMAGE RES	TORATION WORKS	<u>S</u>		Subtotal:			
С	849 RAVELSTON AV. PARKING LOT - FLOC	DD DAMAGE REST	ORATIO	N WORKS	Subtotal:			
D	SOMERSET AV - FLOOD DAMAGE RESTOR	RATION WORKS			Subtotal:			
E	THIN BITUMINOUS OVERLAY (TBO)				Subtotal:			
TOTAL BID PRICE (GST extra) (in figures)								
(in words)								

(Seal)

Template Version: C420120419 - RW

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B10)

#### **BID BOND**

KNOW ALL MEN BY THESE PRESENTS THAT
-------------------------------------

KNOW ALL MEN BY THESE PRESENTS THAT		
(hereinafter called the "Principal") and		
called the "Obligee") in the sum of ten per described, for the payment of which sum the	and firmly bound unto <b>THE CITY OF WINNIPEG</b> (hereinal reent (10%) of the Total Bid Price set out in the Bid hereinal he Principal and Surety bind themselves, their heirs, executorally and severally, firmly by these presents.	fter
WHEREAS the Principal has submitted a B	id to the Obligee for	
BID OPPORTUNITY NO. 649-2012		
2012 Thin Bituminous Overlay (TBO) Progr	am And Flood Damage Restoration Works	
as more fully set out in the Bid Opportunity.		
if said Bid is accepted and the Principal, in a the said Obligee and furnishes the required	oligation is such that if the Bid of the Principal is not accepted, accordance with the terms of the Bid, enters into a Contract was performance security for guaranteeing the faithful performand, but otherwise shall remain in full force and effect.	vith
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the	
day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness as to Principal if no seal)	Per: (Seal) Per:	
	(Name of Surety)	

Ву:

(Attorney-in-Fact)

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B10)

#### AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on \_\_\_\_\_\_ , 20\_\_\_\_ for BID OPPORTUNITY NO. 649-2012 2012 Thin Bituminous Overlay (TBO) Program And Flood Damage Restoration Works in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this \_\_\_\_\_\_ day of \_\_\_\_\_\_ , 20\_\_\_\_\_ . (Name of Surety) By: (Attorney-in-Fact) (Seal)

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B10)

(Date)	
Corpo Mater 185 K	City of Winnipeg prate Finance Department ials Management Division iing Street, Main Floor peg MB R3B 1J1
RE:	BID SECURITY – BID OPPORTUNITY NO. 649-2012
	2012 Thin Bituminous Overlay (TBO) Program And Flood Damage Restoration Works
Pursu	ant to the request of and for the account of our customer,
(Name	of Bidder)
WE H	ss of Bidder)  JEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate
	Canadian dollars.
dema Letter payme	Standby Letter of Credit may be drawn on by you at any time and from time to time upon written nd for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand for ent without inquiring whether you have a right as between yourself and our customer to make such and without recognizing any claim of our customer or objection by the customer to payment by us.
	mount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be .
Partia	I drawings are permitted.
	ngage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at:
(Addres	SS)
and w	ve confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B10)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on October 20, 2012

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)		
Per:	(Authorized Signing Officer)	
Per:	(Authorized Signing Officer)	